

Paper No. 27 Exhibit 1

Results of Search in All Years db for:

EXP/"robinson; douglas w": 2346 patents.

PAT. NO.	Title
1 6,184,369	<input type="checkbox"/> <u>Anti-viral guanosine-rich oligonucleotides</u>
2 6,166,302	<input type="checkbox"/> <u>Modified Bacillus thuringiensis gene for lepidopteran control in plants</u>
3 6,147,277	<input type="checkbox"/> <u>Potato .alpha.-amylase</u>
4 6,143,950	<input type="checkbox"/> <u>Plant steroid 5.alpha. reductase, DET2</u>
5 6,143,562	<input type="checkbox"/> <u>Carbon-based process for selection of transgenic plant cells</u>
6 6,118,046	<input type="checkbox"/> <u>Inbred broccoli line KI-13 capable of combining with other inbred broccoli to produce superior commercial cultivar (varieties)</u>
7 6,100,451	<input type="checkbox"/> <u>Pathogen-inducible regulatory element</u>
8 6,077,996	<input type="checkbox"/> <u>Inbred corn line ASG09</u>
9 6,077,995	<input type="checkbox"/> <u>Fungal gene encoding resistance to the phytotoxin cercosporin</u>
10 6,077,832	<input type="checkbox"/> <u>Antiviral benzimidazole nucleoside analogues and a method for their preparation</u>
11 6,060,446	<input type="checkbox"/> <u>Method and composition for treating renal disease and failure</u>
12 6,054,634	<input type="checkbox"/> <u>Methods for within family selection in woody perennials using genetic markers</u>
13 6,046,172	<input type="checkbox"/> <u>Hydrolytically processed oligodeoxyribonucleotides and their pharmaceutical compositions</u>
14 6,037,525	<input type="checkbox"/> <u>Method for reducing expression variability of transgenes in plant cells</u>
15 PP11,274	<input type="checkbox"/> <u>Bougainvillea plant named 'Vera Light Purple'</u>
16 6,030,943	<input type="checkbox"/> <u>Dehydroidemnin B as an L-type calcium channel enhancer</u>
17 PP11,243	<input type="checkbox"/> <u>Helenium plant named 'Coppelia'</u>
18 6,028,247	<input type="checkbox"/> <u>Plant C18:1 preferring thioesterases</u>
19 6,028,246	<input type="checkbox"/> <u>Bacillus thuringiensis strains and their insecticidal proteins</u>
20 6,025,541	<input type="checkbox"/> <u>Method of using as a selectable marker a nucleic acid containing AHAS promoter useful for expression of introduced genes in plants</u>
21 6,022,729	<input type="checkbox"/> <u>Granule-associated proteins and methods for their use in polyhydroxyalkanoate biosynthesis</u>
22 6,020,190	<input type="checkbox"/> <u>Plant ubiquitin promoter system</u>
23 6,018,100	<input type="checkbox"/> <u>Promoter for transgenic plants</u>
24 6,013,763	<input type="checkbox"/> <u>Peptide variants of protein A</u>
25 6,011,198	<input type="checkbox"/> <u>Constructs and methods for enhancing protein levels in photosynthetic organisms</u>
26 6,008,436	<input type="checkbox"/> <u>Nematode-resistant transgenic plants</u>
27 6,001,617	<input type="checkbox"/> <u>Electroporation device and method of use</u>
28 5,998,699	<input type="checkbox"/> <u>Potyvirus coat protein genes and plants transformed therewith</u>
29 5,994,626	<input type="checkbox"/> <u>Methods of regeneration of medicago sativa and expressing foreign DNA in same</u>
30 5,994,624	<input type="checkbox"/> <u>In planta method for the production of transgenic plants</u>
31 5,994,623	<input type="checkbox"/> <u>Corn 4-.alpha.-glucanotransferase</u>
32 5,986,188	<input type="checkbox"/> <u>Bicolor impatiens</u>
33 5,981,730	<input type="checkbox"/> <u>RPS gene family, primers, probes, and detection methods</u>
34 5,977,443	<input type="checkbox"/> <u>Aphid resistance in composites</u>

- 35 5,977,440 ☐ DNA molecule encoding a 33kD cysteine proteinase and its use in transforming plants to provide insect resistance
- 36 5,977,326 ☐ Process for making morphine-6-glucuronide or substituted morphine-6-glucuronide
- 37 5,969,219 ☐ "Awn-inhibitor genes of triticale and their use"
- 38 5,965,791 ☐ Vector for introducing a gene into a plant, and methods for producing transgenic plants and multitudinously introducing genes into a plant using the vector
- 39 5,965,727 ☐ For selectable markers and promoters for plant tissue culture transformation
- 40 5,962,670 ☐ Promoters for enhancing plant productivity
- 41 5,959,184 ☐ Plants and seeds of Cucurbita pepo having a genetic factor for spinelessness
- 42 5,959,179 ☐ Method for transforming soybeans
- 43 5,959,177 ☐ Transgenic plants expressing assembled secretory antibodies
- 44 5,958,750 ☐ Human hyaluronidase
- 45 5,958,745 ☐ Methods of optimizing substrate pools and biosynthesis of poly-.beta.-hydroxybutyrate-co-poly-.beta.-hydroxyvalerate in bacteria and plants
- 46 5,955,652 ☐ Plant genes for sensitivity to ethylene and pathogens
- 47 5,955,648 ☐ Hybrid wild rice production utilizing cytoplasmic-genetic male sterility system
- 48 5,955,647 ☐ Method for using tobacco mosaic virus to overproduce peptides and proteins
- 49 5,955,646 ☐ Chimeric regulatory regions and gene cassettes for expression of genes in plants
- 50 5,955,362 ☐ Methods for stable transformation of wheat

- 51 5,952,553 ☐ Herbicide resistant rice
- 52 5,952,547 ☐ Modified Bacillus thuringiensis genes with improved expression in plant cells, methods of production on and use
- 53 5,952,546 ☐ Delayed ripening tomato plants with T-DNA bearing a truncated ACC2 synthase gene
- 54 5,952,009 ☐ Methods for preventing the transmission of or treating patients infected with herpesvirus
- 55 5,948,955 ☐ Transgenic plants having altered anthocyan levels
- 56 5,948,670 ☐ Process for the isolation and characterization of a gene enzyme system for inactivation of the herbicide phenmedipham and transfer of the gene into plants to produce herbicide-tolerant plants
- 57 5,948,388 ☐ Chewable softgel oral hygiene product
- 58 5,945,581 ☐ Implanting disease resistance to plants with viral replicase DNA molecules which do not have a read-through portion
- 59 5,945,580 ☐ Capsicum hemicellulase polynucleotides and polypeptides
- 60 5,945,579 ☐ Modification of crop plant architecture to enhance yield by causing proximity-conditional dwarfing to control shade avoidance reactions
- 61 5,942,657 ☐ Co-ordinated inhibition of plant gene expression
- 62 5,942,389 ☐ Genes and genetic elements associated with sensitivity to cisplatin
- 63 5,939,602 ☐ DNA molecules encoding plant protoporphyrinogen oxidase and inhibitor-resistant mutants thereof
- 64 5,939,601 ☐ Genes associates with enhanced disease resistance in plants
- 65 5,939,394 ☐ Methods and compositions for the prevention and treatment of immunological disorders, inflammatory diseases and infections
- 66 5,930,950 ☐ Method of inhibiting the formation of crystalline mineral deposits in soil

- 67 5,929,301 ☐ Nucleic acid sequence encoding FLP recombinase
- 68 5,928,937 ☐ Structure-based designed herbicide resistant products
- 69 5,925,808 ☐ Control of plant gene expression
- 70 5,925,806 ☐ Controlled expression of transgenic constructs in plant plastids
- 71 5,925,804 ☐ Production of trehalose in plants
- 72 5,922,929 ☐ Thermotolerance enhancing protein
- 73 5,922,928 ☐ Genetic transformation and regeneration of plants
- 74 PP11,003 ☐ Rose plant named Devtinta
- 75 5,919,999 ☐ Enhanced transport with a plastid membrane transport protein
- 76 5,919,918 ☐ Transformed plants expressing antimicrobial proteins
- 77 5,919,762 ☐ Conjugates of hirudin and lipophilic compounds
- 78 5,917,127 ☐ Plasmids useful for and methods of preparing transgenic plants with modifications of habit and yield
- 79 5,914,450 ☐ Glutenin genes and their uses
- 80 5,914,448 ☐ Process for the preparation of antiviral plant transformed with lactoferrin gene
- 81 5,914,446 ☐ Soluble solids modification using sucrose phosphate synthase encoding sequences
- 82 5,912,416 ☐ Safflower products with very high levels of unsaturated fatty acids
- 83 5,912,415 ☐ Arabidopsis spindly gene, methods of identification and use
- 84 5,912,414 ☐ Nucleic acid fragments, chimeric genes and methods for increasing the methionine content of the seeds of plants
- 85 5,912,413 ☐ Isolation of SU1, a starch debranching enzyme, the product of the maize gene sugary1
- 86 5,912,412 ☐ Varieties of Poa annua
- 87 5,910,631 ☐ Middle chain-specific thioesterase genes from Cuphea lanceolata
- 88 5,908,978 ☐ Methods for within family selection of disease resistance in woody perennials using genetic markers
- 89 5,908,975 ☐ Accumulation of fructans in plants by targeted expression of bacterial levansucrase
- 90 5,908,974 ☐ Potato leafhopper resistant alfalfa
- 91 5,908,973 ☐ DNA encoding fruit-ripening-related proteins, DNA constructs, cells and plants derived therefrom
- 92 5,908,970 ☐ Recombinant plant expressing non-competitively binding Bt insecticidal crystal proteins
- 93 5,908,771 ☐ Method for regeneration of salvia species
- 94 PP10,933 ☐ Picea glauca plant named 'Blue Wonder'
- 95 5,907,083 ☐ Brassica sp. gene promoter highly expressed during stigma development
- 96 5,907,082 ☐ Ovule-specific gene expression
- 97 5,905,187 ☐ Antimicrobial peptides and plant disease resistance based thereon
- 98 5,905,146 ☐ DNA binding protein S1-3
- 99 5,902,881 ☐ Reagent useful for synthesizing sulfurized oligonucleotide analogs
- 100 PP10,890 ☐ Lantana plant named 'Mongen'

- 101 5,898,096 ☐ Plant promoter
- 102 5,898,070 ☐ Process for the production of alkyl and/or alkenyl oligoglycosides
- 103 5,894,079 ☐ Field bean cultivar named enola
- 104 5,889,189 ☐ Process for protein production in plants
- 105 5,888,976 ☐ Bacillus thuringiensis isolates and toxins
- 106 5,888,820 ☐ Retroviral vector capable of transducing the aldehyde dehydrogenase-1 gene and uses of said vector
- 107 PP10,846 ☐ Lacebark elm tree named 'Zettler'
- 108 5,886,244 ☐ Stable transformation of plant cells
- 109 5,886,243 ☐ Genetic engineering of wood color in plants
- 110 5,886,164 ☐ DNA encoding enzymes related to ethylene biosynthesis and ripening from banana
- 111 5,885,963 ☐ Controlling hemipteran insect pests with bacillus thuringiensis isolate PS123D1
- 112 5,885,802 ☐ High methionine derivatives of .alpha.-hordothionin
- 113 5,885,801 ☐ High threonine derivatives of .alpha.-hordothionin
- 114 5,883,237 ☐ Oligonucleotides having R.sub.p and S.sub.p linkages at predetermined locations
- 115 5,882,914 ☐ Nucleic acids encoding the hypoxia inducible factor-1
- 116 5,880,350 ☐ Inbred corn line LH237
- 117 5,880,348 ☐ Inbred corn line LH273
- 118 5,880,347 ☐ Inbred corn line LH264
- 119 5,880,343 ☐ Grass and method of introducing endophytic fungi into a grass
- 120 5,880,334 ☐ DNA encoding phosphoenolpyruvate carboxykinase, recombinant vector and transformed plant containing the same
- 121 5,880,332 ☐ DNA constructs related to capsanthin capsorubin synthase, cells and plants derived therefrom
- 122 5,880,275 ☐ Synthetic plant genes from BT kurstaki and method for preparation
- 123 5,879,941 ☐ Polypeptides and polynucleotides relating to the .alpha.-and .beta.-subunits of a glutamate dehydrogenase and methods of use
- 124 5,877,402 ☐ DNA constructs and methods for stably transforming plastids of multicellular plants and expressing recombinant proteins therein
- 125 5,877,401 ☐ Targeting and enhancing RNA-RNA recombination
- 126 5,877,400 ☐ Transgenic methods and compositions for producing parthenocarpic fruits and vegetables
- 127 5,877,023 ☐ Process and apparatus for the genetic transformation of cells
- 128 5,876,979 ☐ RNA component of mouse, rat, Chinese hamster and bovine telomerase
- 129 5,874,626 ☐ Osmotin gene promoter and use thereof
- 130 5,872,245 ☐ Continuous process for the synthesis of sucrose fatty acid esters
- 131 5,872,111 ☐ Compositions comprising glycosylamide surfactants
- 132 5,869,606 ☐ Amino acids peptides or derivatives thereof coupled to fats
- 133 5,866,792 ☐ Plant-derived enzyme and DNA sequences and uses thereof
- 134 5,866,784 ☐ Recombinant plant expressing non-competitively binding insecticidal crystal proteins
- 135 5,866,778 ☐ Newly characterized oxalate and uses therefor
- 136 5,866,777 ☐ Method for obtaining plants with reduced susceptibility to plant-parasitic nematodes
- 137 5,866,775 ☐ Glyphosate-tolerant 5-enolpyruvyl-3-phosphoshikimate synthases

- 138 5,866,764 ☐ Lycopersicon pimpinellifolium as a source of resistance to the plant pathogen phytophthora infestans
- 139 5,866,421 ☐ Enhanced expression in a plant plastid
- 140 5,864,984 ☐ System and method for measuring seedlot vigor
- 141 5,861,543 ☐ Bacillus thuringiensis strains and their insecticidal proteins
- 142 5,861,503 ☐ Process for producing 8-fluoropurines
- 143 5,859,351 ☐ Prf protein and nucleic acid sequences: compositions and methods for plant pathogen resistance
- 144 5,859,348 ☐ Imidazolinone and sulfonyl urea herbicide resistant sugar beet plants
- 145 5,859,344 ☐ Modified fruit containing galactanase transgene
- 146 5,859,339 ☐ Nucleic acids, from oryza sativa, which encode leucine-rich repeat polypeptides and enhance xanthomonas resistance in plants
- 147 5,859,328 ☐ Isolated DNA elements that direct pistil-specific and anther-specific gene expression and methods of using same
- 148 5,859,327 ☐ Electroporation-mediated molecular transfer in intact plants
- 149 5,859,315 ☐ Soft-milling wheats which produce dough with low elasticity
- 150 5,856,469 ☐ Method for producing palatinitol

- 151 5,856,151 ☐ Antifungal preparations containing osmotin
- 152 5,854,388 ☐ Angiotensin IV peptides and receptor
- 153 5,852,003 ☐ Drug and pharmaceutical composition for the treatment of muscles
- 154 5,850,020 ☐ Materials and method for the modification of plant lignin content
- 155 5,850,019 ☐ Promoter (FLt) for the full-length transcript of peanut chlorotic streak caulimovirus (PCLSV) and expression of chimeric genes in plants
- 156 5,850,015 ☐ Hypersensitive response elicitor from Erwinia chrysanthemi
- 157 5,849,900 ☐ Inhibition of viruses by antisense oligomers capable of binding to polypurine rich tract of single-stranded RNA or RNA-DNA hybrids
- 158 5,849,546 ☐ Methods for using mutant RNA polymerases with reduced discrimination between non-canonical and canonical nucleoside triphosphates
- 159 5,847,108 ☐ Clathrate of isoflavone derivatives and edible composition comprising the same
- 160 5,846,803 ☐ Process for the isolation and characterization of a gene enzyme system for inactivation of the herbicide phenmedipham and transfer of the gene into plants to produce herbicide-tolerant plants
- 161 5,844,121 ☐ Method of inhibiting mycotoxin production in seed crops by modifying lipoxygenase pathway genes
- 162 5,843,905 ☐ Peptidic phosphinyloxymethyl ketones as interleukin-1 beta.-converting enzyme inhibitors
- 163 5,840,600 ☐ Method for producing semiconductor device and apparatus for treating semiconductor device
- 164 5,840,557 ☐ Method for producing seeds and plants thereof involving an in vitro step
- 165 5,839,224 ☐ Aromatic aldehydes as insecticides and for killing arachnids
- 166 5,837,864 ☐ Method for producing a suspension in water of a cellulose ether, and dry mixture suitable for use in the production of the suspension
- 167 5,834,184 ☐ In vivo selection of RNA-binding peptides

- 168 5,832,659 ☐ Mushroom caps with reduced scaling
- 169 5,831,068 ☐ Method to increase the density of antigen on antigen presenting cells
- 170 5,830,728 ☐ Plant transformation process with early identification of germ line transformation events
- 171 5,830,666 ☐ Method of detecting nucleic acids or the like
- 172 5,829,192 ☐ Method for focusing the growth of a vegetative root system to target a contaminated area
- 173 5,829,191 ☐ Method of growing and harvesting vegetation for use in remediating contaminated soil and/or groundwater
- 174 5,827,835 ☐ Thermally-gelling emulsions
- 175 5,827,752 ☐ Micro-tip for emitting electric field and method for fabricating the same
- 176 5,824,873 ☐ Tomato ripening TOM41 compositions and methods of use
- 177 5,824,872 ☐ A constitutive promoter from tobacco
- 178 5,824,870 ☐ Commercial production of aprotinin in plants
- 179 5,824,864 ☐ Maize gene and protein for insect control
- 180 5,824,514 ☐ Process for the production of expression vectors comprising at least one stochastic sequence of polynucleotides
- 181 5,821,398 ☐ DNA molecules encoding inducible plant promoters and tomato ADH2 enzyme
- 182 5,817,483 ☐ Process for the production of stochastically-generated peptides, polypeptides or proteins having a predetermined property
- 183 5,814,476 ☐ Process for the production of stochastically-generated transcription or translation products
- 184 5,811,640 ☐ Pepper variety JZA
- 185 5,811,395 ☐ Relaxin analogs and derivatives methods and uses thereof
- 186 5,808,174 ☐ Maize resistant to aryloxyphenoxyalkanoic acid herbicides
- 187 5,808,053 ☐ Modification of starch
- 188 5,808,035 ☐ Protected nucleoside and method for its synthesis
- 189 5,804,694 ☐ Commercial production of .beta.-glucuronidase in plants
- 190 5,804,445 ☐ High affinity mutants of nuclear factor-interleukin 6 and methods of use therefor
- 191 5,801,150 ☐ Aminopyri(mi)dine derivatives combined with amino acids, and pharmacological activities thereof
- 192 5,801,028 ☐ Osmotin gene promoter and use thereof
- 193 5,801,027 ☐ Method of using transactivation proteins to control gene expression in transgenic plants
- 194 5,792,934 ☐ Enhanced insect resistance in plants genetically engineered with a plant hormone gene involved in cytokinin biosynthesis
- 195 5,792,933 ☐ Fiber-specific protein expression in the cotton plant
- 196 5,792,932 ☐ Plant promoter, microorganisms and plant cells containing a unit for the expression of a protein of interest comprising said promoter
- 197 5,792,930 ☐ Chimeric gene for the transformation of plants
- 198 5,792,928 ☐ Nucleotide sequences coding for polypeptides endowed with a larvicidal activity towards lepidoptera
- 199 5,792,927 ☐ Genetically transformed rose plants and methods for their production
- 200 5,792,921 ☐ Increasing the trehalose content of organisms by transforming them with combinations of the structural genes for trehalose synthase

- 201 5,792,904 ☐ Method for breeding disease resistance into plants
- 202 5,792,672 ☐ Photoresist strip method
- 203 5,789,247 ☐ Expression in non-tumoral human lymphoblastoid lines with an integrative vector
- 204 5,789,198 ☐ Human leptin receptor-related protein
- 205 5,786,341 ☐ Use of a COL1A1 mini-gene construct to inhibit collagen synthesis
- 206 5,786,162 ☐ Fused genes and their use for determining the presence of metals or of xenobiotic compounds
- 207 5,783,418 ☐ Human homolog of the rat G protein gamma-5 subunit
- 208 5,780,593 ☐ Method of isolating biomolecules by ion exchange
- 209 5,773,703 ☐ Herbicide resistant rice
- 210 5,773,702 ☐ Imidazolinone herbicide resistant sugar beet plants
- 211 5,773,697 ☐ Genetic constructs and methods for producing fruits with very little or diminished seed
- 212 5,773,696 ☐ Antifungal polypeptide and methods for controlling plant pathogenic fungi
- 213 5,773,692 ☐ Anti-sense RNA for CAB transcript to reduce chlorophyll content in plants
- 214 5,773,688 ☐ Gene expression vector using the gene expression regulating region of the ADP ribosylation factor
- 215 5,773,681 ☐ Method of producing electrolyte-enriched plant embryos
- 216 5,773,680 ☐ Hybrid wild rice production utilizing cytoplasmic-genetic male sterility system
- 217 5,770,788 ☐ Inducing chromosome doubling in anther culture in maize
- 218 5,770,720 ☐ Ubiquitin conjugating enzymes having transcriptional repressor activity
- 219 5,770,576 ☐ Pharmaceutical dipeptide compositions and methods of use thereof: systemic toxicity
- 220 5,767,378 ☐ Mannose or xylose based positive selection
- 221 5,767,376 ☐ Nucleic acids encoding a papaya ACC synthase gene
- 222 5,767,375 ☐ Plant genes affecting gibberellic acid biosynthesis
- 223 5,767,371 ☐ Deacetylase genes for the production of phosphinothricin or phosphinothricyl-alanyl-alanine, process for their isolation, and their use
- 224 5,767,370 ☐ Deacetylase genes for the production of phosphinothricin or phosphinothricyl-alanyl-alanine, processes for their isolation, and their use
- 225 5,767,368 ☐ Method for producing a cereal plant with foreign DNA
- 226 5,766,899 ☐ Targeted nucleic acid delivery into liver cells
- 227 5,766,885 ☐ Potyvirus vectors for the expression of foreign genes
- 228 5,763,575 ☐ Agonist and antagonist peptides of the C140 receptor
- 229 5,760,004 ☐ Chemical modification of repetitive polymers to enhance water solubility
- 230 5,759,852 ☐ Expression vector containing PL6M promoter and TAT32 ribosome binding site and host cells transformed therewith
- 231 5,753,621 ☐ Pulmonary surfactant protein fragments
- 232 5,750,869 ☐ Soluble solids modification using sucrose phosphate synthase encoding sequences
- 233 5,750,865 ☐ Process for modifying the production of carotenoids in plants, and DNA, constructs and cells therefor
- 234 5,750,862 ☐ Control of plant cell proliferation and growth
- 235 5,750,828 ☐ Method and materials for conferring tripsacum genes in maize
- 236 5,750,109 ☐ Rotavirus reassortant vaccine

- 237 [5,749,169](#) ☐ [Use of the indeterminate gametophyte gene for maize improvement](#)
- 238 [5,747,448](#) ☐ [Derivatives of cyclodepsipeptide PF 1022](#)
- 239 [5,747,307](#) ☐ [Mason-Pfizer Monkey Retroviral packaging defective vectors](#)
- 240 [5,746,023](#) ☐ [Method to identify genetic markers that are linked to agronomically important genes](#)
- 241 [5,746,022](#) ☐ [Coated seed having improved colorant](#)
- 242 [5,744,460](#) ☐ [Combination for treatment of proliferative diseases](#)
- 243 [5,744,364](#) ☐ [PTOM36 constructs and tomato cells transformed therewith](#)
- 244 [5,741,485](#) ☐ [Method for preparing zinc interferon alpha-2 crystals](#)
- 245 [5,739,310](#) ☐ [Ribosomes as vectors for RNA](#)
- 246 [5,736,629](#) ☐ [Herbicide resistant rice](#)
- 247 [5,736,358](#) ☐ [Dictyostelid expression vector and method for expressing a desired protein](#)
- 248 [5,733,744](#) ☐ [Binary BAC vector](#)
- 249 [5,732,506](#) ☐ [Cultivation of petunia](#)
- 250 [5,731,505](#) ☐ [Inbred broccoli line SA-5](#)

- 251 [5,731,179](#) ☐ [Method for introducing two T-DNAs into plants and vectors therefor](#)
- 252 [5,731,163](#) ☐ [Lyophilized bioluminescent bacterial reagent for the detection of toxicants](#)
- 253 [5,728,551](#) ☐ [In vitro transposition of artificial transposons for DNA sequencing](#)
- 254 [5,723,765](#) ☐ [Control of plant gene expression](#)
- 255 [5,723,764](#) ☐ [Cellulose synthesis in the storage tissue of transgenic plants](#)
- 256 [5,723,761](#) ☐ [Plant acyl-ACP thioesterase sequences](#)
- 257 [5,723,720](#) ☐ [Process for the development of endophyte-infected plants](#)
- 258 [5,723,596](#) ☐ [European corn borer resistance genetic markers](#)
- 259 [5,723,575](#) ☐ [Process for the preparation of backbone cyclic peptides](#)
- 260 [5,723,440](#) ☐ [Controlling hemipteran insect pests with Bacillus thuringiensis](#)
- 261 [5,723,323](#) ☐ [Method of identifying a stochastically-generated peptide, polypeptide, or protein having ligand binding property and compositions thereof](#)
- 262 [5,720,130](#) ☐ [Removal of soil contaminants](#)
- 263 [5,719,055](#) ☐ [Transposon-based transformation vectors](#)
- 264 [5,719,043](#) ☐ [DNA sequences for an amino acid transporter, plasmids, bacteria, yeasts and plants containing a transporter and their use](#)
- 265 [5,719,042](#) ☐ [Nucleic acids encoding transcription factor APRF \(acute phase response factor\)](#)
- 266 [5,718,080](#) ☐ [Cultivation of flowering plants](#)
- 267 [5,716,837](#) ☐ [Expression of sucrose phosphorylase in plants](#)
- 268 [5,714,346](#) ☐ [Process for production of human growth hormone using Bacillus Brevis](#)
- 269 [5,712,135](#) ☐ [Process for transforming monocotyledonous plants](#)
- 270 [5,710,364](#) ☐ [Cruciferous plant having a high carotene content](#)
- 271 [5,707,828](#) ☐ [Expression of human serum albumin in Pichia pastoris](#)
- 272 [5,707,619](#) ☐ [Bacillus thuringiensis isolates active against weevils](#)
- 273 [5,703,040](#) ☐ [Broad spectrum antibiotic peptide](#)
- 274 [5,698,416](#) ☐ [Methods for production of antigens under control of temperature-regulated promoters in enteric bacteria](#)

- 275 5,697,186 ☐ Flocculated microbial inoculants for delivery of agriculturally beneficial microorganisms
- 276 5,696,084 ☐ Amino-lipopeptide antifungal agents
- 277 5,696,077 ☐ Pharmaceutical composition containing botulinum B complex
- 278 5,695,961 ☐ Bi-functional expression system
- 279 5,693,512 ☐ Method for transforming plant tissue by sonication
- 280 5,692,339 ☐ Method for producing raisins
- 281 5,689,053 ☐ Brassica Sp. polygalacturonase gene promoter
- 282 5,684,225 ☐ Double-flowering New Guinea Impatiens
- 283 5,683,905 ☐ Vectors and cell lines capable of correctly splicing exon regions
- 284 5,682,708 ☐ Rapid generation advancement in winter wheat
- 285 5,681,738 ☐ Use of 10-oxo-trans-8-decenoic acid in mushroom cultivation
- 286 5,679,881 ☐ Nucleic acid sequences encoding a plant cytoplasmic protein involved in fatty acyl-CoA metabolism
- 287 5,679,515 ☐ Mycobacterial reporter strains and uses thereof
- 288 5,677,474 ☐ Producing commercially valuable polypeptides with genetically transformed endosperm tissue
- 289 5,674,835 ☐ Papillomaviral expression inhibitors
- 290 5,674,739 ☐ Human gene FOHY030 coding for tumor progression inhibitor
- 291 5,670,623 ☐ Methods of use of cellulose binding domain proteins
- 292 5,670,347 ☐ Peptide-mediated gene transfer
- 293 5,665,873 ☐ Glucocorticoid response elements
- 294 5,661,136 ☐ 2-halo-2'-fluoro ARA adenosines as antinoplastic agents
- 295 5,661,025 ☐ Self-assembling polynucleotide delivery system comprising dendrimer polycations
- 296 5,661,000 ☐ Serine protease and serine protease gene
- 297 5,659,124 ☐ Transgenic male sterile plants for the production of hybrid seeds
- 298 5,659,024 ☐ Promoters that regulate the expression of genes involved in cell death
- 299 5,656,747 ☐ Process for the quantitative purification of glycolipids
- 300 5,656,453 ☐ Process for the production of recombinant proteins in streptomycetes
- 301 5,656,424 ☐ Identification of mycobacterium tuberculosis complex species
- 302 5,652,105 ☐ Substrate for detection of mammalian 5-C-DNA methyltransferase
- 303 5,650,387 ☐ Withdrawn
- 304 5,648,461 ☐ Synthetic analogs of thrombospondin and therapeutic use thereof
- 305 5,648,235 ☐ Method and means for the production of gene products, novel recombinant DNA vectors therefor and kits employing them
- 306 5,646,333 ☐ Plant promoter useful for directing the expression of foreign proteins to the plant epidermis
- 307 5,637,487 ☐ Eimeria tenella vaccine
- 308 5,633,448 ☐ Chimeric gene for the transformation of plants
- 309 5,633,446 ☐ Modified Bacillus thuringiensis insecticidal-crystal protein genes and their expression in plant cells
- 310 5,633,360 ☐ Oligonucleotide analogs capable of passive cell membrane permeation

- 311 5,633,155 ☐ Expression vector for phytolacca antiviral protein and process for preparing transgenic plant transformed therewith
- 312 5,629,470 ☐ Transgenic plants and plant cells with enhanced pathogen resistance and related methods
- 313 5,629,468 ☐ Root stimulating bacteria
- 314 5,618,672 ☐ Method for analyzing partial gene sequences
- 315 5,616,568 ☐ Functionalized derivatives of hyaluronic acid
- 316 5,616,325 ☐ Stimulator of vascular endothelial cells and use thereof
- 317 5,615,518 ☐ Sprouted vegetable seeds sterilizing method, and sprouted vegetables cultivating method
- 318 5,614,497 ☐ Peptide, production and use thereof
- 319 5,614,186 ☐ Infected soilborne fungus for inoculating plants
- 320 5,612,453 ☐ Selected peptides of the group-specific antigen (gag) of human immunodeficiency virus (HIV), the preparation and use thereof
- 321 5,610,025 ☐ Inhibition of interfering endogenous enzyme activity in assays of biological fluids
- 322 5,608,148 ☐ Transgenic cotton plants producing heterologous peroxidase
- 323 5,608,147 ☐ tfdA gene selectable markers in plants and the use thereof
- 324 5,608,144 ☐ Plant group 2 promoters and uses thereof
- 325 5,605,938 ☐ Methods and compositions for inhibition of cell invasion and fibrosis using dextran sulfate
- 326 5,596,838 ☐ Method and instrument for the preparation of pollen for cryogenic storage
- 327 5,595,896 ☐ Expression of heterologous genes in transgenic plants and plant cells using plant asparagine synthetase promoters
- 328 5,589,625 ☐ Transgenic plants displaying multiple virus resistance and a process for their production
- 329 5,589,620 ☐ Bibenzyl synthase genes
- 330 5,589,588 ☐ Sulfated acid amides having anticoagulant properties
- 331 5,589,586 ☐ Nucleosides attached to a solid support through a 3'-silyl linkage and their use in oligonucleotide synthesis
- 332 5,583,121 ☐ Non-anticoagulant chemically modified heparinoids for treating hypovolemic shock and related shock syndromes
- 333 5,582,980 ☐ Chemiluminescent 1,2-dioxetanes
- 334 5,580,858 ☐ Immunosuppressive and tolerogenic modified Lewis.sup.x compounds
- 335 5,580,857 ☐ Use of gibberellins for the treatment of prostatitis
- 336 5,580,562 ☐ Preparations and uses thereof for immunosuppression
- 337 5,578,582 ☐ Methods of treating ischemia with C2, N.sup.6 -disubstituted adenosine derivatives
- 338 5,576,202 ☐ Virus-resistant transgenic plants
- 339 5,574,148 ☐ Rapid synthesis of radiolabeled pyrimidine nucleosides or nucleotides
- 340 5,571,687 ☐ Modulators of multidrug resistance transporters
- 341 5,569,823 ☐ DNA comprising plum pox virus and tomato spotted wilt virus cDNAs for disease resistance
- 342 5,563,317 ☐ Method for the production of high proportions of homokaryons in breeding stock of the mushroom Agaricus bisporus
- 343 5,563,258 ☐ Sucralfate aqueous suspension and its method of preparation
- 344 5,563,125 ☐ 5'-deoxy-5'-(substituted)alkylthioribose compounds and their pharmaceutical compositions

- 345 5,559,226 ☐ Process for making polyol fatty acid polyesters having oxidative stability
- 346 5,554,598 ☐ Method of treating crural or decubitus ulcer with zinc hyaluronic acid complex
- 347 5,554,596 ☐ Virus inhibiting composition
- 348 5,552,540 ☐ Nucleoside derivatives
- 349 5,552,535 ☐ Multiple oligonucleotide containing oligomers and the cleanable linkers used in their preparation
- 350 5,552,534 ☐ Non-Peptide peptidomimetics

- 351 5,548,076 ☐ Method of making oligonucleotides, oligonucleoside thiophosphates and oligonucleoside phosphotriesters using H-phosphonate intermediates
- 352 5,548,064 ☐ Vitamin B12 conjugates with EPO, analogues thereof and pharmaceutical compositions
- 353 5,547,863 ☐ Production of fructan (levan) polyfructose polymers using bacillus polymyxa
- 354 5,547,672 ☐ Accelerated wound healing
- 355 5,545,622 ☐ Process for preparing surfactant mixtures having high solids content
- 356 5,543,513 ☐ Trehalose desiccant product and dehydration therewith
- 357 5,543,505 ☐ Synthetic compounds which bind to H. pylori, and uses thereof
- 358 5,543,403 ☐ Sulfated glycosaminoglycanoid derivatives of the heparin and heparan sulfate type
- 359 5,541,313 ☐ Single-stranded labelled oligonucleotides of preselected sequence
- 360 5,541,307 ☐ Backbone modified oligonucleotide analogs and solid phase synthesis thereof
- 361 5,541,167 ☐ Thromboresistant coating for defoaming applications
- 362 5,541,166 ☐ Sulphated polysaccharides having anti-metastatic and/or anti-inflammatory activity
- 363 5,541,164 ☐ 2-halo-2'-deoxyadenosines in the treatment of monocyte-mediated inflammatory disease conditions
- 364 5,539,097 ☐ Oligonucleotide polymeric support system
- 365 5,539,090 ☐ Release and isolation of N-glycans and O-glycans
- 366 5,538,978 ☐ 9-purinyl phosphonic acid derivatives
- 367 5,538,524 ☐ Crowned row mound sod production process
- 368 5,536,827 ☐ Method for preparing antitumor substance BE-13793C derivatives
- 369 5,536,651 ☐ Mutant strain of Xanthomonas campestris, process of obtaining xanthan, and non-viscous xanthan
- 370 5,534,504 ☐ Treating myocardial infarction by administration of a thrombolytic agent together with adenosine
- 371 5,534,503 ☐ 2'-O, N.sup.6 -disubstituted and 2'-O, N.sup.6, 2-trisubstituted adenosines and their medicinal uses
- 372 5,534,502 ☐ Process for producing fat emulsion
- 373 5,534,500 ☐ Process for preparing surfactant mixtures having high solids content
- 374 5,532,223 ☐ Use of aqueous soluble glucan preparations to stimulate platelet production
- 375 5,531,992 ☐ Low molecular weight vegetable composition
- 376 5,530,113 ☐ Anti-endotoxin compounds
- 377 5,529,986 ☐ Conjugate, its preparation and use and a substrate prepared with the conjugate
- 378 5,529,985 ☐ Sulfated glycosaminoglycanoid derivatives of the dermatan sulfate and chondroitin sulfate type

- 379 5,529,779 ☐ Purified propolis-extract, and its preparation and uses
- 380 5,529,772 ☐ Method for producing improved biological pesticides
- 381 5,527,903 ☐ Process for preparing sucrose fatty acid esters
- 382 5,527,893 ☐ Water insoluble derivatives of polyanionic polysaccharides
- 383 5,527,892 ☐ Process for preparing APG's
- 384 5,527,890 ☐ Derivatives of triterpenoid acids and uses thereof
- 385 5,527,803 ☐ 9-purinyl phosphonic acid derivatives
- 386 5,527,785 ☐ Selectin receptor modulating compositions
- 387 5,527,783 ☐ Dry and Porous galenic form based on plants, its method of preparation and its applications
- 388 5,527,779 ☐ Topically applied gold organic complex
- 389 5,525,720 ☐ Synthesis of 2'-"up" fluorinated 2'-deoxy-arabinofuranosyl purines
- 390 5,525,710 ☐ Highly porous chitosan bodies
- 391 5,525,595 ☐ 3- or 4-glycosyloxybenzopyran derivative and antiallergic agent containing the derivative as active ingredient
- 392 5,525,480 ☐ N- and O-substituted aminophenols, method and use for diagnosis
- 393 5,525,368 ☐ Degraded polysaccharide derivatives and foodstuffs containing same
- 394 5,525,341 ☐ Partially purified cranberry anti-adhesion activity
- 395 5,525,340 ☐ Food composition containing antimicrobial plant distillate
- 396 5,525,132 ☐ Yeasts as a biocontrol for microbial diseases of fruit
- 397 5,525,131 ☐ Coated seeds
- 398 5,523,399 ☐ 5-O-desosaminylerythronolide derivatives
- 399 5,523,294 ☐ Di-lysoganglioside derivatives
- 400 5,523,230 ☐ Method of environmental control

- 401 5,523,212 ☐ Aryl N-alkylacridanthiocarboxylate derivatives useful for chemiluminescent detection
- 402 5,523,211 ☐ Identification, quantitation and purification of insecticidal proteins from *Bacillus thuringiensis*
- 403 5,521,294 ☐ 2,2-difluoro-3-carbamoyl ribose sulfonate compounds and process for the preparation of beta nucleosides
- 404 5,521,292 ☐ Compositions comprising neutralized polysaccharide derivatives
- 405 5,521,164 ☐ Method for the preparation and purification of a mixture of glycosphingolipids free from contamination by non-conventional viruses
- 406 5,521,163 ☐ Antiviral pyrimidine nucleosides and methods for using same
- 407 5,521,162 ☐ Aristeromycin analogues of 4',5'-didehydro-5'-fluoro-adenosine and methods of treating neoplastic and viral disease conditions
- 408 5,521,161 ☐ Method of treating HIV in humans by administration of ddI and hydroxycarbamide
- 409 5,521,160 ☐ Sulfuric acid esters of sugar alcohols
- 410 5,521,060 ☐ Use of a sparingly soluble salt of a heteropoly acid for the determination of an analyte, a corresponding method of determination as a suitable agent therefor
- 411 5,519,129 ☐ Complex of guanidine and AZT
- 412 5,519,127 ☐ Nucleic acid probes for the detection of *Pneumocystis carinii*
- 413 5,519,124 ☐ Production of alkylpolyglycosides

- 414 5,519,010 ☐ Sulfated polysaccharide, pharmaceutically acceptable salt thereof, process for preparing same and medicament containing same as effective component
- 415 5,519,008 ☐ Derivatives of triterpenoid acids as inhibitors of cell-adhesion molecules ELAM-1 (E-selectin) and LECAM-1 (L-selectin)
- 416 5,519,007 ☐ Lysosphingolipid derivatives
- 417 5,518,710 ☐ Methods for extracting cereal .beta.-glucans
- 418 5,516,764 ☐ Anti-inflammatory agent
- 419 5,516,763 ☐ Crystalline lactitol monohydrate and a process for the preparation thereof, use thereof, and sweetening agent
- 420 5,516,668 ☐ Method for decreasing seed storage proteins and for transforming plants
- 421 5,514,789 ☐ Recovery of oligonucleotides by gas phase cleavage
- 422 5,514,667 ☐ Method for topical treatment of herpes infections
- 423 5,514,666 ☐ Preparation and use of a protein-enriched pectin composition
- 424 5,514,663 ☐ Senna dosage form
- 425 5,514,662 ☐ Use of amphotericin B derivatives as protease inhibitors
- 426 5,514,660 ☐ Method for treating and inhibiting gastric and duodenal ulcers
- 427 5,514,659 ☐ 3-deoxy oligosaccharides and pharmaceutical compositions containing them
- 428 5,514,658 ☐ Oligosaccharides for inhibiting the mitosis of astrocytes and tumoral cells of the nervous system, and methods for obtaining them
- 429 5,514,588 ☐ Surfactant-nutrients for bioremediation of hydrocarbon contaminated soils and water
- 430 5,514,570 ☐ Squash mosaic virus genes and plants transformed therewith
- 431 5,512,672 ☐ Curdlan sulfate
- 432 5,512,671 ☐ Ether lipid-nucleoside covalent conjugates
- 433 5,512,470 ☐ Method for inhibiting sialidase activity
- 434 5,512,429 ☐ Assay for enzyme activity
- 435 5,512,285 ☐ Fragrance extraction
- 436 5,510,482 ☐ Process for bleaching discolored surface-active alkyl glycosides and for working up the bleached material
- 437 5,510,481 ☐ Self-assembled molecular films incorporating a ligand
- 438 5,510,336 ☐ 2-halo-2'-deoxyadenosine treatment for histiocytosis
- 439 5,510,333 ☐ Inhibitors of Cathepsin G and elastase for preventing connective tissue degradation
- 440 5,510,245 ☐ Composition and method of assaying for ketone bodies
- 441 5,510,243 ☐ Multiple chromogen enzyme targeting (MCET) for use in bacterial contamination monitoring
- 442 5,508,394 ☐ Citric esters of polyhydroxy compounds and use thereof in detergents
- 443 5,508,393 ☐ Process for the preparation of ribonucleotide reductase inhibitors
- 444 5,508,390 ☐ Diterpenes having immunomodulatory action
- 445 5,508,270 ☐ Nucleoside phosphinate compounds and compositions
- 446 5,508,268 ☐ Parenteral elsamitrucin formulations
- 447 5,506,349 ☐ Chemical synthesis of 2', 3'-dideoxycytidine
- 448 5,506,347 ☐ Lyxofuranosyl analogues of adenosine
- 449 5,506,213 ☐ Adminstration of 2'-halo-2'-deoxy adenosine to treat inflammatory bowel disease

- 450 [5,506,212](#) ☐ [Oligonucleotides with substantially chirally pure phosphorothioate linkages](#)
- 451 [5,506,116](#) ☐ [Method and element for assay of catechol and catechol generating substances](#)
- 452 [5,506,112](#) ☐ [Reagent used for determining factor VIII activity](#)
- 453 [5,504,196](#) ☐ [Removal of color, polysaccharides, phenolics and turbidity from sugar-containing solutions and derivated fibrous residues therefore](#)
- 454 [5,503,816](#) ☐ [Silicate compounds for DNA purification](#)
- 455 [5,502,178](#) ☐ [Methods for producing amidated or aminated water soluble cellulose acetates](#)
- 456 [5,502,038](#) ☐ [Cholesterol sequestrant glycosides that inhibit intestinal cholesterol absorption](#)
- 457 [5,498,705](#) ☐ [Modified polysaccharides having improved absorbent properties and process for the preparation thereof](#)
- 458 [5,498,703](#) ☐ [Silanol based glycosides](#)
- 459 [5,498,606](#) ☐ [Protection of human and animal cells](#)
- 460 [5,498,605](#) ☐ [Sulfo-derivatives of adenosine](#)
- 461 [5,498,604](#) ☐ [Lewis-type sugar chain derivative](#)
- 462 [5,498,603](#) ☐ [Method for the stimulation of hair growth](#)
- 463 [5,496,935](#) ☐ [2',3'-dideoxynucleoside pyrimidine compounds and carbocyclic analogs](#)
- 464 [5,496,931](#) ☐ [Insecticide and miticide A83543 compounds and their method of production by fermentation](#)
- 465 [5,496,810](#) ☐ [Pyrimidine deoxyribonucleoside potentiation of combination therapy based on 5-fluorouracil and interferon](#)
- 466 [5,496,809](#) ☐ [Stable solutions of rebeccamycin analog](#)
- 467 [5,496,806](#) ☐ [Glycoside compounds and production and use thereof](#)
- 468 [5,496,720](#) ☐ [Parthenogenic oocyte activation](#)
- 469 [5,495,010](#) ☐ [Acid stable purine dideoxynucleosides](#)
- 470 [5,495,005](#) ☐ [Synthesis and pharmacological activity of a series of novel xanthone derivatives](#)
- 471 [5,494,935](#) ☐ [Methods for oral decorporation of metals](#)
- 472 [5,494,912](#) ☐ [9-purinyl phosphonic acid derivatives for treating gout](#)
- 473 [5,494,805](#) ☐ [Unit for the detection of residues of antibacterial compounds in liquids](#)
- 474 [5,492,900](#) ☐ [Method for enhancing the solubility of the boron delivery drug, boronophenylalanine \(BPA\)](#)
- 475 [5,492,897](#) ☐ [Method for treating T-cell lymphoblastic leukemia with ara-G nucleoside derivatives](#)
- 476 [5,490,978](#) ☐ [Block copolymers of polysaccharides and polyalkylene oxides](#)
- 477 [5,489,675](#) ☐ [Disaccharide sialidase substrates and inhibitors](#)
- 478 [5,489,673](#) ☐ [Iodinated borane cage molecules as X-ray contrast media](#)
- 479 [5,489,578](#) ☐ [Sulfated ligands for I-selectin and methods of treating inflammation](#)
- 480 [5,488,105](#) ☐ [Polysaccharides of hymenaea seeds](#)
- 481 [5,488,039](#) ☐ [Method for the production of an enteral formula containing ribo-nucleotides](#)
- 482 [5,486,604](#) ☐ [Cyclic ADP ribose antagonists](#)
- 483 [5,486,506](#) ☐ [Method for treating cardiac inotropic irregularities](#)
- 484 [5,484,911](#) ☐ [Nucleoside 5'-diphosphate conjugates of ether lipids](#)
- 485 [5,484,908](#) ☐ [Oligonucleotides containing 5-propynyl pyrimidines](#)

- 486 5,484,777 ☐ Pancreatic cholesterol esterase inhibitor
- 487 5,484,775 ☐ Semisynthetic ganglioside analogues
- 488 5,484,774 ☐ 2, N.sup.6 -disubstituted adenosines, tri-O-ester derivatives and their pharmaceutical compositions to treat ischemias
- 489 5,482,932 ☐ Alginate gels to the form of fibrous pastes useful as wound dressings
- 490 5,482,711 ☐ Use of Nigella sativa to increase immune function
- 491 5,480,985 ☐ Process for preparing branched cyclodextrins
- 492 5,480,980 ☐ 7-Deaza-2'-deoxyguanosine nucleotides and nucleic acids analogs thereof
- 493 5,478,928 ☐ 2',3'-dideoxy-4'-thioribonucleosides and synthetic precursors thereof
- 494 5,478,813 ☐ Antitumor substance BE-13793C derivatives
- 495 5,478,812 ☐ Chromanol glycoside and method for production thereof
- 496 5,478,722 ☐ Preserved cell preparations for flow cytometry and immunology
- 497 5,476,931 ☐ Process for preparing 3-deoxy-B-D-threo-pentofuranosyl nucleosides
- 498 5,476,930 ☐ Non-enzymatic ligation of oligonucleotides
- 499 5,476,928 ☐ Modified nucleotides and polynucleotides and complexes form therefrom
- 500 5,476,925 ☐ Oligodeoxyribonucleotides including 3'-aminonucleoside-phosphoramidate linkages and terminal 3'-amino groups

- 501 5,476,842 ☐ Method and compositions for treating tumors having high tyrosinase activity
- 502 5,474,987 ☐ Methods of using low molecular weight heparins treatment of pathological processes
- 503 5,474,986 ☐ Method for treating galabiose-binding bacteria infections
- 504 5,474,774 ☐ Adhesion inhibiting composition
- 505 5,473,063 ☐ Synthesis of furanosyl compounds useful as intermediates in preparation of nucleoside analogues
- 506 5,473,058 ☐ Process and reagent for the specific determination of pancreatic .alpha.-amylase
- 507 5,472,953 ☐ Fractionated heparin for the therapeutic treatment of malaria
- 508 5,472,950 ☐ Compositions containing cobalt hyaluronic acid complex
- 509 5,472,949 ☐ N.sup.4 -(substituted-oxycarbonyl)-5'-deoxy-5-fluorocytidine compounds, compositions and methods of using same
- 510 5,472,947 ☐ Application of 4-carbamoyl-1-.beta.-D-ribofuranosyl imidazolium-5-olate to the treatment of multiple sclerosis
- 511 5,472,946 ☐ Transdermal penetration enhancers
- 512 5,472,850 ☐ Quantitative clotting assay for activated factor VII
- 513 5,470,967 ☐ Oligonucleotide analogs with sulfamate linkages
- 514 5,470,965 ☐ Complexable heterogenous oligosaccharides and alpha-hydrosanes having therapeutical activity, process for their preparation and related pharmaceutical compositions
- 515 5,470,964 ☐ Process for the preparation of modified polysaccharides having improved absorbent properties
- 516 5,470,962 ☐ Oligosialyl-1,2-dialkyl-sn-glycerols and synthetic intermediates for their preparation
- 517 5,470,961 ☐ 14 and/or 15-hydroxy 6,9 hemiacetal erythromycin derivatives
- 518 5,470,843 ☐ Carbohydrate-containing polymers, their preparation and use
- 519 5,470,842 ☐ Carbohydrate-based anti-inflammatory agents
- 520 5,470,840 ☐ Anti-inflammatory compounds and compositions

- 521 5,470,838 ☐ Method of delivering exogenous uridine or cytidine using acylated uridine or cytidine
- 522 5,470,837 ☐ 5'-vinylhalo-aristeromycin/adenosine analogs and immunosuppressants
- 523 5,470,836 ☐ Paromomycin or its derivatives or salts thereof in combination with sodium stirogluconate for parenteral treatment of human parasitic diseases
- 524 5,468,853 ☐ Synthesis of 5-radiohalo-2'-deoxyuridine
- 525 5,468,493 ☐ Food product containing antimicrobial composition prepared by dry distillation of bamboo
- 526 5,468,492 ☐ Cosmetic composition
- 527 5,468,491 ☐ Method for producing oat extract
- 528 5,466,793 ☐ Process for preparing 2', 3'- dideoxyinosine
- 529 5,466,787 ☐ Process for preparing AZT
- 530 5,466,786 ☐ 2'modified nucleoside and nucleotide compounds
- 531 5,466,679 ☐ Carboranyl uridines and their use in boron neutron capture therapy
- 532 5,466,678 ☐ Co-administration of S-adenosyl-L-methionine to reduce the nephrotoxicity of cisplatin therapy
- 533 5,466,677 ☐ Dinucleoside phosphinates and their pharmaceutical compositions
- 534 5,466,453 ☐ Method for improving the taste of pine extract, and orally administrable product obtained thereby
- 535 5,466,452 ☐ Pharmaceutical compositions for the treatment of skin disorders
- 536 5,466,451 ☐ Pharmaceutically active composition extracted from tanacetum parthenium, process for its extraction, and pharmaceutical composition containing same
- 537 5,466,450 ☐ Antiviral antibiotic BU-4224V
- 538 5,464,942 ☐ Phospholipid- or lipid-linked glycosaminoglycan and process for producing the same
- 539 5,464,828 ☐ Aqueous suspension of sucralfate
- 540 5,464,826 ☐ Method of treating tumors in mammals with 2',2'-difluoronucleosides
- 541 5,464,778 ☐ Glycoprotein ligand for P-selectin and methods of use thereof
- 542 5,464,769 ☐ Desiccated conifer somatic embryos
- 543 5,464,618 ☐ Gustatory stimulant composition useful for corn rootworm control
- 544 5,463,039 ☐ Method of preparing hetero-branched cyclodextrins
- 545 5,463,035 ☐ Process for purifying pentostatin
- 546 5,462,929 ☐ Treatment of psoriasis by administration of 4-carbamoyl-1-.beta.-D-ribofuranosylimidazolium-5-oleate
- 547 5,461,143 ☐ Oligosaccharide enzyme substrates and inhibitors: methods and compositions
- 548 5,461,036 ☐ Spicamycin derivatives and their use as anticancer agents
- 549 5,459,257 ☐ Sulfated oligoglycoside acylate and antiviral agent containing the same as active ingredient
- 550 5,459,256 ☐ Lipophilic, aminohydrolase-activated prodrugs

- 551 5,459,255 ☐ N-2 substituted purines
- 552 5,459,254 ☐ Process for preparing synthetic intermediates of 2-alkynyladenosines and 2-alkynyladenosines
- 553 5,459,249 ☐ Process for continuous manufacture of alkylglycosides
- 554 5,459,248 ☐ Process of preparing etoposide phosphate and etoposide
- 555 5,459,132 ☐ N6-[(Imidazo[1,2-a]pyridin-3-yl)ethyl]adenosines, their 5'-uronamide analogues and pharmaceutical compositions
- 556 5,459,065 ☐ Process for the degradation of coal tar and its constituents by Phanerochaete chrysosporium
- 557 5,457,191 ☐ 3-deazapurines
- 558 5,457,187 ☐ Oligonucleotides containing 5-fluorouracil
- 559 5,455,345 ☐ Physiologically active substances of plant, process for the preparation thereof, and utilities thereof
- 560 5,455,344 ☐ Agarose compositions for nucleic acid sequencing
- 561 5,455,343 ☐ Polysaccharide, its applications, its production by fermentation and the pseudomonas strain which produces it
- 562 5,455,236 ☐ 5,10-methylenetetrahydrofolic acid-cyclodextrin inclusion compounds
- 563 5,455,234 ☐ Inhibition of hair growth
- 564 5,455,233 ☐ Oligoribonucleoside and oligodeoxyribonucleoside boranophosphates
- 565 5,455,033 ☐ Medicinal composition for treatment of inflammation
- 566 5,453,497 ☐ Process for producing N.sup.4 -acyl-5'-deoxy-5-fluorocytidine compounds
- 567 5,453,496 ☐ Polynucleotide phosphorodithioate
- 568 5,453,369 ☐ Enzyme for producing novel cycloisomaltooligosaccharides
- 569 5,451,671 ☐ Method of purifying 2',3'-dideoxynucleosides
- 570 5,451,667 ☐ Fumaric acid derivatives, process for the production thereof and pharmaceutical compositions containing same
- 571 5,451,511 ☐ Process for the preparation of antiparasitic agents
- 572 5,451,463 ☐ Non-nucleoside 1,3-diol reagents for labeling synthetic oligonucleotides
- 573 5,449,773 ☐ Platinum complexes of sucrose derivatives
- 574 5,449,770 ☐ Process for making N-alkylamino polyols
- 575 5,449,763 ☐ Preparation of alkylpolyglycosides
- 576 5,449,665 ☐ Continuous intravenous infusion of adenosine to human patients undergoing percutaneous transluminal angioplasty
- 577 5,449,664 ☐ Antiviral agents
- 578 5,449,663 ☐ Antineoplastic compositions
- 579 5,447,918 ☐ Gastrointestinal anti-irritant composition comprising sucralfate and methods of use
- 580 5,447,917 ☐ D-tagatose as anti-hyperglycemic agent
- 581 5,447,720 ☐ Composition and method for treatment of hemoglobinopathies
- 582 5,446,139 ☐ Purine analog nucleoside and nucleotide compounds
- 583 5,446,031 ☐ 1-.beta.-D-arabinofuranosyl-(E)-5-(2-halogenovinyl)uracil derivatives
- 584 5,446,029 ☐ Anti-retroviral activity of 2',3'-dideoxy-3'-fluoronucleosides
- 585 5,446,027 ☐ Amide derivative and external skin care preparation containing the same

- 586 5,444,174 ☐ 16-membered macrolide derivative having sustained antibacterial activity in plasma, synthesis intermediate thereof and process for producing the same
- 587 5,444,053 ☐ Method for treating symptoms of Alzheimer's with NADH and NADPH
- 588 5,444,052 ☐ Amphotericin B composition with enhanced fungal activity
- 589 5,444,051 ☐ Erythromycin compounds
- 590 5,444,050 ☐ Binding of E-selectin or P-selectin to sialyl Lewis^x or sialyl-Lewis^a
- 591 5,443,830 ☐ Drink containing mucilaginous polysaccharides and its preparation
- 592 5,442,051 ☐ Anhydrous crystal of 4-carbamoyl-1- β -D-ribofuranosyl imidazolium-5-oleate
- 593 5,442,047 ☐ Process for preparing isepamicin
- 594 5,442,046 ☐ Alkyl and/or alkenyl oligoglycoside isethionates
- 595 5,441,943 ☐ Uses of aloe products
- 596 5,441,942 ☐ 2'3'-dideoxy-2',3'-didehydro-7,8-disubstituted guanosines and their immunostimulative effect
- 597 5,441,940 ☐ Process for the preparation of water soluble primycin and its components and pharmaceutical compositions containing them
- 598 5,441,939 ☐ 3"-desmethoxy derivatives of erythromycin and azithromycin
- 599 5,441,932 ☐ Sugar compounds for inhibition of the biosynthesis of sugar chains containing sialic acid
- 600 5,441,738 ☐ Process for improving a glycerolysed oil

- 601 5,440,040 ☐ Pyrimidine intermediates
- 602 5,440,025 ☐ Process for separating nucleic acid polymers
- 603 5,439,890 ☐ Erythromycin derivatives
- 604 5,439,817 ☐ Method of preparation of purified alkaline protease
- 605 5,438,133 ☐ Cyclodextrin catenane compounds capable of forming inclusion complexes
- 606 5,438,132 ☐ Method for removing osmium from nucleosides
- 607 5,438,131 ☐ 3-nitropyrrole nucleoside
- 608 5,438,130 ☐ Fucosylated guanosine disulfates as excitatory amino acid antagonists
- 609 5,438,129 ☐ DNA purification by solid phase extraction using partially fluorinated aluminum hydroxide adsorbant
- 610 5,438,128 ☐ Method for rapid purification of nucleic acids using layered ion-exchange membranes
- 611 5,438,127 ☐ DNA purification by solid phase extraction using a PCl₃ modified glass fiber membrane
- 612 5,438,126 ☐ Human thyroid hormone receptor DNA
- 613 5,438,125 ☐ Sialic acid derivatives
- 614 5,437,997 ☐ Carotenoid producing culture using Nesporangiococcum excentricum
- 615 5,436,331 ☐ Protection of hydroxy function with 1-N-aryl-4-alkoxy-piperidin-4-yl
- 616 5,436,327 ☐ Support-bound oligonucleotides
- 617 5,436,325 ☐ Method for making 2-fluoro-2-deoxyglucose
- 618 5,436,231 ☐ Adenophostins
- 619 5,436,152 ☐ Immortal human mammary epithelial cell lines
- 620 5,434,254 ☐ Process for preparing 2',2'-difluoronucleosides
- 621 5,434,086 ☐ Method of testing potential cystic fibrosis treating compounds using cells in culture

- 622 5,433,949 ☐ Process for the production of natural antioxidants
- 623 5,432,269 ☐ Process for producing alkyl glycosides
- 624 5,432,268 ☐ Process for producing hydroxyalkyl glucosides
- 625 5,432,167 ☐ Cell proliferation matrix and use thereof
- 626 5,432,166 ☐ Use of 1-(.beta.-D-arabinofuranosyl)-5-propynyluracil for lowering serum cholesterol
- 627 5,432,165 ☐ Methods for the treatment of infection caused by Hepatitis B virus (HBV)
- 628 5,432,164 ☐ C₂,N_{sup.6}-disubstituted adenosine derivatives
- 629 5,432,163 ☐ Anti-proliferative and anti-inflammatory compounds: derivatives of pentose monosaccharides
- 630 5,431,896 ☐ Microbial immunoregulant
- 631 5,430,142 ☐ Thermoplastic pentosan-rich polysaccharides from biomass
- 632 5,430,138 ☐ Hydroxyl-protecting groups attached to cytidine nucleotide compounds which are orthogonally removable
- 633 5,430,136 ☐ Oligonucleotides having selectably cleavable and/or abasic sites
- 634 5,430,133 ☐ Semi-synthetic glycosaminoglycans with heparin or heparan structure of .alpha.-L-iduronic-2-O-sulfate acid modified in position 2
- 635 5,430,132 ☐ Semi-synthetic glycosaminoglycans containing .alpha.-L-galacturonic acid substituted with nucleophilic groups in position 3
- 636 5,430,027 ☐ 2-chloro-N_{sup.6}-substituted adenosines, their pharmaceutical compositions, and activity in treating ischemias
- 637 5,430,026 ☐ 2'-deoxy-2',2'-difluoro (4-substituted pyrimidine) nucleosides, bicyclic derivatives, pharmaceutical compositions, and synthetic precursors
- 638 5,429,943 ☐ Monascus strain, Monascus anka 732Y3 (KCCM 10014) producing high amount of monascus pigments
- 639 5,429,942 ☐ Biological treatment and cultivation of microorganisms
- 640 5,429,934 ☐ Process for the production of 20-methyl-5,7-pregnadiene-3.beta.,21-diol derivatives using mycobacterium
- 641 5,429,817 ☐ Insect repellent for fruits, vegetables and plants
- 642 5,428,149 ☐ Method for palladium catalyzed carbon-carbon coupling and products
- 643 5,428,008 ☐ Therapeutic composition of micellar structures capable of promoting hemotasis
- 644 5,427,954 ☐ Compositions and methods for detection and treatment of human osteoarthritis
- 645 5,427,928 ☐ Thermostable DNA Topoisomerase V
- 646 5,426,183 ☐ Catalytic stereoselective glycosylation process for preparing 2'-deoxy-2',2'-difluoronucleosides and 2'-deoxy-2'-fluoronucleosides
- 647 5,426,179 ☐ Steroid compounds active on the cardiovascular system
- 648 5,426,178 ☐ Synthesis of anti-inflammatory compounds, and novel trisaccharides useful in the synthesis of anti-inflammatory compounds
- 649 5,426,101 ☐ 2-substituted adenosines with A-2 receptor affinity
- 650 5,426,045 ☐ Method for culturing mammalian cells in a medium containing fish serum

- 651 5,425,945 ☐ Agglomerated psyllium husk containing edible acid
- 652 5,424,421 ☐ Synthesis of carminic acid and principal intermediates
- 653 5,424,416 ☐ Process for preparation of 2-deoxy-2,2-difluoro-D-ribofuranosyl-3,5-hydroxy protected-1-alkyl and aryl sulfonates and their use in preparation of 2',2'-difluoro-2'-deoxy nucleosides
- 654 5,424,406 ☐ Dihydrochalcone derivatives which are hypoglycemic agents
- 655 5,424,298 ☐ Topical powder compositions containing a cyclic AMP derivative
- 656 5,424,297 ☐ Adenosine dextran conjugates
- 657 5,424,296 ☐ 2-Halo-2'-deoxyadenosines as therapeutic agents against malignant astrocytoma
- 658 5,424,295 ☐ 9-.beta.-D-arabinofuranasyl-2-amino-6-methaoxy-9H-purine
- 659 5,424,294 ☐ Modified gangliosides and the functional derivatives thereof
- 660 5,422,345 ☐ No-carrier added radiohalogenated nucleosides
- 661 5,422,343 ☐ Prophylactic and therapeutic composition for MRSA infection
- 662 5,422,241 ☐ Methods for the recovery of nucleic acids from reaction mixtures
- 663 5,422,108 ☐ Protection of plants against plant pathogens
- 664 5,420,330 ☐ Lipo-phosphoramidites
- 665 5,420,266 ☐ Process for anomerizing nucleosides
- 666 5,420,261 ☐ Glycosides of 3'-deoxyaquayamycin antibiotics
- 667 5,420,260 ☐ Process for 4"-epi-acetyl-amino-4"-deoxy-5-oximinoavermectin B.sub.1
- 668 5,420,117 ☐ 5-substituted uridine derivatives
- 669 5,420,116 ☐ Pharmaceutical compositions for the treatment of disorders of the respiratory tract
- 670 5,420,115 ☐ Method for the treatment of protoza infections with 2.sup.1 -deoxy-2.sup.1 -fluoropurine nucleosides
- 671 5,420,114 ☐ Methods for the treatment of skin disorders
- 672 5,419,966 ☐ Solid support for synthesis of 3'-tailed oligonucleotides
- 673 5,418,224 ☐ 4,13-dioxabicyclo[8.2.1]tridecenone compounds and pharmaceutical compositions containing them
- 674 5,416,205 ☐ New esters of alginic acid
- 675 5,416,203 ☐ Steroid modified oligonucleotides
- 676 5,416,077 ☐ Physical stability improvement of liquid nutritional products
- 677 5,416,076 ☐ S-adenosyl methionine decarboxylase inhibitors
- 678 5,414,077 ☐ Non-nucleoside linkers for convenient attachment of labels to oligonucleotides using standard synthetic methods
- 679 5,413,993 ☐ Method for the treatment of narcotic withdrawal symptoms in animals using lipopolysaccharides
- 680 5,413,931 ☐ Ehrlichia species from a patient suffering from ehrlichiosis
- 681 5,413,929 ☐ Process for producing plantlets whereby the formation of a cell mass is induced
- 682 5,413,926 ☐ Thermostable DNA polymerase from Thermus thermophilus HB-8
- 683 5,413,922 ☐ Process for producing optically active 1,3-butanediol by reduction of 4-hydroxy-2-butanone
- 684 5,413,919 ☐ Method for preparing from cultured cells a thromboplastic reagent suitable for use in the prothrombin time test
- 685 5,413,915 ☐ Method and sensor for detecting toxic chemical exposure effects and metabolic activation of carcinogenic chemical agents

- 686 5,413,732 ☐ Reagent compositions for analytical testing
- 687 5,412,088 ☐ 6-O-substituted guanosine derivatives
- 688 5,412,087 ☐ Spatially-addressable immobilization of oligonucleotides and other biological polymers on surfaces
- 689 5,412,083 ☐ Carbohydrate heterobifunctional cross-linking reagent
- 690 5,412,081 ☐ New 4'-epi-4'-amino anthracyclines
- 691 5,412,072 ☐ Water soluble high molecular weight polymerized drug preparation
- 692 5,411,946 ☐ Avermectin derivatives
- 693 5,411,885 ☐ Methods for tissue embedding and tissue culturing
- 694 5,410,039 ☐ Process for the synthesis of glycosaminoglycans containing .alpha.-L-galacturonic acid substituted with nucleophilic groups in position 3
- 695 5,410,029 ☐ Pradimicin derivatives
- 696 5,409,827 ☐ Blended bovine sera cellular growth media and their methods of production and use
- 697 5,409,820 ☐ Process for the production of lovastatin using Coniothyrium fuckelii
- 698 5,409,816 ☐ Process for producing immunosuppressives and a novel microbial species to be employed therein
- 699 5,409,702 ☐ Cosmetics
- 700 5,409,699 ☐ Compositions containing glycosylated molecules having human tissue type plasminogen activator enzymatic activity

- 701 5,407,957 ☐ Production of docosahexaenoic acid by dinoflagellates
- 702 5,407,921 ☐ Method for suppressing bitter taste
- 703 5,407,828 ☐ Process for stereoselection of (2R,3S)-3-phenylglycidic ester using lipase from candida antarctica
- 704 5,407,793 ☐ An aqueous heart preservation and cardioplegia solution
- 705 5,407,674 ☐ Taxane having antitumor activity
- 706 5,407,672 ☐ Enhancing the anti-tumor effect of melphalan with L-amino acid oxidase
- 707 5,405,951 ☐ Solid phase extraction purification of DNA
- 708 5,405,949 ☐ Process for the synthesis of glycosaminoglycans with heparin or heparan structure modified in position 2 of the .alpha.-L-iduronic-2-O-sulfate acid
- 709 5,405,778 ☐ Strains of Cryptococcus used to biologically control postharvest rots in fruit
- 710 5,405,772 ☐ Medium for long-term proliferation and development of cells
- 711 5,405,770 ☐ Heliothis subflexa cell line for the production of baculoviruses
- 712 5,405,767 ☐ Purified enzyme concentrate and method of preparation
- 713 5,405,742 ☐ Solutions for tissue preservation and bloodless surgery and methods using same
- 714 5,405,608 ☐ Pharmaceutical composition for treating thermal injuries of warm blooded mammals including humans
- 715 5,405,607 ☐ Method for preparing fibrinogen adhesive from whole blood
- 716 5,403,739 ☐ Method for esterification of (S)-citronellol using lipase in supercritical carbon dioxide
- 717 5,403,731 ☐ Process of producing modified superoxide dismutase
- 718 5,403,730 ☐ Process for the selective deactivation of esterases and catalases in trigonopsis variabilis cells by microwave heating while retaining D-amino acid oxidase activity
- 719 5,403,727 ☐ Process for preparing neotrehalose and its uses

- 720 5,403,596 ☐ Factor Xa inhibitor and pharmaceutical compositions containing same
- 721 5,401,727 ☐ Process for enhancing the resistance of aquatic animals to disease
- 722 5,401,660 ☐ Process for producing optically active 1,3-butanediol by asymmetric assimilation
- 723 5,401,655 ☐ Process for biologically preventing dicotyledonous plant diseases using symbiotical bacteria
- 724 5,401,653 ☐ Method for culturing insect cells in a medium containing fish serum
- 725 5,401,645 ☐ Process for producing n-substituted polyhydroxy nitrogen-containing heterocycles utilizing acetobacteraceae and corynebacterium
- 726 5,401,501 ☐ Methods for maintaining and administering live probiotic as feed additives for animals
- 727 5,399,495 ☐ Microbial degradation of chemical pollutants
- 728 5,399,488 ☐ Method for assaying enzyme activity using N-acetyl-.beta.-D-glucosamine derivatives
- 729 5,397,773 ☐ Photoprotective composition containing yeast extract
- 730 5,397,772 ☐ Vasodilatory peptides from the salivary gland of the sand fly Lutzomyia longipalpis
- 731 5,397,706 ☐ Serum-free basal and culture medium for hematopoietic and leukemia cells
- 732 5,397,704 ☐ Ultra-pure thrombin preparation
- 733 5,397,591 ☐ Infant formula and baby food containing docosahexaenoic acid obtained from dinoflagellates
- 734 5,397,577 ☐ Method for obtaining beta casein
- 735 5,395,936 ☐ 7-(4-[4-aminophenyl]sulphonyl)-1-piperazinyl fluorquinolonic derivatives and synthesis
- 736 5,395,758 ☐ Process for production of amide compounds using agrobacterium radiobacter
- 737 5,395,757 ☐ Method for the hydrolysis of sugar compounds and reagent therefor
- 738 5,395,612 ☐ Method for treating systemic hypotension caused by sepsis or cytokine using arginase in combination with an .alpha..sub.1 adrenergic agonist
- 739 5,393,878 ☐ Bicyclic nucleosides, oligonucleotides, process for their preparation and intermediates
- 740 5,393,671 ☐ Mutant Escherichia coli capable of enhanced L-glutamic acid production
- 741 5,393,666 ☐ Method of activating prothrombin
- 742 5,393,664 ☐ Method of preparing (S)-1-phenyl-1,3-propanediol or derivatives thereof from their respective ketones
- 743 5,393,663 ☐ Stereoselective preparation of halophenyl alcohols from ketones
- 744 5,393,534 ☐ Liver-derived tumor cell growth inhibitor
- 745 5,391,544 ☐ Cyathane derivatives and antimicrobial agents containing same
- 746 5,391,494 ☐ Process for selectively producing optically active 1-derivatized-2-diol using lipase CES and triglyceride
- 747 5,391,492 ☐ A83850 antibiotics
- 748 5,391,380 ☐ Thromboplastin extract, reagent, and preparation thereof
- 749 5,391,371 ☐ Use of an enzyme containing granulate in a method for production of a pelletized fodder
- 750 5,389,542 ☐ Controlling vitrification of plants using water absorbent polymer

- 751 5,389,369 ☐ Halo peroxidase containing compositions for killing yeast and sporular microorganisms
- 752 5,387,518 ☐ Alkaline protease having stability in solution with anionic surfactant, method for producing the same, use thereof and microorganism producing the same
- 753 5,387,517 ☐ Thiol activated protease from stem bromelain for treating devitalized tissue
- 754 5,387,515 ☐ Process for providing a 6-ketone from morphine or an ether derivative thereof using morphine dehydrogenase
- 755 5,387,512 ☐ Preparation of 3-[z-benzoxazol-2-yl)ethyl]-5-(1-hydroxyethyl)-6-methyl-2-(1H)-pyridinone by biotransformation
- 756 5,387,511 ☐ Extraction procedure for Chlamydia and Neisseria antigens
- 757 5,387,109 ☐ Fructosylamine deglycase and a method of producing it
- 758 5,386,027 ☐ Carbohydrate receptor for bacteria and method for use thereof
- 759 5,385,837 ☐ Alkaline proteases derived from Bacillus proteolyticus
- 760 5,385,829 ☐ Method of assaying for acyl-L-carnitines and short-chain acyl-carnitines
- 761 5,385,740 ☐ Biologically active material characterized by catabolic activity generally associated with cachexia-inducing tumors, preparations, production and uses thereof
- 762 5,384,256 ☐ Pectin-modified lipase from Mucor javanicus with lowered saturated/unsaturated fatty acid ratio
- 763 5,384,248 ☐ Process for measuring an analyte with an oxidase and an oxidizable color reagent and surfactants
- 764 5,384,239 ☐ Method for analyzing the glycation of hemoglobin
- 765 5,384,116 ☐ Synthetic melanin as a sunscreen and tanning agent
- 766 5,382,709 ☐ Alpha-mannosidase and fucosidase inhibitors
- 767 5,382,428 ☐ Method for preparing a purified extraction residue fraction and its use in stimulating the immune response
- 768 5,380,661 ☐ Bacillus licheniformis NRRL B-18962 capable of producing levan sucrase in the absence of sucrose
- 769 5,380,660 ☐ Method of treating serum or serum-containing medium to inactivate an inhibitor of hepatocyte differentiation
- 770 5,380,656 ☐ Chymopapain and method of purifying it on an inhibitory dipeptide affinity column
- 771 5,380,651 ☐ Method of determining odorant compounds and antagonists of odorants using a primary culture of olfactory neurons
- 772 5,380,525 ☐ Ruminal bacterium for preventing acute lactic acidosis
- 773 5,380,522 ☐ Method for treatment of irritable bowel syndrome
- 774 5,378,831 ☐ Galactosyl maltooligosaccharide derivatives
- 775 5,378,627 ☐ Process for preparing (2S,3R)-3-alkyl-phenylglycidic acid esters using lipase
- 776 5,378,611 ☐ Process for producing 6.beta.,14.alpha.-dihydroxy-4-androstene-3,17-dione amid 14.alpha.-hydroxy-4-androstene-3,6,17-trione from 4-androstene-3,17-dione using myrothecium sp. ferm bp-4432
- 777 5,378,460 ☐ Nematocidal Bacillus thuringiensis biopesticide
- 778 5,376,541 ☐ Process for production of 8,11-eicosadienoic acid using Mortierella alpina
- 779 5,376,524 ☐ Platelet storage medium containing acetate and phosphate
- 780 5,374,549 ☐ Process of enriching adherent CD4.sub.+ T cells from monocyte depleted peripheral blood mononuclear cells with interleukin 2 and interleukin 4

- 781 5,374,535 ☐ Test kit for determination of organophosphate and carbamate pesticides with insect brain material that hydrolyses a 6-substituted d luciferin ester
- 782 5,374,515 ☐ In vitro cornea equivalent model
- 783 5,374,425 ☐ Animal feed additives
- 784 5,372,942 ☐ Protease K resistant arginine deiminase, its method of preparation and its use as an anti-neoplastic agent
- 785 5,372,940 ☐ D-pantolactone hydrolase and process for the preparation thereof
- 786 5,372,934 ☐ Method for determining lactate dehydrogenase isoenzyme LD1 by stabilizing LD1 and inactivating isoenzymes LD2-LD5
- 787 5,372,821 ☐ Graft for promoting autogenous tissue growth
- 788 5,372,811 ☐ Animal feed supplement containing co-spray dried plasma protein and amylase
- 789 5,372,810 ☐ Composition for the prevention and treatment of diarrhea in livestock
- 790 5,371,212 ☐ Isolation of levoglucosan from pyrolysis oil derived from cellulose
- 791 5,371,072 ☐ Asp-Pro-Arg .alpha.-keto-amide enzyme inhibitors
- 792 5,371,014 ☐ Process for the production of optically active 2-hydroxy acid esters using microbes to reduce the 2-oxo precursor
- 793 5,371,010 ☐ Method for growing eukaryotic cells using soft agar assay and kit
- 794 5,371,007 ☐ Method of producing lys-plasminogen
- 795 5,370,997 ☐ Hyperthermostable alpha-amylase
- 796 5,369,027 ☐ Bacillus thuringiensis strains toxic to diabrotica species
- 797 5,369,016 ☐ Peptide amidase and the use thereof
- 798 5,368,866 ☐ Deer repellent composition, process for making same, and a treatment method for applying the same
- 799 5,367,062 ☐ Disubstituted and deoxydisubstituted derivatives of .alpha.-d-lyxofuranosides having anti-inflammatory and anti-proliferative activity
- 800 5,366,890 ☐ Hapalosiphon hibernicus
- 801 5,366,880 ☐ Antibiotic agent
- 802 5,366,869 ☐ Multiple coagulation test device and method
- 803 5,366,730 ☐ Stabilized compositions having human tissue type plasminogen activator enzymatic activity
- 804 5,364,936 ☐ Cycloisomaltooligosaccharides
- 805 5,364,788 ☐ Pure culture of Bacillus subtilis FERM BP-3418
- 806 5,364,786 ☐ Pure culture of Agrobacterium sp. which degrades ferric chelates
- 807 5,364,776 ☐ Method of hydroxylating 3-[3-(5-ethyl-2-methoxy-6-methylpyridyl)methyl]amino-5-ethyl-6-methyl-2(1H)-pyridinone with liver slices
- 808 5,364,765 ☐ Method and reagent system for assaying isoenzyme profiles
- 809 5,364,756 ☐ Method of cryopreserving a suspension of biological material
- 810 5,364,623 ☐ Antibiotic produced by Bacillus subtilis ATCC 55422 capable of inhibiting bacteria
- 811 5,362,641 ☐ Heparanase derived from human Sk-Hep-1 cell line
- 812 5,362,639 ☐ Method to increase anaerobic fermentation rates
- 813 5,362,635 ☐ Process for the production of an amino acid using a fermentation apparatus
- 814 5,362,633 ☐ Method of assaying for peroxidatively active substances

- 815 5,362,628 ☐ Fluorescent haloalkyl derivatives of reporter molecules well retained in cells
- 816 5,360,734 ☐ Method for inactivating pathogens in erythrocytes using photoactive compounds and plasma protein reduction
- 817 5,360,731 ☐ Bacteria capable of stereospecifically hydrolyzing R-(-)-2,2-dimethylcyclopropanecarboxamide
- 818 5,360,606 ☐ Biological inoculant effective against alternaria
- 819 5,359,053 ☐ Modified deazapyrimidines
- 820 5,358,931 ☐ Interaction of thermal hysteresis proteins with cells and cell membranes and associated applications
- 821 5,358,865 ☐ Alkaline protease from Bacillus J 20
- 822 5,356,883 ☐ Water-insoluble derivatives of hyaluronic acid and their methods of preparation and use
- 823 5,356,808 ☐ Highly fermentable, high maltose, non-crystallizing starch conversion syrup
- 824 5,356,794 ☐ Purified enzymatic preparation derived from chromobacterium violaceum, method for preparing it and its use in the production of .alpha., .beta.-dehydrotryptophanyl-peptides
- 825 5,356,624 ☐ Biological treatment for controlling wood deteriorating fungi
- 826 5,354,681 ☐ Enzyme complex hydrolyzing bacterial cell walls derived from nocardiosis dassonvillei
- 827 5,354,671 ☐ Enzymatic clarification of polysaccharides
- 828 5,352,667 ☐ Non-peptidic surrogates of the Arg-Gly-Asp sequence and pharmaceutical compositions comprising them
- 829 5,352,598 ☐ Purified luciferase from luciola lateralis
- 830 5,352,463 ☐ Tissue graft for surgical reconstruction of a collagenous meniscus and method therefor
- 831 5,352,462 ☐ Anti-inflammatory factor, method of isolation, and use
- 832 5,352,453 ☐ Compositions containing non-glycosylated human tissue type plasminogen activator
- 833 5,352,452 ☐ Stabilized compositions containing non-glysylated human tissue type plasminogen activator derivative K2P pro
- 834 5,350,692 ☐ Microorganisms useful for hydrogen gas production
- 835 5,350,686 ☐ Microwave acceleration of enzyme-catalyzed modification of macromolecules
- 836 5,350,685 ☐ Process for preparing hydrogen gas using microorganism
- 837 5,350,677 ☐ Method of assaying phosphatase with 3,4-dinitrophenylphosphate
- 838 5,348,882 ☐ Method of producing enantiomerically pure, open-chain N-alkyl-L or D-amino acids using comamonas testosteroni
- 839 5,348,877 ☐ Method of adapting anchorage-dependent cell lines to suspension conditions
- 840 5,348,863 ☐ Process for the enzymatic preparation of basic fibroblast growth factor
- 841 5,348,743 ☐ Anti-pathogenically effective compositions comprising lytic peptides and hydrolytic enzymes
- 842 5,348,742 ☐ Anti-pathogenic bacterial strains of Pseudomonas fluorescens
- 843 5,346,891 ☐ Lipopolysaccharide-producing bacteria, lipopolysaccharides, and lipopolysaccharide-containing, medicines and veterinary medicines
- 844 5,346,828 ☐ Stereoisomeric enrichment of 2-amino-3-hydroxy-3-phenylpropionic acids using d-threonine aldolase
- 845 5,346,825 ☐ Method for improving the rate of cell fusion
- 846 5,346,819 ☐ Glycerol dehydrogenase, process for its production and its use
- 847 5,346,816 ☐ Enzymatic process for the enantioselective preparation of optically active cyanohydrins

- 848 5,344,775 ☐ Synthesis of taxanes in culture using pseudocallus cells
- 849 5,344,752 ☐ Plasma-based platelet concentrate preparations
- 850 5,344,637 ☐ Use of saturated, ring-containing compounds as clearing solvents in histologic procedures

- 851 5,342,780 ☐ Methods of enzymatically separating stereoisomers of a racemic mixture of a reactive ester
- 852 5,342,778 ☐ Microorganism belonging to the genus flavobacterium designated ferm BP-4010
- 853 5,342,770 ☐ Conjugate including a sugar and peptide linker
- 854 5,342,769 ☐ Microbial dehalogenation using methanosarcina
- 855 5,342,765 ☐ Method of producing extracellular products from aerobic microorganisms
- 856 5,342,754 ☐ Preserved, non-infectious control cell for use in the identification of a disease through blood testing
- 857 5,342,753 ☐ Blood collecting tube with blood factor antibodies as anticoagulant
- 858 5,342,752 ☐ Method of inactivation of viral blood contaminants using acridine derivatives
- 859 5,340,740 ☐ Method of producing an avian embryonic stem cell culture and the avian embryonic stem cell culture produced by the process
- 860 5,340,737 ☐ Process of preparing pepsin for bating hides
- 861 5,338,729 ☐ Antibiotic 42D005 .alpha. and .beta.
- 862 5,338,673 ☐ Process for the selective production of polyunsaturated fatty acids from a culture of microalgae of the porphyridium cruentum
- 863 5,338,672 ☐ Method for producing L-3, 4-dihydroxyphenylalanine by Erwinia having tyrosinase activity
- 864 RE34,698 ☐ Method of producing salinomycin antibiotics
- 865 5,336,619 ☐ Process for producing optically active 1,3-butanediol
- 866 5,336,614 ☐ Soft agar assay and kit
- 867 5,336,611 ☐ PB92 serine protease muteins and their use in detergents
- 868 5,336,605 ☐ Production of podophyllotoxins using podophyllum
- 869 5,336,495 ☐ Use of staphylokinase for the preparation of a pharmaceutical composition for treating arterial thrombosis
- 870 5,334,535 ☐ Process for the preparation of optically pure diastereoisomers of tetrahydrofolate compounds using 10-formyltetrahydrofolate synthetase from clostridium
- 871 5,334,534 ☐ Enzymatic preparation of optically active propanolol and .beta.-adrenergic blockers using esterase
- 872 5,334,533 ☐ Oil contamination clean-up by use of microbes and air
- 873 5,334,530 ☐ Method and media for the somatic embryogenesis and regeneration of bamboo
- 874 5,334,527 ☐ Epidermal graft system
- 875 5,334,524 ☐ Process for producing levan sucrase using Bacillus licheniformis
- 876 5,334,516 ☐ Production method of branched fructooligosaccharides
- 877 5,334,395 ☐ Method of treating an epstein-barr viral infection
- 878 5,334,383 ☐ Electrically hydrolyzed salines as in vivo microbicides for treatment of cardiomyopathy and multiple sclerosis
- 879 5,332,675 ☐ Optically active aromatic carboxylic acid derivatives and process for producing the same

- 880 [5,332,674](#) ☐ [Process for preparing \(R\) and \(S\)-1,2-isopropylideneglycerol by crystallizing racemic benzoyl ester](#)
- 881 [5,332,663](#) ☐ [Process for the enzymatic preparation of 7-amino-cephalosporanic acids](#)
- 882 [5,332,578](#) ☐ [Platelet membrane microparticles](#)
- 883 [5,332,573](#) ☐ [Strains of Drechslera ssp for controlling grass](#)
- 884 [5,330,752](#) ☐ [Compositions and methods for disinfecting/cleaning of lenses and for destroying oxidative disinfectants](#)
- 885 [5,329,025](#) ☐ [3-azido compound](#)
- 886 [5,328,821](#) ☐ [Cold and cryo-preservation methods for human tissue slices](#)
- 887 [5,326,705](#) ☐ [Process for producing optically active 1,3-butandiol by asymmetric assimilation](#)
- 888 [5,326,699](#) ☐ [Serum-free medium for culturing animal cells](#)
- 889 [5,326,698](#) ☐ [Method of purification of penicillin amidase using phenylbutylamine-eupergit](#)
- 890 [5,326,562](#) ☐ [Pharmaceutical dosage unit for treating inflammation comprising protease nexin-I](#)
- 891 [5,326,561](#) ☐ [Antifungal synergistic combination of enzyme fungicide and non-enzymatic fungicide and use thereof](#)
- 892 [5,324,662](#) ☐ [Stereoselective microbial or enzymatic reduction of 3,5-dioxo esters to 3-hydroxy-5-oxo, 3-oxo-5-hydroxy, and 3,5-dihydroxy esters](#)
- 893 [5,324,650](#) ☐ [Situ process for production of conjugates](#)
- 894 [5,324,648](#) ☐ [Substituted isocoumarins as serine protease inhibitors and anti-inflammatory agents](#)
- 895 [5,324,647](#) ☐ [Fibrin coated polymer surfaces](#)
- 896 [5,324,644](#) ☐ [Process for producing immunosuppressant agent](#)
- 897 [5,324,629](#) ☐ [Coating agents for cell recovery](#)
- 898 [5,324,524](#) ☐ [Yeast derived mitogen](#)
- 899 [5,324,514](#) ☐ [Compositions of digestive enzymes and salts of bile acids and process for preparation thereof](#)
- 900 [5,324,508](#) ☐ [Method for decreasing the formation of scar tissue using a purified mammalian monokine product](#)
- 901 [5,322,787](#) ☐ [Cytokine and bioassay therefor](#)
- 902 [5,322,780](#) ☐ [Process for production of omega 9 type polyunsaturated fatty acid](#)
- 903 [5,322,779](#) ☐ [Taxol production by taxomyces andreanae](#)
- 904 [5,322,778](#) ☐ [Liquefaction of granular starch slurries using an antioxidant with alpha amylase](#)
- 905 [5,322,773](#) ☐ [Selective enzymatic degradation of .beta.-lactoglobulin contained in cow's milk-serum protein](#)
- 906 [5,322,686](#) ☐ [Pharmaceutical preparation for controlling pathogenic intestinal bacteria](#)
- 907 [5,320,961](#) ☐ [Method for asexual in vitro propagation of fertile corn plants](#)
- 908 [5,320,958](#) ☐ [Isolated bacterial reverse transcriptase](#)
- 909 [5,320,955](#) ☐ [10'desmethoxystreptonigrin production by Streptomyces albus](#)
- 910 [5,319,080](#) ☐ [Bicyclic nucleosides, oligonucleotides, process for their preparation and intermediates](#)
- 911 [5,318,908](#) ☐ [Method for cultivation of nitrile hydratase-producing pseudomonas](#)
- 912 [5,318,903](#) ☐ [Production of enzyme preparations comprising an enzyme and finely divided hydrophobic silica](#)
- 913 [5,318,894](#) ☐ [Composition, device and method of assaying for peroxidatively active substances](#)

- 914 5,318,782 ☐ Method for preparing tissue repair promoting substances
- 915 5,316,944 ☐ Enzymatic resolution of a racemic mixture of gamma-amino acids using penicillin acylase
- 916 5,316,940 ☐ Constitutive soluble methane monooxygenase mutants of methanotrophic bacteria such as Methylosinus trichosporium A.T.C.C. 55314
- 917 5,316,937 ☐ Conditioned medium useful for sustaining growth of colonic crypt cells
- 918 5,316,936 ☐ Method for preparation of human serum albumin-sensitized sheep erythrocytes (HSA-cell) for detection of pre-S2 antigen
- 919 5,316,927 ☐ Production of monoglycerides by enzymatic transesterification
- 920 5,316,775 ☐ Method of treating hepatitis B infection
- 921 5,316,765 ☐ Use of coenzyme Q.sub.10 in combination with HMG-CoA reductase inhibitor therapies
- 922 5,314,698 ☐ Isolation of brush border membrane vesicles from whole insect larvae
- 923 5,312,753 ☐ Strain of streptomyces avermitilis capable of glycosylating avermectin compounds at the 13- and 14A positions
- 924 5,312,749 ☐ Industrial alkaline protease from shipworm bacterium
- 925 5,312,748 ☐ Protease
- 926 5,312,622 ☐ Acaricidal compositions and process for preparing same
- 927 5,310,741 ☐ TAN-1251 compounds and their production from penicillium thomii
- 928 5,310,666 ☐ Process for the enantioselective preparation of (.beta.-1)-hydroxyalkylxanthines by reduction using Rhodotorula rubra
- 929 5,310,541 ☐ Antimicrobial rawhide animal chew containing an oxidoreductase and oxidoreductase substrate
- 930 5,308,769 ☐ Cancer-related human galactosyltransferase GT-II
- 931 5,308,764 ☐ Multi-cellular, three-dimensional living mammalian tissue
- 932 5,308,615 ☐ Probiotic for control of Salmonella
- 933 5,306,638 ☐ Amine additive assisted enzymatic esterification of 1,2-diol monosulfonates
- 934 5,304,723 ☐ Biologically pure culture of maltopentaose forming amylase producing alkalophilic bacteria
- 935 5,304,485 ☐ Antibiotic producing microorganism
- 936 5,304,470 ☐ Process for the enzymatic preparation of protected and unprotected di- and oligopeptides in aqueous solutions
- 937 5,304,372 ☐ Process for preparing a human thrombin concentrate intended for therapeutic use
- 938 5,302,528 ☐ Process for the enzymatic separation of the optical isomers of alpha-substituted carboxylic acids using esterase from Brevibacterium imperiale
- 939 5,302,515 ☐ Chemotactic test apparatus and method
- 940 5,302,388 ☐ Control of campylobacter jejuni colonization
- 941 5,300,437 ☐ Enantiomeric enrichment and stereoselective synthesis of chiral amines
- 942 5,300,435 ☐ Trichoplusia ni cell line which supports replication of baculoviruses
- 943 5,300,427 ☐ Buffer solutions containing collagenase, their preparation and use for diluting human sera
- 944 5,298,528 ☐ Insect repellent
- 945 5,298,418 ☐ Cell line isolated from larval midgut tissue of Trichoplusia ni
- 946 5,298,246 ☐ Stable pharmaceutical composition and method for its production
- 947 5,296,373 ☐ Process for producing R(-)-mandelic acid or a derivative thereof from a mandelonitrile using rhodococcus

- 948 5,296,370 ☐ Repair medium for the resuscitation of injured cells
- 949 5,296,369 ☐ Method and compositions for controlling round-leaved mallow using Colletotrichum gloeosporioides f. sp. malvae, A.T.C.C. 20767
- 950 5,296,364 ☐ Microbial method of producing inositol
- 951 5,296,223 ☐ Subtilisin as an oral thrombolytic agent
- 952 5,296,221 ☐ Lactobacillus johnsonii ferm bp-2680 lactic acid bacteria preparations using the same and a process of manufacturing the preparations
- 953 5,294,550 ☐ Method of culturing Mishima-saiko
- 954 5,294,546 ☐ Method for production of a growth factor for Bifidobacterium sp.
- 955 5,294,540 ☐ Ethanol analytical element
- 956 5,294,442 ☐ Method for the control or prevention of aflatoxin contamination using a non-toxicogenic strain of Aspergillus flavus
- 957 5,292,661 ☐ Non-aflatoxicogenic aspergillus parasiticus strains and their use in controlling aflatoxin contamination
- 958 5,292,659 ☐ Biologically pure phytopathogenic fungus Colletotrichum capsici
- 959 5,292,657 ☐ Process for preparing rotary disc fatty acid microspheres of microorganisms
- 960 5,292,655 ☐ Method for the formation of a histologically-complete skin substitute
- 961 5,292,648 ☐ Microorganism of genus eupenicillium
- 962 5,292,524 ☐ Blood platelet loaded with diagnostic or therapeutic-containing liposome or reconstituted Sendai virus
- 963 5,292,523 ☐ Method for growth promotion of animals and powder compositions containing killed microbial cells of bacteria belonging to genus clostridium
- 964 5,290,689 ☐ New cyclic FR-900520 microbial biotransformation agent
- 965 5,290,685 ☐ Method for separation and concentration of phosphopeptides
- 966 5,290,571 ☐ Biologically active whey protein concentrate
- 967 5,290,552 ☐ Surgical adhesive material
- 968 5,288,789 ☐ Foam control in fermentation broths with a condensate of alkylphenol and aldehyde that has been polyoxyalkylated
- 969 5,288,711 ☐ Method of treating hyperproliferative vascular disease
- 970 5,288,634 ☐ Method of increasing the percentage of viable dried spores of a fungus
- 971 5,288,633 ☐ Pseudomonas cepacia strain 5.5B and method of controlling Rhizoctonia solani therewith
- 972 5,288,616 ☐ Process for producing proteins using silkworms infected with recombinant virus
- 973 5,288,489 ☐ Fibrinolysis and fibrinogenolysis treatment
- 974 5,286,650 ☐ Process for the production of optically-active 4-amino-3-hydroxycarboxylic acids
- 975 5,286,649 ☐ Antiviral antibiotic BU-3889V
- 976 5,286,641 ☐ In vitro culture method for a fertilized ovum of a hen
- 977 5,284,765 ☐ Method of directionally orienting plant embryos
- 978 5,284,758 ☐ Process for forming cholesterol lowering compound using pseudodiplodia sp.
- 979 5,284,664 ☐ Method of treating the symptoms of Alzheimer's disease
- 980 5,283,192 ☐ Biological process for enhanced manganese and silver recovery from refractory manganimiferous silver ore

- 981 5,283,189 ☐ beta.-galactosidase from Thermus sp
- 982 5,283,183 ☐ Cyclic FR-900520 microbial biotransformation agent
- 983 5,283,180 ☐ Bioluminescence method for the determination of pesticides
- 984 5,281,534 ☐ Process for hydrolyzing stereoisomer esters of trans chrysanthemic acid using liver enzymes derived from horse, rabbit, pigeon or cat
- 985 5,281,528 ☐ Process for purified thromboplastin for ultra-pure thrombin preparation
- 986 5,281,526 ☐ Method of purification of amylase by precipitation with a metal halide and 4-hydroxybenzoic acid or a derivative thereof
- 987 5,281,422 ☐ Graft for promoting autogenous tissue growth
- 988 5,279,962 ☐ Mutants or variants of Bacillus thuringiensis producing high yields of delta endotoxin
- 989 5,279,949 ☐ Process for the isolation and purification of taxol and taxanes from Taxus spp
- 990 5,279,825 ☐ Method of enhancing the regeneration of injured nerves and adhesive pharmaceutical formulation therefor
- 991 5,279,824 ☐ Pharmaceutical formulation containing heparin and endo-beta-glucuronidase, useful for the treatment of thrombosis
- 992 5,278,070 ☐ Process for producing epoxyalcohols of high optical purity
- 993 5,278,067 ☐ Cyclic ketal derivatives
- 994 5,277,917 ☐ Ovarian cancer ascites factor, in isolated form
- 995 5,277,908 ☐ Modified superoxide dismutase
- 996 5,276,017 ☐ Therapeutic and diagnostic applications of tropho-uteronection (TUN) manipulation
- 997 5,275,940 ☐ Process for producing L-tryptophan by culturing a Corynebacterium glutamicum mutant
- 998 5,275,933 ☐ Triple gradient process for recovering nucleated fetal cells from maternal blood
- 999 5,275,826 ☐ Fluidized intestinal submucosa and its use as an injectable tissue graft
- 1000 5,273,965 ☐ Methods for enhancing drug delivery with modified saponins
- 1001 5,273,903 ☐ Biotechnological process for the production of S-(+)-2,2-dimethylcyclopropanecarboxamide
- 1002 5,273,895 ☐ Enantioselective production of chiral carboxylic acids
- 1003 5,273,893 ☐ Microbiological process for the production of hydroxypyrazinecarboxylic acid
- 1004 5,273,875 ☐ N.sup.6 -(hydrazinoiminomethyl)lysine and method of inhibiting nitric oxide formation in body
- 1005 5,272,081 ☐ System and methods for cell selection
- 1006 5,272,076 ☐ Compounds and methods for treatment of thromboembolic disorders using an adduct of t-PA
- 1007 5,272,067 ☐ Process for producing L-glutamic acid
- 1008 5,271,932 ☐ Xanthomonas campestris isolates and methods of use
- 1009 5,270,448 ☐ Isolates of Bacillus thuringiensis that are active against nematodes
- 1010 5,270,203 ☐ Biologically pure culture of Alcaligenes faecalis DSM 6335
- 1011 5,270,196 ☐ Arylsulfatase from streptomyces
- 1012 5,270,190 ☐ Method for producing (R)-malic acid from maleic acid using microbial maleate hydratase
- 1013 5,270,172 ☐ Method to predict tumor response to therapy
- 1014 5,270,039 ☐ Method for suppressing mycotic infection in garlic and microorganisms used therefor

- 1015 5,268,293 ☐ Strain of Corynebacterium glutamicum and method for producing L-lysine
- 1016 5,268,289 ☐ Thermostable ribonuclease H
- 1017 5,268,282 ☐ Cyclic FR-900520 microbial biotransformation agent
- 1018 5,268,281 ☐ Cyclic FR-900520 microbial biotransformation agent
- 1019 5,268,173 ☐ Suppression of Gliocladium virens phytotoxin production with steroid inhibitors
- 1020 5,266,485 ☐ Method of manufacturing optically active (-)-2-halo-1-(substituted phenyl) ethanol by ketone reduction
- 1021 5,266,483 ☐ Bacillus strain and insect pest controlling agent
- 1022 5,266,473 ☐ Method for decreasing the allergenicity of psyllium seed husk by enzyme treatment
- 1023 5,266,472 ☐ Stabilization of the enzyme urate oxidase in liquid form
- 1024 5,266,316 ☐ Isolate of Trichoderma harzianum I-952 fungicidal compositions containing said isolate and use against B. cinerea and S. sclerotiorum
- 1025 5,266,315 ☐ Composite for Clostridium difficile diarrhea and pseudomembranous colitis
- 1026 5,264,367 ☐ Enzymatic treatment of edible oils
- 1027 5,264,361 ☐ Microbiological process for the production of 6-hydroxypicolinic acid
- 1028 5,264,360 ☐ Method for the continuous in vitro propagation of Treponema species
- 1029 5,264,355 ☐ Methlating enzyme from streptomyces MA6858
- 1030 5,264,211 ☐ Use of intratracheal administration of SOD to protect humans from lung injury due to hyperoxia and hyperventilation
- 1031 5,262,405 ☐ Method of improving bronchial mucus transport
- 1032 5,262,359 ☐ Method of propagating human paramyxoviruses using continuous cell lines
- 1033 5,262,323 ☐ Bacterial strain
- 1034 5,262,298 ☐ Method to assess the ability of a substance to inhibit or stimulate keratinocyte autocrine factor production
- 1035 5,262,160 ☐ Bacillus thuringiensis isolate active against dipteran pests
- 1036 5,260,215 ☐ Fungal microorganism ATCC 74167 capable of producing cholesterol lowering compounds
- 1037 5,260,211 ☐ Process for cultivating adhesive cells in a packed bed of solid cell matrix
- 1038 5,260,074 ☐ Compositions of digestive enzymes and salts of bile acids and process for preparation thereof
- 1039 5,260,060 ☐ Fibrinolytic enzymes
- 1040 5,258,324 ☐ Megakaryocyte colony stimulating factor and process for its preparation
- 1041 5,258,305 ☐ Manufacture of optically active 2-phenylpropionic acid and 2-phenylpropionamide from the nitrile using Rhodococcus equi
- 1042 5,258,297 ☐ Proteinase-resistant cellulase, microorganism producing the same and process for producing the same
- 1043 5,258,179 ☐ Protection of a food, cosmetic or pharmaceutical product against oxidation
- 1044 5,256,571 ☐ Cell preservative solution
- 1045 5,256,569 ☐ Transesterification process for otereoselection of enantiomers of secondary alcohols using pseudomonas lipase with no added solvent
- 1046 5,256,557 ☐ Purified alkaline protease concentrate and method of preparation

- 1047 5,256,555 ☐ Compositions and methods for increasing the yields of in vitro RNA transcription and other polynucleotide synthetic reactions
- 1048 5,256,533 ☐ As a probe of serotonin uptake harmaline
- 1049 5,254,350 ☐ Method of preparing a thromboplastin extract
- 1050 5,252,481 ☐ Mutant of bacterium *Clostridium histolyticum*, a process for the obtaining thereof, and its use in the production of clostripain-free collagenase
- 1051 5,252,472 ☐ Process for the production of furans and lactones from streptomyces
- 1052 5,252,471 ☐ Directed biosynthesis of cholesterol lowering compounds
- 1053 5,252,469 ☐ Process for producing a transglutaminase derived from streptomyces
- 1054 5,252,468 ☐ Process for producing deacetylase from *Vibrio cholerae* IFO 15429
- 1055 5,252,464 ☐ Process for producing pentapeptides and intermediates for use in the synthesis
- 1056 5,252,329 ☐ Bacterial preparation for use in poultry
- 1057 5,250,299 ☐ Synergistic antimicrobial compositions
- 1058 5,248,610 ☐ Process for producing optically active .alpha.-hydroxyesters using lipase PS
- 1059 5,248,608 ☐ Process for separation of .alpha.substituted carboxylic acid amides using l-amidase from *Ochrobactrum anthropi*
- 1060 5,248,500 ☐ Slow-release biodegradable granules of *Pasteuria penetrans*
- 1061 5,246,715 ☐ Platelet-aggregating inhibitory agents from leech saliva and pharmaceutical preparations containing the same
- 1062 5,244,798 ☐ Reagent for determining triglycerides comprising a thermostable lipoprotein lipase from streptomyces
- 1063 5,244,794 ☐ Flavor compounds from allium root cultures
- 1064 5,244,680 ☐ Biocontrol of postharvest rots in fruit
- 1065 5,244,660 ☐ Use of *Bacillus thuringiensis* berliner var. kurstaki to reduce the occurrence of darkling beetles in poultry houses
- 1066 5,244,659 ☐ Composition for biocontrol of fireweed
- 1067 5,243,030 ☐ Conjugates of a synthetic peptide for diagnosis and prevention of influenza virus infection
- 1068 5,242,825 ☐ Biological remediation of creosote- and similarly-contaminated sites using *Pseudomonas paucimobilis*
- 1069 5,242,818 ☐ Method of producing a thermostable DNA polymerase from *Thermus thermophilus*
- 1070 5,242,792 ☐ Method for the preservation of red blood cells by lyophilization using glycerol or inositol with disaccharides
- 1071 5,242,692 ☐ Anti-metastatic factor
- 1072 5,242,691 ☐ Anti-inflammatory factor, method of isolation, and use
- 1073 5,240,959 ☐ Aranorosinol-A and aranorosinol-B produced by *Pseudoarachniotus roseus*
- 1074 5,240,860 ☐ Use of a sparingly soluble salt of a heteropoly acid for the determination of an analyte, a corresponding method of determination as a suitable agent therefor
- 1075 5,240,853 ☐ Apparatus and method for continuously removing oxygen from fluid streams using bacterial membranes
- 1076 5,240,851 ☐ Lipase-producing *Pseudomonas aeruginosa* strain
- 1077 5,240,714 ☐ Non-digoxin-like Na.sup.+ , K.sup.+ -ATPase inhibitory factor

- 1078 5,238,840 ☐ Immortal human mammary epithelial cell sublines
- 1079 5,238,829 ☐ Microbiological process for the production of 6-hydroxypyrazinecarboxylic acid
- 1080 5,238,690 ☐ Isolate of trichoderma fungicidal compositions containing said isolate and use against B. cinerea and S. sclerotiorum
- 1081 5,236,840 ☐ Method for growing crustacean virus in fish cells
- 1082 5,234,832 ☐ Process for cleaning and disinfecting heat and corrosion sensitive medical instruments
- 1083 5,234,808 ☐ Acetate addition to platelets stored in plasma
- 1084 5,232,853 ☐ Method for producing (2R,3S)-3-hydroxy-2-methylbutyrate by microbial reduction
- 1085 5,232,848 ☐ Basal nutrient medium for cell culture
- 1086 5,232,844 ☐ Photodynamic inactivation of viruses in cell-containing compositions
- 1087 5,232,828 ☐ Coating agents for cell recovery
- 1088 5,231,027 ☐ Enzymatic process for separating the optical isomers of racemic 1,2-diols using lipase
- 1089 5,231,013 ☐ Polycyclic peptide antibiotic gallidermin
- 1090 5,230,996 ☐ Use of ascorbate and tranexamic acid solution for organ and blood vessel treatment prior to transplantation
- 1091 5,230,902 ☐ Udenatured whey protein concentrate to improve active systemic humoral immune response
- 1092 5,229,281 ☐ Process for production of optically active 3-methyladipic acid from squalene using Candida lipolytica
- 1093 5,227,459 ☐ Synthetic melanin
- 1094 5,227,299 ☐ NADH kinase and a process for producing the same
- 1095 5,225,435 ☐ Soluble melanin
- 1096 5,225,343 ☐ Process for preparation of an adventive embryo of podophyllum
- 1097 5,225,335 ☐ 1,2-dehydrogenation of steroidal 21-esters with Arthrobacter simplex or Bacterium cyclooxydans
- 1098 5,223,491 ☐ Method for revitalizing skin by applying topically water insoluble glucan
- 1099 5,223,430 ☐ Subspecies of Micromonospora citrea which produces antibiotic LL-E19085 alpha
- 1100 5,223,415 ☐ Biosynthetic production of 7-[1',2',6',7',8',8a'(R)-hexahydro-2'(S),6'(R)-dimethyl-8'(S)-hydroxy-1'(S)-naphthyl]-3(R),5(R)-dihydroxyheptanoic acid (triol acid)
- 1101 5,223,406 ☐ Process of using catabolic enzymes for induction of tumor necrosis factor (TNF)
- 1102 5,221,606 ☐ Reagent and kit for enzyme assay comprising a substrate consonant with given enzyme to be assayed
- 1103 5,219,744 ☐ Process for modifying fats and oils
- 1104 5,219,742 ☐ Method of producing gamma-hydroxydecanoic acid or its lactone by feeding a ricinoleic acid source to sp. odoros or rh. glutinis
- 1105 5,219,579 ☐ Biologically active material characterized by catabolic activity generally associated with cachexia-inducing tumors, preparations, production and uses thereof
- 1106 5,219,578 ☐ Composition and method for immunostimulation in mammals
- 1107 5,218,079 ☐ Soluble melanin
- 1108 5,217,892 ☐ Method of plant tissue culture
- 1109 5,217,716 ☐ Method for treating viral infections using oxidized lipoproteins
- 1110 5,216,116 ☐ Soluble melanin

- 1111 5,215,918 ☐ Enantiomeric enrichment of (R,S)-3-quinuclidinol
- 1112 5,215,902 ☐ Process for recovering alcohol with energy integration
- 1113 5,215,900 ☐ Microbial transformation of a substituted pyridinone using streptomyces sp. MA6804
- 1114 5,215,893 ☐ Nucleic acid encoding the ba chain proddomains of inhibin and method for synthesizing polypeptides using such nucleic acid
- 1115 5,213,971 ☐ Process for inducing cytochrome P-450 enzymes in Streptomyces bacteria and determining the mutagenicity of chemicals
- 1116 5,213,815 ☐ Treatment of ascites in poultry
- 1117 5,212,089 ☐ Process for preparation of s-(+)-3-halogeno-1,2-propanediol by treatment with alcaligenes
- 1118 5,212,086 ☐ Fungal herbicides
- 1119 5,210,185 ☐ Human nerve growth factor
- 1120 5,210,022 ☐ Method test media and chromogenic compounds for identifying and differentiating general coliforms and Escherichia coli bacteria
- 1121 5,208,159 ☐ Antibacterial, anti-nematode and/or plant-cell activating composition, and chitinolytic microorganisms for producing the same
- 1122 5,208,041 ☐ Essentially pure human parathyroid hormone
- 1123 5,208,026 ☐ Composition for biocontrol of plantain
- 1124 5,208,017 ☐ Biologically active Bacillus thuringiensis isolates
- 1125 5,206,165 ☐ Immortal human mammary epithelial cell sublines
- 1126 5,206,017 ☐ Use of protease nexin-I as an antiinflammatory
- 1127 5,205,988 ☐ Apparatus for measuring gaseous aldehyde
- 1128 5,204,261 ☐ Catalase-negative Pichia pastoris
- 1129 5,204,251 ☐ Process of enzymatic interesterification maintaining a water content of 30-300 ppm using Rhizopus
- 1130 5,202,260 ☐ Resolution of .alpha.-tertiary carboxylic acid esters using lipase from Candida lipolytica
- 1131 5,202,254 ☐ Process for improving mass transfer in a membrane bioreactor and providing a more homogeneous culture environment
- 1132 5,202,250 ☐ Method for isolation and purification of amylases, and adsorbents used for the same as well as devices for the isolation and purification
- 1133 5,202,244 ☐ Process for producing aphidicolin using the microorganism verticillium sp
- 1134 5,202,240 ☐ Preparation of spore free, concentrated protein preparations from Bacillus thuringiensis serovar, israelensis, which is toxic
- 1135 5,200,343 ☐ Method for microbial dehalogenation of haloaliphatic compounds using a sulfate reducing bacteria, desulfomonile tiedjei
- 1136 5,200,329 ☐ Method of hydroxylating 3-[(4,7-dichlorobenzoxazol-2-yl)methyl]amino-5-ethyl-6-methyl-2-(1H)-pyridinone by incubation with liver slices
- 1137 5,200,311 ☐ Method of determination of pesticides by radiobiochemistry
- 1138 5,200,199 ☐ Withdrawn
- 1139 5,200,182 ☐ Antiviral or antibacterial composition and method of use
- 1140 5,198,358 ☐ Microorganism for producing C-31 desmethyl FR-900520 cyclic hemiketal immunosuppressant agent
- 1141 5,196,315 ☐ Human neuronal cell line

- 1142 5,194,382 ☐ Method for increasing the enzymatic reactivity of .beta.-galactosidase by addition of a cyanate, thiocyanate, azide, or thiosulfate compound
- 1143 5,194,374 ☐ Isolating medium for identifying the Salmonella bacterium
- 1144 5,194,258 ☐ Production of enhanced biocontrol agents
- 1145 5,192,687 ☐ Electroenzymatic method for producing compounds of controlled enantiomeric purity
- 1146 5,192,685 ☐ Bifidobacterium strains having high IgA induction potential
- 1147 5,192,679 ☐ Growing Ehrlichia species in a continuous cell line
- 1148 5,192,674 ☐ Thermostable DNA polymerase thermus thermophilus and a method of producing the same
- 1149 5,192,541 ☐ Weed killing Xanthomonas campestris
- 1150 5,192,505 ☐ Automatic analyzing apparatus

- 1151 5,191,063 ☐ Production of biologically active polypeptides by treatment with an exogenous peptide sequence
- 1152 5,190,875 ☐ Peptide amidase and the use thereof
- 1153 5,190,755 ☐ Nutrient composition and method for the preparation thereof
- 1154 5,188,951 ☐ Enzymatic synthesis of soluble phosphatides from phospholipids
- 1155 5,188,947 ☐ Process and microorganism for producing L-ornithine by Corynebacterium, Brevibacterium, or Athrobacter
- 1156 5,188,844 ☐ Color modified melanins and methods for their preparation and use
- 1157 5,188,842 ☐ Edible plastic compositions
- 1158 5,187,193 ☐ Method for stimulating transplanted bone marrow cells
- 1159 5,187,090 ☐ Human papilloma virus type 57 and the DNA thereof
- 1160 5,187,081 ☐ Process for preparing protease from Endothia parasitica using glucanases to reduce viscosity
- 1161 5,185,252 ☐ Enzymic oxidation of fatty acids on a porous bed solid support
- 1162 5,185,251 ☐ Microbial transformation of a substituted pyridinone using actinoplanacete sp. MA 6559
- 1163 5,185,249 ☐ Dry analytical element for assaying salicylate
- 1164 5,185,247 ☐ Stabilization of oxidase enzyme-based test strips
- 1165 5,185,148 ☐ Process for controlling scarab pests with Bacillus thuringiensis isolates
- 1166 5,183,802 ☐ Pharmaceutical compositions for intranasal administration of calcitonin
- 1167 5,183,754 ☐ Method for production of human tissue type plasminogen activator
- 1168 5,183,751 ☐ Stabilization of peroxidase solutions by para-amino-salicyclic acid
- 1169 5,183,744 ☐ Cell handling method for cell fusion processor
- 1170 5,182,199 ☐ Thermophilic ethanol production in a two-stage closed system
- 1171 5,182,113 ☐ Factor Xa inhibitor from leech and pharmaceutical compositions containing same
- 1172 5,180,743 ☐ Anti-inflammatory and analgesic compounds, related compositions and methods for preparation and use thereof
- 1173 5,180,670 ☐ Method for purification of mitomycin C
- 1174 5,180,582 ☐ Superoxide dismutase derivatives, a method of producing the same and medicinal uses of the same
- 1175 5,180,560 ☐ Apparatus for dehydrogenation of liquid hydrides
- 1176 5,178,864 ☐ Lipoprotein removal by soluble enzymes

- 1177 5,178,863 ☐ Microorganisms detoxifying fusaric acid and method for detoxifying fusaric acid by the use of the same
- 1178 5,177,189 ☐ Polypeptide analogs of Apolipoprotein E
- 1179 5,175,005 ☐ Method of controlling lung tumor cell metastasis
- 1180 5,173,429 ☐ Clostridium ljungdahlii, an anaerobic ethanol and acetate producing microorganism
- 1181 5,173,417 ☐ Thermostable lipoprotein lipase, process for producing the same, and triglyceride determining reagent using the same
- 1182 5,173,295 ☐ Method of enhancing the regeneration of injured nerves and adhesive pharmaceutical formulation therefor
- 1183 5,171,740 ☐ Coumamide compounds
- 1184 5,171,686 ☐ Use of native Aspergillus flavus strains to prevent aflatoxin contamination
- 1185 5,169,772 ☐ Large scale method for purification of high purity heparinase from flavobacterium heparinum
- 1186 5,169,767 ☐ Method of producing trehalose
- 1187 5,169,765 ☐ Method for stimulating production of bone marrow cell growth factors using dithiocarbamates
- 1188 5,168,102 ☐ Endocrine manipulation to improve body composition of poultry
- 1189 5,168,054 ☐ Process for the microbiological production of gamma- and delta-lactones
- 1190 5,166,132 ☐ Healing composition employing an enzyme-modified casein
- 1191 5,166,062 ☐ Methods for separating diol and triol stereoisomers from a stereoisomer mixture
- 1192 5,165,929 ☐ Fungal ant killer
- 1193 5,165,928 ☐ Biological control of phytophthora by gliocladium
- 1194 5,164,309 ☐ Process for the microbiological preparation of 1,3-propane-diol from glycerol by citrobacter
- 1195 5,164,301 ☐ Process and kit for detecting microbial metabolism
- 1196 5,164,196 ☐ Crotoxin complex as cytotoxic agent
- 1197 5,164,181 ☐ Enzyme castration of animals
- 1198 5,162,302 ☐ Endocrine manipulation to improve body composition of poultry
- 1199 5,162,211 ☐ Process for producing a cyclic lipopeptide employing zalerion arboricola
- 1200 5,162,201 ☐ Analytical method making use of monoglyceride lipase
- 1201 5,162,198 ☐ Method of using dehydroepiandrosterone and dehydroepiandrosterone-sulfate as inhibitors of thromboxane production and platelet aggregation
- 1202 5,160,490 ☐ Three-dimensional cell and tissue culture apparatus
- 1203 5,160,488 ☐ Bioremediation yeast and surfactant composition
- 1204 5,158,888 ☐ Streptomyces parvullus DSM 3816
- 1205 5,158,887 ☐ Process for massive conversion of clostridia in synchronized cells of elongated length or refractile endospores
- 1206 5,158,883 ☐ Method of using aminoarginine to block nitric oxide formation in vitro
- 1207 5,158,882 ☐ Method for purifying a crude tissue plasminogen activator preparation
- 1208 5,158,876 ☐ Process for the production of antibiotic R106 by a strain of Aureobasidium pullulans
- 1209 5,158,872 ☐ Aromatic substituted glycoside
- 1210 5,156,971 ☐ Rapid identification of environmental bacillus

- 1211 5,156,954 ☐ Assay device and method using a signal-modulating compound
- 1212 5,155,041 ☐ Culture of Bacillus subtilis
- 1213 5,155,036 ☐ Serum-free medium containing retinoic acid useful for cultivating human/human hybridomas
- 1214 5,155,030 ☐ Process for preparing optically active (R)-(-)-3-halo-1,2-propanediol from an epihalohydrin by a strain of corynebacterium or microbacterium
- 1215 5,154,931 ☐ Growth-stimulating material derived from porcine bone therefor and a manufacturing process
- 1216 5,153,135 ☐ Pseudomonas strains capable of producing lipolytic enzymes for detergent compositions
- 1217 5,153,123 ☐ Method for producing L-threonine, and plasmid and microorganism employed in the same
- 1218 5,153,119 ☐ Method for speciating and identifying MAI (Mycobacterium avium-intracellulare)
- 1219 5,151,363 ☐ Isolates of Bacillus thuringiensis that are active against nematodes
- 1220 5,149,653 ☐ Preservation of viruses
- 1221 5,149,649 ☐ Multi-layered porous hollow fiber membrane for use in cell culture
- 1222 5,149,647 ☐ Process for extracting pure fractions of lactoperoxidase and lactoferrin from milk serum
- 1223 5,149,646 ☐ Process for isolating galactose oxidase
- 1224 5,149,642 ☐ Process for preparing 2-acylglycerides or 1,2 or 2,3-diacylglycerides
- 1225 5,149,639 ☐ Biologically pure cultures of streptomyces and use thereof in macrolide antibiotic production
- 1226 RE34,077 ☐ Blood substitute
- 1227 5,147,797 ☐ Polypeptides with fibronectin activity
- 1228 5,147,796 ☐ Alkaline pullulanase Y having .alpha.-amylase activity
- 1229 5,147,792 ☐ Method of shifting the fatty acid distribution in plastids towards shorter-chained species by using thioesterase II and acyl carrier protein
- 1230 5,147,790 ☐ Serum-independent human cell lines, process for producing same, and processes for producing proteins therefrom
- 1231 5,147,642 ☐ Use of bacteriolytic enzyme product and protease as additive for improving feed conversion in livestock production
- 1232 5,145,786 ☐ Preenriched broth medium for the simultaneous sampling of foods for salmonella and listeria
- 1233 5,143,845 ☐ Mixture of saccharifying lactic acid producing and butyric acid producing bacteria
- 1234 5,143,840 ☐ Substantially purified proteolytic enzyme from Bacillus spec. USNI 4828 method of making and using it
- 1235 5,143,838 ☐ Method of producing thrombin from factor II using calcium ions for the conversion on an anion exchanger
- 1236 5,141,869 ☐ Automated bioluminescence microbial monitor
- 1237 5,141,858 ☐ Method for the production of .alpha.(1.fwdarw.2) oligodextrans using Leuconostoc mesenteroides B-1299
- 1238 5,141,857 ☐ Purification of Q Beta replicase
- 1239 5,141,854 ☐ Enzymatic composition for ethanol assay
- 1240 5,139,948 ☐ Strain of Trichostrongylus colubriformis with ivermectin and thiabendazole resistance
- 1241 5,139,945 ☐ Thermostable alginate lyase from Bacillus steraothermophilus

- 1242 5,137,813 ☐ Process for production of an antibiotic compound using Zalerion arboricola
- 1243 5,137,734 ☐ Angiogenic monoglycerides
- 1244 5,137,721 ☐ Employing strains of E. coli expressing non-indigenous adhesins and toxoids of E. coli
- 1245 5,135,866 ☐ Very low protein nutrient medium for cell culture
- 1246 5,135,861 ☐ Method for producing ethanol from biomass
- 1247 5,135,850 ☐ Process for the determination by means of free radicals of the antioxidant properties of a living organism or a potentially aggressive age
- 1248 5,135,759 ☐ Method to preselect the sex of offspring
- 1249 5,134,073 ☐ Microbiologically produced N-acetyl-2,3-didehydroleucine acylase
- 1250 5,134,063 ☐ Methods for detection, identification and specification of listerias

- 1251 5,132,224 ☐ Biological remediation of creosote- and similarly-contaminated sites
- 1252 5,132,223 ☐ Process and medium for cloning and long-term serial cultivation of adult human endothelial cells
- 1253 5,130,242 ☐ Process for the heterotrophic production of microbial products with high concentrations of omega-3 highly unsaturated fatty acids
- 1254 5,130,240 ☐ Process for producing D-alpha-alanine and/or L-alpha-alanineamide by Arthrobacter sp
- 1255 5,130,230 ☐ Blood substitute
- 1256 5,130,131 ☐ Methods for the control of fungi and bacteria
- 1257 5,130,099 ☐ Method and an apparatus for the catalytic treatment of exhaust gases of internal combustion engines
- 1258 5,130,061 ☐ Process for the extraction of polyunsaturated fatty acid esters from fish oils
- 1259 5,128,264 ☐ Process for preparing optically active 3-hydroxybutane derivatives using lipase
- 1260 5,128,261 ☐ Natural delta-lactones and process of the production thereof
- 1261 5,128,260 ☐ Process for preparing culture concentrates for direct vat set dairy products production
- 1262 5,128,148 ☐ Process for the production of dried earthworm powder and antihyperlipemic, antidiabetic, antihypertensive and antihypotensive preparations containing dried earthworm powder as active ingredient
- 1263 5,126,148 ☐ Process to prepare metastasis-inhibitory factor
- 1264 5,124,256 ☐ Process for recovering polypeptides localized in the periplasmic space of yeast without breaking the cell wall by using a non-ionic detergent and a neutral salt
- 1265 5,124,155 ☐ Fibronectin wound-healing dressings
- 1266 5,122,469 ☐ Method for culturing Chinese hamster ovary cells to improve production of recombinant proteins
- 1267 5,122,468 ☐ Hut-78 cell lines infected with HTLV-III which secrete gp160
- 1268 5,122,371 ☐ Biologically active agent having antihypertensive activity in mammals
- 1269 5,120,655 ☐ Riboflavin producing strains of microorganisms
- 1270 5,120,652 ☐ Substantially purified N-acyl-L-proline acylase from Comamonas testosteroni DSM 5416 and Alcaligenes denitrificans DSM 5417
- 1271 5,118,792 ☐ Ice crystal growth suppression polypeptides and method of making
- 1272 5,118,622 ☐ Polypeptide possessing isoamylase activity, and its use in the hydrolysis of amylaceous substances
- 1273 5,116,757 ☐ Mevalonic acid-producing microorganism

- 1274 5,116,753 ☐ Maintenance of pancreatic islets
- 1275 5,116,750 ☐ Selectable fusion protein having aminoglycoside phosphotransferase activity
- 1276 5,116,740 ☐ Method for producing native HIV gp160
- 1277 5,116,729 ☐ Stabilization of oxidase enzyme-based test strips
- 1278 5,116,622 ☐ Methods for treating Parkinson's disease
- 1279 5,116,616 ☐ Use of intratracheal administration of SOD to protect humans from lung injury due to hyperoxia and hyperventilation
- 1280 5,115,096 ☐ Amphiregulin: a bifunctional growth modulating glycoprotein
- 1281 5,114,973 ☐ Method for treating autoimmune disease using succinylacetone
- 1282 5,114,722 ☐ Medicament from Peyer's patches
- 1283 5,112,760 ☐ Mass transfer membrane for oxygenation of animal cell reactors
- 1284 5,112,757 ☐ Method for obtaining human hepatocyte cultures
- 1285 5,112,750 ☐ Immobilized cells and culture method utilizing the same
- 1286 5,112,740 ☐ Carbon dioxide assay for body fluids comprising carbonic anhydrase
- 1287 5,112,608 ☐ Use of protease nexin-I to mediate wound healing
- 1288 5,110,918 ☐ Process for preparing EDTA-free heparins, heparin fractions and fragments
- 1289 5,110,737 ☐ Method for the isolation of hybridomas using cholesterol auxotrophy of myeloma cells
- 1290 5,110,735 ☐ Thermostable purified endoglucanase from thermophilic bacterium acidothermus cellulolyticus
- 1291 5,110,721 ☐ Method for hypothermic organ protection during organ retrieval
- 1292 5,109,133 ☐ Antibiotic trienomycins and their production
- 1293 5,108,746 ☐ Stabilizer composition and stabilized aqueous systems
- 1294 5,106,994 ☐ Agents and method of production thereof
- 1295 5,106,747 ☐ Method for enzymatic regeneration of cell culture media and media kits therefor
- 1296 5,106,621 ☐ Cysteine proteinases, production and use
- 1297 5,104,973 ☐ Method for purifying and isolating carboxyl-terminal peptides
- 1298 5,104,801 ☐ Mutant microorganisms useful for cleavage of organic C-S bonds
- 1299 5,104,800 ☐ One-step cephalosporin C amidase enzyme
- 1300 5,102,793 ☐ Stereospecific keto reduction of bicyclooctandione-carboxylic acid esters by microorganisms

- 1301 5,102,792 ☐ Selective production of L-serine derivative isomers
- 1302 5,100,798 ☐ Method for the extraction of a vitamin-K-dependent carboxylase complex and the use thereof
- 1303 5,100,795 ☐ Bile acid sulfate sulfatase, process for its preparation and method for assaying bile acid
- 1304 5,100,789 ☐ Process for the production of mevalonic acid by a strain of Saccharomycopsis fibuligera
- 1305 5,098,835 ☐ Process for producing L-threonine by fermentation
- 1306 5,098,670 ☐ Filter and gas mixing device for use in heating or incineration plants
- 1307 5,098,668 ☐ HF alkylation unit with acid evacuation system
- 1308 5,098,667 ☐ Particulate flow control
- 1309 5,096,907 ☐ Antibiotic LL-E19085
- 1310 5,096,821 ☐ Pyruvate oxidase mutants, DNA expressing pyruvate oxidase and methods of use thereof

- 1311 5,094,954 ☐ Production of endospores from pasteuria by culturing with explanted tissue from nematodes
- 1312 5,094,952 ☐ Asparaginyl endopeptidase, composition and use thereof
- 1313 5,093,256 ☐ Essentially purified, thermostable and alkalophilic lipase from Bacillus Sp. A30-1 ATCC 53841
- 1314 5,093,250 ☐ Process for producing optically active bicyclo[3.3.0]octanedione carboxylic acid esters
- 1315 5,093,249 ☐ Process for production of dihomogamma-linolenic acid and inhibitor for unsaturation reaction at DELTA-5-position of fatty acid
- 1316 5,093,248 ☐ BU-3862T antitumor antibiotic
- 1317 5,093,243 ☐ Process for the separation and recovery of nosiheptide
- 1318 5,093,231 ☐ Substrate composition for alkaline phosphatase and method for assay using same
- 1319 5,093,121 ☐ Method for increasing the protein contents of milk in ruminants
- 1320 5,091,311 ☐ The production of KSB-1939 macrolides using STR eptomyces hygroscopicus
- 1321 5,091,305 ☐ Bile acid sulfate sulfatase, process for its preparation and method for assaying bile acid
- 1322 5,091,192 ☐ Bile salts permanently bound to insoluble cellulose as a dietary supplement
- 1323 5,091,180 ☐ Protection against rhabdomyolysis-induced nephrotoxicity
- 1324 5,089,415 ☐ Method for clotting heparized blood by the addition of protamine, thrombin and snake venom
- 1325 5,089,414 ☐ Enzymatic soaking method
- 1326 5,089,411 ☐ Method of culturing a strain of Rhodococcus rhodochrous having nitrile hydratase activity
- 1327 5,089,410 ☐ Process for the production of betacyanin pigments
- 1328 5,089,402 ☐ Exo-type hydrolase capable of hydrolyzing a fructan only every 3 or 4 sugar units
- 1329 5,089,274 ☐ Use of bactericidal/permeability increasing protein or biologically active analogs thereof to treat endotoxin-related disorders
- 1330 5,089,273 ☐ Ecteinasidins 729, 743, 745, 759A, 759B and 770
- 1331 5,089,264 ☐ Method for treatment of bovine retained placenta
- 1332 5,089,263 ☐ Nematicidal strain of pseudomonas and its use as a biocontrol agent
- 1333 5,089,237 ☐ Gas filter with catalytic coating and a gastight downstream region
- 1334 5,087,566 ☐ Process for producing L-threonine
- 1335 5,085,997 ☐ Method of separating yeasts from fermentation liquors
- 1336 5,084,272 ☐ Trichoderma fungus and fungicide containing it
- 1337 5,084,249 ☐ Rotary centrifugal contactor
- 1338 5,082,780 ☐ Oligonucleotide-enzyme conjugate that can be used as a probe in hybridization assays and polymerase chain reaction procedures
- 1339 5,082,777 ☐ Process for the production of 6-hydroxynicotinic acid
- 1340 5,082,772 ☐ Process for preparing deacetylcephalosporin C
- 1341 5,082,650 ☐ Amelioration of reductions of coenzyme Q.sub.10 in cardiomyopathy patients receiving lovastatin
- 1342 5,081,033 ☐ Miniaturized yeast identification system
- 1343 5,081,024 ☐ Process for producing optically active amino acids
- 1344 5,080,919 ☐ Cookies with reduced sucrose content and doughs for production thereof
- 1345 5,080,907 ☐ Pharmaceutical preparations containing non-steroidal anti-inflammatory agents

- 1346 5,079,162 ☐ Reticulated cellulose and methods and microorganisms for the production thereof
- 1347 5,079,158 ☐ Novel monoglyceride lipase and its production process.
- 1348 5,077,212 ☐ Process for the production of acylamide amidohydrolase by *Methylophilus methylotrophus*
- 1349 5,077,207 ☐ Process for the production of L-threonine by fermentation
- 1350 5,077,202 ☐ Process for producing a glycolipid having a high eicosapentaenoic acid content

- 1351 5,077,059 ☐ Process for preparing melanogenic inhibitor, and pigmentation-lightening agent containing the same
- 1352 5,075,323 ☐ Compounds including omeprazole in the treatment of glaucoma
- 1353 5,075,307 ☐ Paraherquamide and dihydroparaherquamide as antihelminthic agents
- 1354 5,073,378 ☐ Processes for the preparation of storage stable collagen products
- 1355 5,073,369 ☐ Efomycins as performance promoters in animals
- 1356 5,071,762 ☐ Enhancing the flavor of protein products derived from microorganisms
- 1357 5,071,755 ☐ Biodegradation of aliphatic chloroethylene compounds
- 1358 5,071,754 ☐ Production of esters of lactic acid, esters of acrylic acid, lactic acid, and acrylic acid
- 1359 5,071,751 ☐ Process for preparing hyaluronic acid
- 1360 5,068,194 ☐ *Bacillus stearothermophilus* strain having a high protoplast forming ratio
- 1361 5,068,188 ☐ Process for manufacture of alkaline earth acetates
- 1362 5,068,187 ☐ Process for producing D- α -amino acids
- 1363 5,064,859 ☐ Licidal compositions containing carboxylic acids
- 1364 5,064,762 ☐ Increasing the inositol yield from almond hulls
- 1365 5,064,761 ☐ Process for the manufacture of 4-acylamino-3-hydroxybutyric acid esters
- 1366 5,064,760 ☐ Process for the production of an imidazolidione compound by a strain of *Streptomyces hygroscopicus*
- 1367 5,063,054 ☐ Microbial products used for treatment of hepatitis
- 1368 5,059,532 ☐ Microorganism belonging to genus *Rhodococcus*, and a process for producing alkene derivative and unsaturated fatty acid
- 1369 5,057,324 ☐ Kallikrein inhibitor substance, a process for preparation and pharmaceutical compositions thereof
- 1370 5,057,314 ☐ Low molecular weight antiviral factors
- 1371 5,055,399 ☐ Enzymatic synthesis of α -L-aspartyl-L-phenylalanine lower alkyl esters
- 1372 5,055,296 ☐ Method of treating chronic fatigue syndrome
- 1373 5,053,338 ☐ Kinetic resolution of pyridazinones using lipase
- 1374 5,049,495 ☐ Fermentation method for producing polyether antibiotics
- 1375 5,047,339 ☐ Recovery of polyether antibiotic material
- 1376 5,047,338 ☐ Polyester Antibiotic preparation
- 1377 5,047,249 ☐ Compositions and methods for treating skin conditions and promoting wound healing
- 1378 5,047,239 ☐ Biological control of fruit rot
- 1379 5,041,375 ☐ Method of producing carnitine
- 1380 5,041,374 ☐ Polyether antibiotic recovery and purification
- 1381 5,037,758 ☐ Enhanced production of biosurfactant through the use of a mutated *B subtilis* strain

- 1382 5,036,004 ☐ Process for producing L-serine
- 1383 5,035,896 ☐ Water insoluble drugs coated by coacervated fish gelatin
- 1384 5,034,528 ☐ Compositions for the control of hyperlipidemia
- 1385 5,034,328 ☐ Control of hemp sesbania with a fungal pathogen Colletotrichum truncatum
- 1386 5,034,321 ☐ Method for the production of lipids containing bis-homo- γ -linolenic acid
- 1387 5,034,319 ☐ Process for producing L-arginine
- 1388 5,032,522 ☐ Method of making staphylococcus aureus vaccine
- 1389 5,032,514 ☐ Metabolic pathway engineering to increase production of ascorbic acid intermediates
- 1390 5,032,513 ☐ Process for the preparation of gamma and delta lactones
- 1391 5,028,537 ☐ Novel antifungal substances and process for their production
- 1392 5,024,844 ☐ Process for the production of dried earthworm powder and antihyperlipemic, antidiabetic, antihypertensive and antihypotensive preparations containing dried earthworm powder as active ingredient
- 1393 5,023,184 ☐ Antibiotics from myxococcus
- 1394 5,023,181 ☐ Process for preparing a calcium-dependent oxygenase
- 1395 5,023,175 ☐ Novel production process of hyaluronic acid and bacterium strain therefor
- 1396 5,023,090 ☐ Topical compositions containing LYCD and other topically active medicinal ingredients for the treatment of ACNE
- 1397 5,021,343 ☐ Method for producing trichothecenes
- 1398 5,021,243 ☐ Process for the preparation of factor VIII:C-deficient plasma, and a deficient plasma obtained in this way
- 1399 5,021,076 ☐ Enhancement of nitrogen fixation with Bradyrhizobium japonicum mutants
- 1400 5,019,514 ☐ Aureobasidium pullulans strain, process for its preparation, and use thereof
- 1401 5,019,503 ☐ Method for production of l-threonine
- 1402 5,019,402 ☐ Composition and procedure for disinfecting blood and blood components
- 1403 5,019,391 ☐ Skin treating composition, method of producing the same and treatment of skin therewith
- 1404 5,017,567 ☐ Carboxyalkyl dipeptides as antiglaucoma agents
- 1405 5,017,484 ☐ Process for preparing 3-chloro-1,2-propanediol
- 1406 5,017,483 ☐ Process for producing L-threonine
- 1407 5,017,476 ☐ Method for the biocatalytic reaction of organic substances
- 1408 5,015,579 ☐ Production of (-)trans-2,3-epoxysuccinic acid by fermentation
- 1409 5,013,656 ☐ Process for producing orotic acid by fermentation
- 1410 5,013,558 ☐ Pharmaceutical treatments for cerebral and neuronal diseases
- 1411 5,013,539 ☐ Method and composition for antagonism of sodium nitroprusside toxic effects
- 1412 5,011,992 ☐ Pharmacologically active substituted benzamides
- 1413 5,010,186 ☐ Acid/heat modified polysaccharide biopolymers
- 1414 5,008,195 ☐ Some novel producers of cyclodextrin glycosyltransferases
- 1415 5,008,188 ☐ Process for producing S-adenosyl-L-homocysteine
- 1416 5,008,187 ☐ Antifungal fermentation product
- 1417 5,006,560 ☐ Use of GABA-B selective agonists as anti-tussive agents

- 1418 5,006,468 ☐ Novel urease and method of producing the same
- 1419 5,006,281 ☐ Process for the production of a marine animal oil
- 1420 5,004,611 ☐ Pro-liposome compositions
- 1421 5,002,974 ☐ Anesthetic/skin moisturizing composition and method of preparing same
- 1422 5,001,117 ☐ Use of lecithin to restore olfaction and taste
- 1423 5,001,116 ☐ Inhibition of angiogenesis
- 1424 5,001,064 ☐ Phosphatidylinositol 4-kinase
- 1425 4,999,365 ☐ Method of reducing reperfusion injury with imidazol-2-thiones
- 1426 4,997,851 ☐ Antiviral and antibacterial activity of fatty acids and monoglycerides
- 1427 4,997,823 ☐ Anti-infective injectable formulations
- 1428 4,996,233 ☐ Method of reducing porphyrin toxicity using fatty acids
- 1429 4,994,487 ☐ Methods and compositions for the treatment of plants
- 1430 4,994,442 ☐ Method for stimulation or repair and regeneration of intestinal gut cells in infants and enhancing the immune response of t-cells
- 1431 4,994,268 ☐ Pheromone formulation for attracting spruce beetles
- 1432 4,992,478 ☐ Antiinflammatory skin moisturizing composition and method of preparing same
- 1433 4,992,477 ☐ Skin moisturizing composition and method of preparing same
- 1434 4,992,476 ☐ Skin cleansing and moisturizing composition and method of using and preparing same
- 1435 4,992,470 ☐ Method of enhancing immune response of mammals
- 1436 4,992,269 ☐ Animal repellent
- 1437 4,990,530 ☐ Indomethacin injections and their production method
- 1438 4,990,523 ☐ Treatment of chronic inflammatory joint disease with arylsulfonamides
- 1439 4,988,722 ☐ Parenteral compositions
- 1440 4,988,697 ☐ Fungicidal compositions and method
- 1441 4,988,511 ☐ Insecticidal paste including powdered boric acid
- 1442 4,988,510 ☐ Insect control system
- 1443 4,988,497 ☐ Process for the optical determination of lipase
- 1444 4,985,465 ☐ Method for inhibiting viral and retroviral infections
- 1445 4,985,464 ☐ Drug compositions for local treatment of alopecia areata
- 1446 4,985,413 ☐ Poison bait for control of noxious insects
- 1447 4,983,635 ☐ Fortified quaternary ammonium compound with dual synergistic phenols
- 1448 4,983,375 ☐ Hematological stain system
- 1449 4,981,871 ☐ Treatment of ocular hypertension with class I calcium channel blocking agents
- 1450 4,981,864 ☐ Method for inhibition of erythrocyte aggregation using anellated tricyclic compounds
- 1451 4,981,851 ☐ 2-tert-butyl-4-chloro-5 -(4-tert-butylbenzylthio)-3(2H)-pyridazinone for controlling snails and slugs
- 1452 4,981,679 ☐ Method and composition for the treatment of burns
- 1453 4,980,374 ☐ Dialysis and rinsing solution for intraperitoneal administration with antimicrobial activity
- 1454 4,980,175 ☐ Liquid orally administrable compositions based on edible oils
- 1455 4,980,149 ☐ Reduction of the toxic effects caused by anthraquinone drugs

- 1456 4,978,668 ☐ Treatment to reduce ischemic tissue injury
- 1457 4,978,657 ☐ Novel 11.beta.-substituted-19-nor-steroids
- 1458 4,977,177 ☐ Tetrapyrrole polyaminomonocarboxylic acid therapeutic agents
- 1459 4,977,139 ☐ Aqueous elcatonin solution composition
- 1460 4,976,964 ☐ Medicament formulation containing dihydropyridines and a process for its preparation
- 1461 4,976,951 ☐ Dental caries diagnostic and localization technique
- 1462 4,975,449 ☐ Topical treatment of glaucoma with 2-benzothiazolesulfonamide derivative
- 1463 4,975,448 ☐ 6-amino-2-benzothiazolesulfonamide and topical treatment compositions and method for glaucoma
- 1464 4,975,447 ☐ 6-hydroxyethoxy-2-benzothiazolesulfonamide and topical treatment compositions and method for glaucoma
- 1465 4,975,428 ☐ Treatment of glaucoma using phosphodiesterase inhibitors
- 1466 4,975,426 ☐ Cough/cold mixtures comprising non-sedating antihistamine drugs
- 1467 4,975,282 ☐ Multilamellar liposomes having improved trapping efficiencies
- 1468 4,975,279 ☐ Method of improving post-ischemic myocardial function using a thromboxane A2 antagonist in combination with a thrombolytic agent and combination
- 1469 4,975,269 ☐ Shelf stable aspirin solutions
- 1470 4,973,595 ☐ Composition and method for increasing the hatchability of turkey eggs
- 1471 4,973,591 ☐ Parenteral formulations of 1-diphenylmethyl-4-((2-(4-methylphenyl)-5-methyl-1H-imidazol-4-yl)methyl)piperazine
- 1472 4,971,976 ☐ Anisodamine to prevent and treat eye disease
- 1473 4,971,974 ☐ Benzothiophenes as appetite suppressants
- 1474 4,971,956 ☐ Immunopotentiating agents and method
- 1475 4,971,803 ☐ Lamellar vesicles formed of cholesterol derivatives
- 1476 4,970,239 ☐ Method for controlling macroinvertebrates utilizing decylthioethylamine
- 1477 4,970,204 ☐ 3-substituted nitro-steroid derivatives as 5.alpha.-reductase inhibitors
- 1478 4,970,203 ☐ Method for improving reproductive functions in mammals
- 1479 4,970,201 ☐ Preservatives for cellulose containing products
- 1480 4,970,079 ☐ Method and composition of oxy-iron compounds for treatment of hyperphosphatemia
- 1481 4,970,068 ☐ Use of d-carvone as mosquito attractant
- 1482 4,968,716 ☐ Compositions and methods for administering therapeutically active compounds
- 1483 4,968,701 ☐ 4-Quinoline carboxylic acid derivatives useful as immunosuppressive agents
- 1484 4,966,899 ☐ Antibacterial lyophilized preparation of aspoxicillin
- 1485 4,966,773 ☐ Topical ophthalmic compositions containing microfine retinoid particles
- 1486 4,965,288 ☐ Inhibitors of lysyl oxidase
- 1487 4,965,286 ☐ Agents for repelling insects and mites
- 1488 4,965,065 ☐ Gastroprotective process and compositions
- 1489 4,964,892 ☐ Synergistic microbicidal combinations containing 2-N-octyl-3-isothiazolone and certain commercial biocides
- 1490 4,963,586 ☐ Microbicidal/microbistatic composition
- 1491 4,962,099 ☐ Chemical synthesis
- 1492 4,960,795 ☐ Feed additive and feed containing such additive

- 1493 4,960,794 ☐ Triglycerides having stability with lapse of time and method for stabilization thereof
- 1494 4,960,595 ☐ Lipid membrane structures
- 1495 4,960,591 ☐ Methods and compositions for relief of stomach distress
- 1496 4,959,392 ☐ Method of treating diabetes mellitus
- 1497 4,959,222 ☐ Magnesium additive for nutrients, feed, and medicaments
- 1498 4,959,209 ☐ Use of N,N-diethyl-m-toluamide and/or the ethyl ester of 2-methyl-3-pentenoic acid as insect attractants
- 1499 4,959,097 ☐ 23-Phenylsteroids
- 1500 4,957,938 ☐ Nutritional formulation for the treatment of renal disease

- 1551 4,931,440 ☐ Uricosuric composition
- 1552 4,931,289 ☐ Oral phosphate ion adsorbent
- 1553 4,931,066 ☐ Dyeing composition for keratinous fibres containing at least one co-solubilized n-substituted 2-nitro-para-phenylenediamine and process for dyeing keratinous fibres therewith
- 1554 4,929,758 ☐ Preparation of tert-butylamine from isobutene
- 1555 4,929,737 ☐ Hydrogenation of halonitroaromatic compounds
- 1556 4,929,619 ☐ Anti-infective methods and compositions
- 1557 4,929,437 ☐ Coenzyme Q.sub.10 with HMG-CoA reductase inhibitors
- 1558 4,927,846 ☐ Intraocular pressure reducing 1,11-lactone prostaglandins
- 1559 4,927,807 ☐ Glaucoma treatment
- 1560 4,925,875 ☐ N-benzoyl-N'-2,5-dihalo-4-perfluoroalkoxyphenylureas, pesticidal compositions containing them and their use in the control of pests
- 1561 4,923,893 ☐ External preparation of vitamin-E
- 1562 4,923,877 ☐ Composition and method for treating glaucoma
- 1563 4,923,866 ☐ Fungicidal compositions
- 1564 4,923,640 ☐ Process for the production of 17.alpha.-ethinyl-17.beta.-hydroxy-18-methyl-4,15-estradien-3-one and new intermediate products for this process
- 1565 4,921,691 ☐ Spray on wound dressing compositions
- 1566 4,920,150 ☐ Method for production of stabilized sodium ascorbate powder
- 1567 4,919,932 ☐ Pharmaceutical formulation for the treatment of bacterial infections
- 1568 4,919,924 ☐ Use of thioredoxin, thioredoxin-derived, or thioredoxin-like dithiol peptides in hair care preparations
- 1569 4,919,917 ☐ Agent for reducing nephrotoxicity caused by cyclosporin administration
- 1570 4,918,108 ☐ Method of improving the absorption of injected antibacterial substances
- 1571 4,918,102 ☐ Prevention and treatment of alcoholism by the use of dietary chromium
- 1572 4,918,088 ☐ Pest control
- 1573 4,918,072 ☐ Platelet aggregation inhibiting composition
- 1574 4,917,901 ☐ Methods and compositions for inhibiting or destroying spermatozoa and organisms which causes sexually transmitted diseases in mammalian host
- 1575 4,917,881 ☐ Dehydrated garlic preparations and buffer compounds to alleviate digestively induced aftereffects
- 1576 4,915,955 ☐ Process for preparing a disinfectant

- 1577 4,914,133 ☐ Amino compounds and fungicides containing them
- 1578 4,914,119 ☐ Fungicidal agents
- 1579 4,914,090 ☐ Ophthalmic compositions
- 1580 4,914,089 ☐ Pharmaceutical dosage unit
- 1581 4,913,852 ☐ Compounds obtained from the associative synthesis of sulfur-containing or sulfur-free amino acids with pregnane derivatives
- 1582 4,912,137 ☐ Fabric insecticide
- 1583 4,912,116 ☐ Propiophenone derivatives for treatment of pollakiuria (frequency urination)
- 1584 4,912,111 ☐ Use of minoxidil for wound healing
- 1585 4,912,099 ☐ Acaricide formulations
- 1586 4,911,933 ☐ Non-toxic ophthalmic preparations
- 1587 4,911,931 ☐ Pharmaceutical combination for treatment of bone-wasting diseases
- 1588 4,911,917 ☐ Cholesterol-lowering combination compositions of magnesium salt and niacin
- 1589 4,911,906 ☐ Use of dibutyl succinate as an insect attractants
- 1590 4,910,224 ☐ Method of modifying the lipid structure and function of cell membranes and pharmaceutical compositions for use therein
- 1591 4,910,223 ☐ Low viscosity solvent mixture for dissolution of cholesterol gallstones
- 1592 4,908,215 ☐ Hypochlorite compositions containing thiosulfate and use thereof
- 1593 4,908,202 ☐ Use of 2-oxo-1-pyrrolidineacetamide for the determination of the glomerular filtration rate in humans
- 1594 4,906,785 ☐ Novel trifluorinated vitamin D3 intermediates
- 1595 4,906,660 ☐ Wood preservative composition and method
- 1596 4,906,641 ☐ Anti-micturition composition and method
- 1597 4,906,635 ☐ Carboxyalkyl dipeptides as antiglaucoma agents
- 1598 4,906,613 ☐ Antiglaucoma compositions and methods
- 1599 4,906,467 ☐ Novel, long-duration treatment for glaucoma
- 1600 4,904,649 ☐ Method and solution for treating glaucoma

- 1601 4,902,692 ☐ Method and composition for ophthalmic anesthesia using rodocaine
- 1602 4,902,679 ☐ Methods of treating diseases with certain geminal diphosphonates
- 1603 4,902,504 ☐ Use of dibutyl succinate, dimethyl disulfide and mixtures of same as mosquito attractants
- 1604 4,900,732 ☐ Method of treating American and Oriental cockroaches
- 1605 4,900,556 ☐ System for delayed and pulsed release of biologically active substances
- 1606 4,900,477 ☐ Novel intermediates and an improved process for producing the compound (3.beta.,5.alpha.)-3-hydroxycholest-8(14)-en-15-one
- 1607 4,898,881 ☐ Dry microbiocidal composition containing an ethylene bis-dithiocarbamate salt
- 1608 4,898,735 ☐ Liposome/doxorubicin composition and method
- 1609 4,897,475 ☐ Process for synthesis of 5.alpha.-cholest-8(14)-en-3.beta.-ol-15-one and other 15-oxygenated sterols
- 1610 4,897,404 ☐ Anti-infective methods and compositions
- 1611 4,897,224 ☐ Method for producing ferulyl stanol derivatives

- 1612 4,895,875 ☐ Stabilized peroxide solutions
- 1613 4,895,872 ☐ Immunosuppressive analogues and derivatives of succinylacetone
- 1614 4,895,859 ☐ Anti-infective methods and compositions
- 1615 4,895,857 ☐ Anti-infective methods and compositions
- 1616 4,895,845 ☐ Method of assisting weight loss
- 1617 4,895,722 ☐ Hair treatments
- 1618 4,895,715 ☐ Method of treating gynecomastia
- 1619 4,894,375 ☐ Method of controlling mycotic infections and compositions therefor
- 1620 4,894,241 ☐ Halophor composition
- 1621 4,892,889 ☐ Process for making a spray-dried, directly-compressible vitamin powder comprising unhydrolyzed gelatin
- 1622 4,892,876 ☐ Method for inhibiting HIV and an pharmaceutical composition therefor
- 1623 4,892,867 ☐ Antiandrogenic 17-alpha-alkyl steroids
- 1624 4,892,730 ☐ Processes for preparation of solid, rapidly released medicament preparations containing dihydropyridines
- 1625 4,891,385 ☐ Insecticidal compositions
- 1626 4,891,382 ☐ Method of preventing pancreatitis utilizing 2-amino-cycloaliphatic amides
- 1627 4,891,368 ☐ Use of antigestagens for softening the nonpregnant cervix
- 1628 4,891,366 ☐ Novel 2.beta.,16.beta.-diamino-androstanes
- 1629 4,891,365 ☐ 17-Substituted estradienes and estratrienes
- 1630 4,891,364 ☐ Vitamin D derivatives, process for producing the same and their use in the differentiation of tumor cells
- 1631 4,891,215 ☐ Deodorizing material
- 1632 4,889,954 ☐ Amine oxide process
- 1633 4,889,862 ☐ Freeze-dried pharmaceutical compositions of phenylquinoline carboxylic acids
- 1634 4,888,347 ☐ Use of specific N-methyl-D-aspartate receptor antagonists in the prevention and treatment of neurodegeneration
- 1635 4,888,331 ☐ Coadministration of antigestagen and antiestrogen for gynecological disorders, abortion and labor induction
- 1636 4,888,174 ☐ Insecticidal polymeric compositions
- 1637 4,888,026 ☐ Use of hydroxynaphthoquinones for dyeing human keratin fibres
- 1638 4,888,025 ☐ Compounds which can be used for hair dyeing, process for their preparation, dyeing compositions in which they are present and corresponding hair-dyeing process
- 1639 4,886,909 ☐ Aromatic amine terminated trifunctional polyoxyalkylene urea
- 1640 4,886,815 ☐ Treatment and prevention of retinal edema with dopaminergic antagonists
- 1641 4,886,795 ☐ Treatment and prevention of retinal edema with dopaminergic antagonists
- 1642 4,886,662 ☐ Use of alpha-terpineol as insect attractant
- 1643 4,886,544 ☐ 23-phenylbrassinosteroids
- 1644 4,885,293 ☐ Antiglaucoma agents
- 1645 4,885,280 ☐ Novel 14-amino steroids
- 1646 4,885,154 ☐ Method for reducing sensitization or irritation in transdermal drug delivery and means therefor

- 1647 4,883,822 ☐ Agent for regulating the motional function of gastrointestinal tract
- 1648 4,883,821 ☐ Agent for treating hyperuricemia
- 1649 4,883,819 ☐ Use of A, B and C prostaglandins and derivatives thereof to treat ocular hypertension and glaucoma
- 1650 4,883,801 ☐ Xanthine derivative pest control agents

- 1651 4,883,658 ☐ Ophthalmic solution for treatment of dry-eye syndrome
- 1652 4,882,347 ☐ "N-imidazolyl derivatives of bicyclic compounds and pharmaceutical compositions containing the same"
- 1653 4,882,336 ☐ Method and pharmaceutical composition for treating leukoencephalitic demyelination clinical patterns of autoimmune origin, particularly multiple sclerosis
- 1654 4,882,322 ☐ 3.beta.,17.beta.-hydroxy-substituted steroids and related steroidal compounds
- 1655 4,882,319 ☐ Phosphonic acid substituted aromatic steroids as inhibitors of steroid 5-.alpha.-reductase
- 1656 4,882,170 ☐ Method of treatment
- 1657 4,882,165 ☐ Light sensitive liposomes
- 1658 4,882,146 ☐ Preventing ADP-ribosylation of G-proteins in a living subject
- 1659 4,882,144 ☐ Solid, rapidly released medicament preparations containing dihydropyridines, and processes for their preparation
- 1660 4,880,921 ☐ Brain-specific drug delivery
- 1661 4,880,833 ☐ Synergistic pharmaceutical compositions, their production and use
- 1662 4,880,811 ☐ Use of C-5 mono-substituted barbiturates to treat disorders of uric acid metabolism
- 1663 4,880,796 ☐ Antimicrobial preparation
- 1664 4,880,793 ☐ Combination of thienamycin-type antibiotics with dipeptidase inhibitors
- 1665 4,880,635 ☐ Dehydrated liposomes
- 1666 4,880,625 ☐ Use of N,N-diethyl-m-toluamide and/or the ethyl ester of 2-methyl-3-pentenoic acid as insect attractants
- 1667 4,880,624 ☐ Volatile attractants for diabrotica species
- 1668 4,879,304 ☐ Ophthalmic compositions and process for preparing
- 1669 4,879,294 ☐ Ophthalmic composition
- 1670 4,879,106 ☐ Methods for treating gingivitis and paradental pyorrhea
- 1671 4,877,607 ☐ Attractants for Dacus latifrons, the Malaysian fruit fly
- 1672 4,877,601 ☐ Adsorbent composition
- 1673 4,876,388 ☐ Method for the purification of trifuraline
- 1674 4,876,274 ☐ New class of pesticides comprising 1,4-bis-substituted-2,6,7-trioxabicyclo(2.2.2)octanes
- 1675 4,876,265 ☐ Process and compositions for controlling mites parasitizing on honey bees
- 1676 4,876,250 ☐ Methods for controlling ocular hypertension with angiostatic steroids
- 1677 4,876,090 ☐ Systemic insect repellent composition and method
- 1678 4,876,087 ☐ Use of N,N-diethyl-m-toluamide and/or the ethyl ester of 2-methyl-3-pentenoic acid as mosquito attractants
- 1679 4,876,045 ☐ Process for the preparation of methylene derivatives of androsta-1,4-diene-3,17-dione
- 1680 4,874,855 ☐ Steroid compounds and process of preparing the same
- 1681 4,874,795 ☐ Composition for delivery of orally administered drugs and other substances

- 1682 4,874,791 ☐ Stimulation of hair growth with aliphatic carboxylic acids
- 1683 4,874,754 ☐ Novel 19-nor-steroids
- 1684 4,874,699 ☐ Reaction method for transesterifying fats and oils
- 1685 4,874,603 ☐ Use of vitamin E for normalization of blood coagulation during therapy with high unsaturated fatty acids of omega-3 type
- 1686 4,874,602 ☐ Reduction of the severity 3'-azido-3'-deoxythymidine-induced anemia using benzylacetylcholine
- 1687 4,873,265 ☐ Anti-infective methods and compositions
- 1688 4,873,249 ☐ Pharmaceutical composition
- 1689 4,873,233 ☐ 17-Substituted androsta-1,4-dien-3-one derivatives
- 1690 4,873,089 ☐ Proteoliposomes as drug carriers
- 1691 4,873,084 ☐ Insecticidal composition
- 1692 4,873,076 ☐ Method of safely providing anesthesia or conscious sedation
- 1693 4,871,772 ☐ Process for making a stable pharmaceutical preparation of prostaglandin E compounds, and/or 15R forms thereof
- 1694 4,871,771 ☐ Leukotriene antagonists
- 1695 4,871,742 ☐ Process and pharmaceutical compositions for the treatment of glaucoma
- 1696 4,871,741 ☐ Method of controlling mycotic infections and compositions therefor
- 1697 4,871,725 ☐ 1-methyl-15.alpha.-(1-oxyalkyl)androsta-1,4-diene-3,17-diones, processes for their production, and pharmaceutical preparations containing them
- 1698 4,871,724 ☐ Novel 11-aryloestrane and 11-arylpregnane derivatives
- 1699 4,871,550 ☐ Nutrient composition for athletes and method of making and using the same
- 1700 4,871,528 ☐ Pharmaceutical compositions having antineoplastic activity

- 1701 4,871,482 ☐ Process for the preparation of 1-methylandrosta-1,4-diene-3,17-dione, and the novel intermediates for this process
- 1702 4,870,108 ☐ Liquid antiseptic composition
- 1703 4,870,092 ☐ 1,3-Diazolyl-2-propanols as fungicidal agents
- 1704 4,870,090 ☐ Therapeutic agent for the treatment of disorders associated with cerebral ischemia
- 1705 4,870,069 ☐ 11.beta.-alkynyl-estrenes and -estradienes, their production and pharmaceutical preparations containing them
- 1706 4,870,067 ☐ Oxytocins and antigestagens in combination for induction of birth
- 1707 4,868,217 ☐ Bactericidal composition
- 1708 4,868,182 ☐ Enhancement of prazosin
- 1709 4,868,180 ☐ Vitamin-containing granules and production thereof
- 1710 4,868,166 ☐ 2,2:6,6-diethylen-3-oxo-17.alpha.-pregn-4-ene-21,17.alpha.-carbolactones, process for their production & pharmaceutical preparations containing them
- 1711 4,867,914 ☐ Pregnane derivatives and method of producing the same
- 1712 4,867,913 ☐ 12.alpha.-substituted pregna-1,4-diene-3,20-diones
- 1713 4,867,751 ☐ Use of benzoquinones for the direct dyeing of keratin fibres
- 1714 4,866,058 ☐ Method for control of hyperlipidemia
- 1715 4,866,051 ☐ Micronised beclomethasone dipropionate monohydrate compositions and methods of use
- 1716 4,866,050 ☐ Ultrasonic transdermal application of steroid compositions

- 1717 4,866,048 ☐ Novel vitamin D analogues
- 1718 4,866,047 ☐ Method for inhibiting the formation of urinary calculus utilizing 24,25-(OH).sub.2 - D.sub.3
- 1719 4,866,044 ☐ Solubilized composition of poorly-soluble pharmaceutical product
- 1720 4,865,766 ☐ Process for the preparation of 4-amino-androstenedione derivatives
- 1721 4,865,765 ☐ Ursodeoxycholic acid derivatives and their inorganic and organic salts having therapeutic activity, and process for preparing the same
- 1722 4,863,930 ☐ Use of substituted 5H-pyrido- and 5H-thiazolo(2',1':2,3)imidazo (4,5-b)indoles as cholinomimetic agents
- 1723 4,863,912 ☐ Use of tetrahydrocortisol in glaucoma therapy
- 1724 4,863,909 ☐ Synergistic pesticidal compositions
- 1725 4,863,740 ☐ Interleukin therapy
- 1726 4,863,481 ☐ Dyeing compositions based on oxidation dyestuff precursors and on n-substituted ortho-nitroanilines and comprising an alkanolamine and bisulphite, and their use in the dyeing of keratin fibres
- 1727 4,861,795 ☐ Treatment of conditions requiring enhanced oxygen availability to mammalian tissues
- 1728 4,861,794 ☐ 3-substituted-2-oxindole-1-carboxamides as inhibitors of interleukin-1 biosynthesis
- 1729 4,861,781 ☐ Quaternary derivatives of noroxymorphone which relieve nausea and emesis
- 1730 4,861,778 ☐ 2,3-dihydrophthalazine-1,4-diones
- 1731 4,861,766 ☐ Antimicrobial composition
- 1732 4,861,585 ☐ Enhanced rodent edible with natural attractants
- 1733 4,861,583 ☐ Hot curling hair treatment
- 1734 4,859,703 ☐ Lipid regulating compositions
- 1735 4,859,688 ☐ Method for the treatment and prevention of arteriosclerosis with nitrophenyl substituted dihydropyridines
- 1736 4,859,659 ☐ Dermatics utilizing 17.beta.methyl-18 nor steroids and methods for their use
- 1737 4,859,463 ☐ Use of methyl-isoeugenol, n-dodecanol and mixtures of same as insect attractants
- 1738 4,859,452 ☐ Methods for the reduction of difluoromethylornithine associated toxicity
- 1739 4,855,305 ☐ Compositions and methods of effecting contraception utilizing melatonin
- 1740 4,855,294 ☐ Method for reducing skin irritation associated with drug/penetration enhancer compositions
- 1741 4,855,136 ☐ Therapeutic composition and method
- 1742 4,853,485 ☐ Method for producing monomethylformamide and dimethylformamide
- 1743 4,853,413 ☐ Repelling animals with compositions comprising citronellyl nitrile, citronellol and optionally methyl terpenyl ether, lemon oil, caryophyllene, isopulegol, isopulegyl acetate and quinine or one or more of its salts
- 1744 4,853,409 ☐ 3-substituted-2-oxindole-1-carboxamides for suppressing T-cell function
- 1745 4,853,378 ☐ Fluorine derivatives of vitamin D.sub.3 and process for producing the same
- 1746 4,853,375 ☐ Method of lowering intraocular (eye) pressure
- 1747 4,853,210 ☐ Method of staining cells with a diazo dye and compositions thereof
- 1748 4,851,449 ☐ Odorless aromatic dialdehyde disinfecting and sterilizing composition
- 1749 4,851,438 ☐ Aqueous pyrethroid insecticidal formulations in polyvinyl chloride containers, and methods of producing such formulations that are stable

- 1750 4,851,415 ☐ Ophthalmic use of naphthyridine antibiotics
- 1751 4,851,408 ☐ Use of 6-allyl-2-amino-5,6,7,8-tetrahydro-4H-thiazol[5,4-d]azepine for releasing growth hormone
- 1752 4,851,403 ☐ Radiation sensitizers
- 1753 4,851,401 ☐ Novel cyclopentano-vitamin D analogs
- 1754 4,851,222 ☐ Method of promoting regeneration of bone marrow
- 1755 4,851,218 ☐ Method for controlling insects of the family vespidae utilizing interspecific insecticidal bait
- 1756 4,851,217 ☐ All aqueous formulations of organo-phosphorous pesticides
- 1757 4,851,215 ☐ Pantethine component for hair permanent waving
- 1758 4,851,212 ☐ Air deodorizer composition and method
- 1759 4,849,452 ☐ Nephro-urological medicament
- 1760 4,849,451 ☐ Fat emulsion containing prostaglandin
- 1761 4,849,425 ☐ Readily absorbable pharmaceutical composition
- 1762 4,849,416 ☐ Treatment of conditions requiring enhanced oxygen availability to mammalian tissues
- 1763 4,849,220 ☐ Use of boron supplements to increase in vivo production of hydroxylated steroids
- 1764 4,849,216 ☐ Fly attractant
- 1765 4,849,215 ☐ Pharmaceutical iodophor preparations with controlled iodine:iodide ratio and method of producing the same
- 1766 4,847,304 ☐ Disinfecting and sterilizing composition
- 1767 4,847,292 ☐ Repelling animals with compositions comprising citronellyl nitrile, citronellol, alpha-terpinyl methyl ether and lemon oil
- 1768 4,847,269 ☐ Method for treating intraocular hypertension
- 1769 4,847,246 ☐ Antiviral compositions derived from fireflies and their methods of use
- 1770 4,847,012 ☐ Vitamin D related compounds and processes for their preparation
- 1771 4,845,131 ☐ Agents for combating *Tineola biselliella*
- 1772 4,845,130 ☐ Antihyperlipidemic amines
- 1773 4,844,882 ☐ Concentrated stabilized microbubble-type ultrasonic imaging agent
- 1774 4,843,092 ☐ Immunosuppressive agent
- 1775 4,842,861 ☐ Artificial maple concentrate attractant rodent baits
- 1776 RE32,969 ☐ Injectable viscoelastic ophthalmic gel
- 1777 4,840,970 ☐ Aqueous solution containing lipid-soluble pharmaceutical substance
- 1778 4,840,960 ☐ Treatment of glomerulonephritis
- 1779 4,840,942 ☐ Emulsifying dispersant and biocidal composition containing same
- 1780 4,840,798 ☐ Astringent gel composition and method for use
- 1781 4,839,389 ☐ Polyprenyl alcohol-containing injections
- 1782 4,839,168 ☐ Hair cosmetics
- 1783 4,837,212 ☐ Treatment of hemolytic anemia with danazol
- 1784 4,837,021 ☐ Two part tissue irrigating solution
- 1785 4,835,169 ☐ Fungicides
- 1786 4,835,148 ☐ Shampoo compositions comprising water-insoluble particulate anti-inflammatory agents

- 1787 4,835,147 ☐ Dehydroepiandrosterone therapy for amelioration of prostate hypertrophy and sexual dysfunction
- 1788 4,835,146 ☐ Method of treating sickle cell anemia with danazol
- 1789 4,835,105 ☐ Process for the preparation of high-purity gamma- and alpha-cyclodextrins
- 1790 4,834,919 ☐ Stereoselective reduction of the keto group at 7-position of a bile keto acid
- 1791 4,833,165 ☐ Method of inactivating HTLV-III virus in blood
- 1792 4,833,158 ☐ Method of combating termites
- 1793 4,832,948 ☐ Permanent wave solution
- 1794 4,832,875 ☐ Vitamin D.sub.3 derivative
- 1795 4,830,859 ☐ Process for lubricating water-soluble vitamin powders
- 1796 4,830,858 ☐ Spray-drying method for preparing liposomes and products produced thereby
- 1797 4,829,088 ☐ Medicament for the treatment of inflammations of the eye
- 1798 4,829,083 ☐ Stabilization of mercury-containing preservatives in ophthalmic medicaments
- 1799 4,828,829 ☐ Fish attractant with sensory enhancements
- 1800 4,827,062 ☐ Composition containing ubidecarenone with absorption promoted

- 1801 4,826,879 ☐ Intraocular pressure lowering composition for topical use
- 1802 4,826,874 ☐ Use of pyrethroids in a pour-on parasitic method
- 1803 4,826,872 ☐ Pharmaceutical composition for treatment of cataract
- 1804 4,826,871 ☐ Topical ophthalmic compositions containing one or more retinoids
- 1805 4,826,816 ☐ Antihypertensive compounds
- 1806 4,826,812 ☐ Antiglaucoma agent
- 1807 4,824,868 ☐ Propylamine derivatives useful for the treatment of dementia
- 1808 4,824,866 ☐ Anti-glaucoma use of trifluoromethanesulfonamide
- 1809 4,824,857 ☐ Use of prostaglandin D.sub.2 -active substances
- 1810 4,824,841 ☐ Aqueous pharmaceutical formulations of piroxicam monohydrate
- 1811 4,822,823 ☐ Aqueous preparation and method of preparation thereof
- 1812 4,822,820 ☐ Use of tri-methyl PG-F.sub.2 a and derivatives in glaucoma therapy
- 1813 4,822,819 ☐ Use of trimoprostil and derivatives in glaucoma therapy
- 1814 4,822,816 ☐ Compositions and methods for administering vitamin C
- 1815 4,822,808 ☐ Method for production of stable nicorandil preparation
- 1816 4,820,732 ☐ Method and compositions for reducing dysfunction in angioplasty procedures
- 1817 4,818,436 ☐ Process and composition for providing reduced discoloration of pyrithiones
- 1818 4,816,255 ☐ Treatment of iodine deficiency breast syndrome
- 1819 4,816,245 ☐ Antiplaque/antigingivitis method using certain polyphosphonic acids
- 1820 4,814,351 ☐ Scalp treatment
- 1821 4,814,331 ☐ Method for controlling vascular withering diseases in plants, especially dutch elm disease
- 1822 4,812,448 ☐ Method for the prevention of ocular hypertension, treatment of glaucoma and treatment of ocular hypertension
- 1823 4,812,312 ☐ Liposome-incorporated nystatin
- 1824 4,806,361 ☐ Medicaments in sustained release unit dose form

- 1825 4,804,535 ☐ Stabilization of multivitamin/trace elements formulations
- 1826 4,803,213 ☐ Method for production of stable nicorandil preparation
- 1827 4,797,420 ☐ Disinfectant formulation and method of use
- 1828 4,795,628 ☐ Composition for oral hygiene
- 1829 4,794,124 ☐ Therapeutic composition for diabetic complications
- 1830 4,792,445 ☐ Highly stable free iodine iodophor compositions, process for preparing same and process for using same
- 1831 4,791,137 ☐ Pharmaceutical and veterinary compositions for the treatment of ischemic cardiac disorders
- 1832 4,791,119 ☐ Pharmaceutical composition for treatment of obesity
- 1833 4,789,687 ☐ Food containing vanillylamine and derivatives useful for accelerating lipid metabolism
- 1834 4,784,856 ☐ Percutaneous pharmaceutical preparation
- 1835 4,784,852 ☐ Composition for human supply of selenium as trace element
- 1836 4,783,471 ☐ N-aralkyl piperidine methanol derivatives and the uses thereof
- 1837 4,783,335 ☐ Controlled topical application of bioactive reagent
- 1838 4,781,925 ☐ Calcium supplement compressed tablets
- 1839 4,781,913 ☐ Pharmaceutical composition for use in desensitizing hypersensitive dentin
- 1840 4,780,474 ☐ Use of alkylenediamine derivatives for the treatment of blood flow disturbances and pharmaceutical compositions containing them
- 1841 4,780,455 ☐ Lipophilic complexes of pharmacologically active organic compounds
- 1842 4,778,828 ☐ Method and composition for treating cataracts
- 1843 4,778,815 ☐ Method of inhibiting cataracts by topical application of a 2-substituted 1,2-benzisoselenazol-3(2H)-one
- 1844 4,778,814 ☐ Method of treating ocular allergy by topical application of a 2-substituted-1,2-benzisoselenazol-3(2H)-one
- 1845 4,778,795 ☐ Carboxyalkyl dipeptides as antiglaucoma agents
- 1846 4,775,531 ☐ Non-toxic ophthalmic preparations
- 1847 4,774,243 ☐ Dopamine agonists for treating elevated intraocular pressure
- 1848 4,774,073 ☐ Method of assessing hypothalamus function and anterior pituitary hormone function
- 1849 4,772,616 ☐ Treatment of ocular hypertension and glaucoma with dopamine antagonists
- 1850 4,772,598 ☐ 2-aryl-3,4-diazabicyclo(4.n.O)alk-2-en-5-ones for the preparation of an agent for treating cardiac insufficiency
- 1851 4,772,591 ☐ Method for accelerated wound healing
- 1852 4,771,074 ☐ Pharmaceutical compositions containing a salt derived from 3-hydroxybutanoic acid
- 1853 4,769,381 ☐ Nicorandil-containing preparation for injection
- 1854 4,764,530 ☐ Pharmaceutical compositions and their use as mydriatics
- 1855 4,757,089 ☐ Increasing aqueous humor outflow
- 1856 4,754,047 ☐ Phenylethanolamine derivatives and acid addition salts thereof for enhancing the growth rate of meat-producing animals and/or improving the efficiency of feed utilization thereby
- 1857 4,753,945 ☐ Stimulation of tear secretion with phosphodiesterase inhibitors
- 1858 4,753,804 ☐ Granular dietetic product based on amino acids and process for their preparation

- 1859 4,752,621 ☐ Arylalkyl amines useful for lowering intraocular pressure
- 1860 4,751,085 ☐ Human nutritional compositions containing taurine and vitamins and/or minerals
- 1861 4,748,189 ☐ Ophthalmic solutions and methods for improving the comfort and safety of contact lenses
- 1862 4,746,745 ☐ 1,3,4-thiadiazoline-5-sulfonamides
- 1863 4,746,668 ☐ Method for treating retinopathy
- 1864 4,745,129 ☐ Chemically-active aqueous solution and solid substance containing divalent iron ions
- 1865 4,745,122 ☐ Method for treating obesity
- 1866 4,744,980 ☐ Ophthalmic solution for treatment of dry eye syndrome
- 1867 4,743,620 ☐ Formulation for the control of nematodes
- 1868 4,743,447 ☐ Composition for disinfecting contact lenses
- 1869 4,740,373 ☐ Stabilization of multivitamin/trace elements formulations
- 1870 4,738,851 ☐ Controlled release ophthalmic gel formulation
- 1871 4,735,945 ☐ Method for inhibiting bone resorption and collagenase release
- 1872 4,734,438 ☐ Norepinephrine potentiated compositions and method of use
- 1873 4,734,422 ☐ Cardiotonic aroylthiazolones and the use thereof
- 1874 4,734,282 ☐ Rodenticidal compositions containing 1,4-naphthoquinone derivatives
- 1875 4,731,380 ☐ Tolerstat as an agent for diabetic periodontitis
- 1876 4,731,363 ☐ Thromboxane synthase inhibitors as insulin lowering agents and antiobesity agents
- 1877 4,729,895 ☐ Composition for solid pharmaceutical preparations of active vitamins D.sub. 3
- 1878 4,728,661 ☐ Cardiotonic phenyl oxazolones
- 1879 4,728,509 ☐ Aqueous liquid preparation
- 1880 4,725,427 ☐ Effervescent vitamin-mineral granule preparation
- 1881 4,724,235 ☐ N-(arylthioalkyl)-N'-(aminoalkyl)ureas useful in the treatment of arrhythmia
- 1882 4,724,231 ☐ Nasal compositions containing vitamin B.sub.12
- 1883 4,722,940 ☐ Aminoalkyl phenyl selenides for the treatment of hypertension and nervous system dysfunctions
- 1884 4,719,237 ☐ Cardiac antiarrhythmic method employing probucol
- 1885 4,717,569 ☐ Unit dosage form of sparingly soluble medicaments
- 1886 4,716,180 ☐ Composition and method for the preservation of mastitis
- 1887 4,711,894 ☐ Stabilized tocopherol in dry, particulate, free-flowing form
- 1888 4,707,499 ☐ 3-alkyl-5-(substituted amino)methyl)dihydro-3-phenyl-2(3H)-furanones and imino analogs thereof used for treatment of arrhythmia
- 1889 4,707,477 ☐ Treating and preventing agent for ischemic cardiac disease and arrhythmia
- 1890 4,705,783 ☐ 9.alpha., 11.beta.-substituted and 11.beta.-substituted estranes
- 1891 4,701,320 ☐ Composition stably containing minocycline for treating periodontal diseases
- 1892 4,692,469 ☐ Propylamine derivatives
- 1893 4,692,454 ☐ Ophthalmic use of quinolone antibiotics
- 1894 4,686,214 ☐ Anti-inflammatory compounds for ophthalmic use
- 1895 4,684,646 ☐ 2-acylaminomethyl-1,4-benzodiazepine derivatives as CCK-antagonists
- 1896 4,683,133 ☐ Method for treating periodontal disease
- 1897 4,680,313 ☐ Acceleration of lipid metabolism using vanillylamine derivatives

- 1898 4,680,312 ☐ Stable prostaglandin E gels utilizing colloidal silicon dioxide as a gel-forming agent
- 1899 4,677,118 ☐ Composition and method for treatment of copper deficiency
- 1900 4,675,327 ☐ Anti-microbial compositions
- 1901 4,673,691 ☐ Human weight loss inducing method
- 1902 4,670,247 ☐ Process for preparing fat-soluble vitamin active beadlets
- 1903 4,666,919 ☐ Stabilized pharmaceutical composition containing an isocarbostryl derivative
- 1904 4,666,706 ☐ Delayed release insecticidal composition and method of making same
- 1905 4,665,089 ☐ Process for preventing or reversing cataract formation using protein modification reagents
- 1906 4,664,906 ☐ Oral compositions
- 1907 4,663,320 ☐ (2-oxo-1,2,3,5-tetrahydroimidazo[2,1-b]quinoazolinyloxyalkylamides, compositions and the use thereof
- 1908 4,661,523 ☐ Disinfectant solutions having improved corrosion properties
- 1909 4,661,514 ☐ Pharmaceutical and veterinary compositions for the treatment of ischemic cardiac disorders
- 1910 4,661,342 ☐ Oral compositions comprising hydroxamic acids and salts thereof
- 1911 4,657,930 ☐ Mitotic inhibitors preventing posterior lens capsule opacification
- 1912 4,657,906 ☐ Heterocyclic compounds having inotropic activity
- 1913 4,656,188 ☐ Ace inhibitors in macular degeneration
- 1914 4,654,361 ☐ Method of lowering intraocular pressure using melatonin
- 1915 4,654,345 ☐ Ocular formulation comprising bromocriptine
- 1916 4,654,213 ☐ Novel anti-microbial systems containing the magnesium sulfate adduct of 2,2'-dithiobis-pyridine-1,1'-dioxide and a water soluble zinc salt
- 1917 4,654,208 ☐ Anti-microbial compositions comprising an aqueous solution of a germicidal polymeric nitrogen compound and a potentiating oxidizing agent
- 1918 4,652,586 ☐ Selective beta-2 adrenergic antagonists for the treatment of glaucoma
- 1919 4,649,155 ☐ Injectable solutions
- 1920 4,649,047 ☐ Ophthalmic treatment by topical administration of cyclosporin
- 1921 4,647,590 ☐ Pharmaceutical compositions and their use in the treatment of glaucoma
- 1922 4,647,453 ☐ Treatment for tissue degenerative inflammatory disease
- 1923 4,647,452 ☐ Oral compositions of salicylamides and zinc salts for the synergistic inhibition of dental plaque
- 1924 4,644,007 ☐ 3-chloro-4-(4,5-dihydro-1H-imidazo-2-yl)-amino-5-alkylbenzoic acids, esters, salts, compositions and methods
- 1925 4,642,234 ☐ Disinfection of contact lenses
- 1926 4,636,515 ☐ Non-classical topical treatment for glaucoma
- 1927 4,634,698 ☐ Antiglaucoma agents
- 1928 4,632,829 ☐ Sex pheromone composition for southwestern corn borer
- 1929 4,629,738 ☐ Non-classical topical treatment for glaucoma
- 1930 4,629,730 ☐ Method for treating intraocular hypertension
- 1931 4,629,625 ☐ Human nutritional compositions containing taurine and vitamins and/or minerals
- 1932 4,628,064 ☐ Epinine and the therapeutic use thereof

- 1933 [4,624,957](#) ☐ [Treatment and prevention of retinal edema with dopaminergic antagonists](#)
- 1934 [4,623,666](#) ☐ [Pharmacological applications of diphenylhalonium ion](#)
- 1935 [4,623,664](#) ☐ [Oil suspended phenylephrine](#)
- 1936 [4,621,101](#) ☐ [Pharmaceutical compositions with antianginal activity](#)
- 1937 [4,621,085](#) ☐ [2,4,7-triamino-6-phenylpteridine](#)
- 1938 [4,621,074](#) ☐ [Method of treating smoking withdrawal syndrome](#)
- 1939 [4,620,979](#) ☐ [Ophthalmological irrigating solution containing ascorbate](#)
- 1940 [4,619,939](#) ☐ [Process for reducing intraocular pressure](#)
- 1941 [4,619,936](#) ☐ [Pharmaceutical compositions having appetite reducing activity and a process for their preparation](#)
- 1942 [4,619,829](#) ☐ [Utilization of a single vitamin or a combination of various vitamins](#)
- 1943 [4,618,601](#) ☐ [Medicaments based on zinc gluconate useful for the treatment of hyperprolactinaemias](#)
- 1944 [4,617,298](#) ☐ [Method and compositions for weight control](#)
- 1945 [4,617,186](#) ☐ [Sustained release drug delivery system utilizing bioadhesive polymers](#)
- 1946 [4,616,036](#) ☐ [Formulation for the control of nematodes](#)
- 1947 [4,616,023](#) ☐ [Pharmaceutical compositions of 4-\(dibenzo-\[a,d\]cycloalkenyl\)piperazine compounds and methods](#)
- 1948 [4,616,012](#) ☐ [Carboxyalkyl dipeptides as antiglaucoma agents](#)
- 1949 [4,615,882](#) ☐ [Disinfectant solution for contact lens](#)
- 1950 [4,613,617](#) ☐ [Synergistic insecticidal compositions containing dione esters](#)
- 1951 [4,612,190](#) ☐ [Growth inhibitor for cariogenic bacteria](#)
- 1952 [4,611,008](#) ☐ [Preparation of nitroesters for coronary artery therapy](#)
- 1953 [4,609,663](#) ☐ [Aldose reductase inhibitors useful in glaucoma therapy](#)
- 1954 [4,607,038](#) ☐ [Ophthalmic pranoprofen compositions](#)
- 1955 [4,606,911](#) ☐ [Pharmaceutical composition for the prevention of dental caries](#)
- 1956 [4,605,666](#) ☐ [Process for preparing spray-dried powders containing a water-soluble vitamin and powders prepared thereby](#)
- 1957 [4,605,552](#) ☐ [Calcium-antagonist compositions intended for inhalation and process for their manufacture](#)
- 1958 [4,604,394](#) ☐ [Antiarrhythmic compositions and method](#)
- 1959 [4,603,143](#) ☐ [Free-flowing, high density, fat soluble vitamin powders with improved stability](#)
- 1960 [4,603,141](#) ☐ [Oral clonidine treatment of congestive heart failure](#)
- 1961 [4,602,026](#) ☐ [Ophthalmic topical agent for remedy of diseases of iris and ciliary body](#)
- 1962 [4,601,897](#) ☐ [Prazosin-pirbuterol combination for bronchodilation](#)
- 1963 [4,599,360](#) ☐ [Ophthalmic anti-inflammatory agents](#)
- 1964 [4,597,965](#) ☐ [Method and composition for controlling corneal hydration](#)
- 1965 [4,594,356](#) ☐ [Method for inducing mydriasis in animals](#)
- 1966 [4,591,594](#) ☐ [Thromboxane synthase inhibitors as antiobesity agents](#)
- 1967 [4,590,215](#) ☐ [Growth inhibitor for cariogenic bacteria](#)
- 1968 [4,590,210](#) ☐ [Compositions for treatment of ocular hypertension](#)

- 1969 4,590,207 ☐ Therapeutic and/or preventive ophthalmic solution for intraocular hypertension and glaucoma
- 1970 4,590,067 ☐ Treatment for periodontal disease
- 1971 4,588,747 ☐ 1,2,3,4-tetrahydronaphthalene derivatives used as antiglaucoma agents
- 1972 4,588,724 ☐ Treatment for selective reduction of regional fat deposits
- 1973 4,588,716 ☐ Method for treating metabolic bone disease in mammals
- 1974 4,588,586 ☐ Method for disinfecting a contact lens
- 1975 4,587,257 ☐ Control of ocular bleeding using clonidine derivatives
- 1976 4,585,787 ☐ 5-[2(Or 3)-hydroxyphenylsulfonyl]thiophene-2-sulfonamides for the topical treatment of elevated intraocular pressure
- 1977 4,584,299 ☐ Method of treating heart failure and medicaments therefor
- 1978 4,582,846 ☐ Fungicidally active novel substituted azolyethyl oximinoalkyl ethers
- 1979 4,582,824 ☐ Method for inhibiting activities of platelet activating factor
- 1980 4,581,379 ☐ Contact lens preserving solution
- 1981 4,581,376 ☐ Norepinephrine potentiated compositions and method of use
- 1982 4,581,374 ☐ Contact lens preserving solution
- 1983 4,581,348 ☐ Synergistic pharmaceutical compositions
- 1984 4,579,867 ☐ Stable pharmaceutical compositions of short-acting .beta.-adrenergic receptor blocking agents
- 1985 4,578,403 ☐ Method for treating glaucoma by the topical administration of selectively metabolized beta-blocking agents
- 1986 4,578,399 ☐ Use of the diterpene derivative forskolin for immunostimulation
- 1987 4,575,513 ☐ Pharmaceutical and veterinary compositions for the treatment of ischemic cardiac disorders
- 1988 4,572,915 ☐ Clear micellized solutions of fat soluble essential nutrients
- 1989 4,565,830 ☐ Method of ameliorating the subjective symptoms and objective signs in congestive heart failure
- 1990 4,565,821 ☐ Method and ophthalmic composition for treating ocular hypertension and glaucoma with butyrophenones
- 1991 4,564,637 ☐ Method for maintaining corneal shape after radial keratotomy
- 1992 4,560,700 ☐ Pyrrole-3-carboxylate cardiogenic agents
- 1993 4,559,359 ☐ Method for treating glaucoma by the topical administration of selectively metabolized beta-blocking agents
- 1994 4,559,343 ☐ Nonirritating aqueous ophthalmic compositions comfort formulation for ocular therapeutic agents
- 1995 4,558,066 ☐ Treatment and prevention of ocular hypertension
- 1996 4,556,664 ☐ Method and composition for the treatment of cardiac arrhythmias
- 1997 4,555,525 ☐ Use of desethyl-N-acetylprocainamide (NAPADE) as an inotropic agent
- 1998 4,552,884 ☐ Method of treating heart disease
- 1999 4,551,459 ☐ Method of treating heart failure using (2-oxo-1,2,3,5-tetrahydroimidazo-[2,1-b]quinazolinyl)oxyalkylamides
- 2000 4,551,456 ☐ Ophthalmic use of norfloxacin and related antibiotics

- 2001 4,550,022 ☐ Tissue irrigating solution
- 2002 4,542,152 ☐ 5-[Phenylsulfonyl(or sulfinyl)]thiophene-2-sulfonamides for the topical treatment of elevated intraocular pressure
- 2003 4,540,711 ☐ Method for combatting infestations of insects and acari, and compositions for use in said method
- 2004 4,540,568 ☐ Injectable viscoelastic ophthalmic gel
- 2005 4,539,330 ☐ Imidazolidinyl urea and derivatives thereof for use in ophthalmic solutions
- 2006 4,533,674 ☐ Process for preparing a sugar and starch free spray-dried vitamin C powder containing 90 percent ascorbic acid
- 2007 4,532,133 ☐ Low temperature stable, emulsifiable vitamin A concentrates
- 2008 4,530,936 ☐ Composition and method for inhibiting the absorption of nutritional elements from the upper intestinal tract
- 2009 4,526,899 ☐ Eye ointment formulation including the disodium salt of 1,3-bis(2-carboxychromon-5-yl-oxy)propan-2-ol
- 2010 4,526,789 ☐ Process for preventing or reversing cataract formation
- 2011 4,525,359 ☐ Treatment for selective weight control
- 2012 4,525,346 ☐ Aqueous antimicrobial ophthalmic solutions
- 2013 4,525,341 ☐ Method of administering vitamins
- 2014 4,524,150 ☐ Stabilized mixtures of carbamate insecticides and synthetic pyrethroids
- 2015 4,524,063 ☐ Ophthalmic compositions
- 2016 4,522,829 ☐ 1-(p-2-Isopropoxyethoxymethyl-phenoxy)-3-isopropylamino-propan-2-ol for decreasing the intra-ocular pressure and an ophthalmic preparation thereof
- 2017 4,522,822 ☐ Phenylethane derivatives and acid addition salts thereof for increasing lean meat deposition and/or improving lean meat to fat ratio in warm blooded animals
- 2018 4,521,414 ☐ Ophthalmic compositions and their use for treating elevated intraocular pressure and glaucoma
- 2019 4,517,199 ☐ Method for lowering intraocular pressure using phenylimino-imidazoles
- 2020 4,515,800 ☐ Method of lowering intraocular pressure using phenylimino-imidazoles
- 2021 4,515,794 ☐ Mitotic inhibitors preventing posterior lens capsule opacification
- 2022 4,513,007 ☐ Method for treating heart disease
- 2023 4,510,145 ☐ Method for inhibiting contraction of ophthalmic wounds or incisions
- 2024 4,505,909 ☐ Method and composition for treating and preventing irritation of the eyes
- 2025 4,504,476 ☐ Method of administering calcium channel blocking agents
- 2026 4,501,751 ☐ Phenylethanolamine derivatives and acid addition salts thereof for enhancing the growth rate of meat-producing animals and improving the efficiency of feed utilization thereby
- 2027 4,500,540 ☐ Thromboxane synthase inhibitors as insulin lowering agents and antionbesity agents
- 2028 4,499,077 ☐ Anti-microbial compositions and associated methods for preparing the same and for the disinfecting of various objects
- 2029 4,499,064 ☐ Assessment of nutritional status of individuals
- 2030 4,497,800 ☐ Stable liquid diet composition
- 2031 4,497,798 ☐ Appetite suppressant
- 2032 4,496,558 ☐ Pharmaceutical compositions and methods for producing alpha antagonism
- 2033 4,496,554 ☐ Oleaginous emollient vehicle for steroid formulations

- 2034 4,491,578 ☐ Method of stimulating satiety in mammals
- 2035 4,490,389 ☐ Contact lens preserving solution containing ascorbic acid or salts thereof
- 2036 4,490,379 ☐ Method of reducing intraocular pressure and treating glaucoma using corynanthine
- 2037 4,489,081 ☐ Fungicidally active novel substituted azolyethyl oximinoalkyl ethers
- 2038 4,486,447 ☐ Pesticidal symmetrical bis-sulfonylated-bis carbamate compounds
- 2039 4,486,440 ☐ Retinoprotector for treating intraocular hemorrhage, myopic, chorioretinal dystrophies, congenital retinal dystrophies, retinal burns and prevention of injury in lasercoagulation
- 2040 4,486,435 ☐ Spray-dried vitamin powders using hydrophobic silica
- 2041 4,485,103 ☐ Controlled release acrylic polymer coated granular pesticidal compositions with attendant reduced dermal toxicity
- 2042 4,483,873 ☐ Aqueous solution containing ubidecarenone
- 2043 4,483,872 ☐ Non-classical topical treatment for glaucoma using n-substituted sulfonamides
- 2044 4,483,864 ☐ Non-classical topical treatment for glaucoma
- 2045 4,482,535 ☐ Cosmetic preparation for teeth
- 2046 4,481,219 ☐ Inhibition of growth in fungi
- 2047 4,479,967 ☐ Method of lowering intraocular pressure with ibutanol
- 2048 4,478,840 ☐ Appetite suppressing compositions and methods
- 2049 4,478,822 ☐ Drug delivery system utilizing thermosetting gels
- 2050 4,477,460 ☐ Topical treatment of ocular hypertension
- 2051 4,477,457 ☐ Method for inducing anorexia using nalmetrene
- 2052 4,476,140 ☐ Composition and method for treatment of glaucoma
- 2053 4,476,108 ☐ Bactericidal method
- 2054 4,474,817 ☐ Process for preventing or reversing cataract formation
- 2055 4,474,811 ☐ Anti-inflammatory ophthalmic solution and process for preparing the same
- 2056 4,474,753 ☐ Topical drug delivery system utilizing thermosetting gels
- 2057 4,474,752 ☐ Drug delivery system utilizing thermosetting gels
- 2058 4,474,751 ☐ Ophthalmic drug delivery system utilizing thermosetting gels
- 2059 RE31,693 ☐ Synergistic fungicidal compositions containing 1,2,4-triazole derivatives
- 2060 4,473,582 ☐ Insecticidal stick applicator and method
- 2061 4,473,558 ☐ 2-(Thi)oxo-1,3,2-oxazaphospholanes as synergizing agents for pesticides
- 2062 4,473,550 ☐ Bactericidal compositions and methods
- 2063 4,470,965 ☐ Celiprolol for the treatment of glaucoma
- 2064 4,469,706 ☐ Selective beta-2 adrenergic antagonists for the treatment of glaucoma
- 2065 4,466,978 ☐ Bodyweight reducing method
- 2066 4,463,190 ☐ 1-Aryloxy-4-amino-2-butanols
- 2067 4,461,758 ☐ Insecticide including powdered boric acid
- 2068 4,460,573 ☐ Methods of stabilizing thimerosal in presence of polyvinylpyrrolidone
- 2069 4,459,309 ☐ Compositions and methods of lowering intraocular pressure in the hypertensive mammalian eye
- 2070 4,459,298 ☐ Method of suppressing appetite
- 2071 4,457,941 ☐ Use of pyrrolo-pyrrole in treating microvascular diseases associated with diabetes

- 2072 RE31,625 ☐ Fungicidal agents processes for their preparation and their use for combating fungi
- 2073 4,455,317 ☐ Method for treating glaucoma by the topical administration of selectively metabolized beta-blocking agents
- 2074 4,455,313 ☐ Fungicidal control employing substituted pyridinols
- 2075 4,454,154 ☐ Method for treating glaucoma by the topical administration of selectively metabolized beta-blocking agents
- 2076 4,454,151 ☐ Use of pyrrolo pyrroles in treatment of ophthalmic diseases
- 2077 4,454,148 ☐ 5-Hydroxy-2-benzothiazolesulfonamide for the topical treatment of elevated intraocular pressure
- 2078 4,454,125 ☐ Dry powder formulations having improved flow and compressibility characteristics, and method for the preparation thereof
- 2079 4,452,818 ☐ Extraocular method of treating the eye with liquid perfluorocarbons
- 2080 4,451,482 ☐ Method of preventing or ameliorating pyrethroid skin sensory stimulation
- 2081 4,451,477 ☐ Bendazac treatment of cataract
- 2082 4,451,469 ☐ Selected 6-alkyl-and 4,6-dialkyl-2(1H)-pyridinones as cardiotonics
- 2083 4,451,465 ☐ Anti-obesity agents
- 2084 4,447,413 ☐ Drift influencing composition
- 2085 4,446,138 ☐ Method and composition for reducing weight
- 2086 4,444,787 ☐ Ophthalmic topical use of collagen cross-linking inhibitors
- 2087 4,444,785 ☐ Contact lens disinfecting and preserving solution
- 2088 4,443,441 ☐ Fixation of intraocular lenses
- 2089 4,443,438 ☐ Insecticidal and/or acaricidal composition exhibiting low toxicity to mammals and fish
- 2090 4,443,432 ☐ Ophthalmic irrigating solution
- 2091 4,443,429 ☐ Contact lens disinfecting and preserving solution (polymeric)
- 2092 4,442,125 ☐ Process for detaching or preventing attachment of microorganisms to a surface
- 2093 4,442,113 ☐ Long-term weight reduction of obese patients using femoxetine
- 2094 4,439,454 ☐ Process for choline and vitamin stabilization
- 2095 4,439,415 ☐ Device intended for dispensing insecticide vapors
- 2096 4,438,123 ☐ Ophthalmic compositions of carbonic anhydrase inhibitors for topical application in the treatment of elevated intraocular pressure
- 2097 4,438,090 ☐ Method of preparing an insecticide containing boric acid
- 2098 4,432,995 ☐ 5-[2-(Ethylamino)-1-hydroxyethyl] anthranilonitrile and the use thereof in meat producing animals
- 2099 4,432,975 ☐ Process for introducing vitamin B-12 into the bloodstream
- 2100 4,432,968 ☐ Weight control with fat imbibing polymers
- 2101 4,431,634 ☐ Prenatal iron supplements
- 2102 4,427,700 ☐ Repellent for black fly
- 2103 4,425,346 ☐ Pharmaceutical compositions
- 2104 4,425,345 ☐ Pharmaceutical composition containing triamterene
- 2105 4,425,344 ☐ Compositions for the treatment of glaucoma containing triamterene
- 2106 4,423,062 ☐ Cyanovinyl pyrethroids and pesticidal use thereof

- 2107 4,421,748 ☐ Artificial tear aid
- 2108 4,415,564 ☐ Pharmaceutical preparation for treating glaucoma and ocular hypertension
- 2109 4,415,555 ☐ Composition and method for treating iron deficiency syndrome
- 2110 4,414,203 ☐ Periodontal powder containing exsiccated potassium alum
- 2111 4,412,986 ☐ Nifedipine-containing solid preparation composition
- 2112 4,409,205 ☐ Ophthalmic solution
- 2113 4,407,819 ☐ Phenylethanolamine derivatives and acid addition salts thereof for the depression of fat deposition in warm blooded animals
- 2114 4,407,792 ☐ Sustained release ophthalmic drug dosage
- 2115 4,407,791 ☐ Ophthalmic solutions
- 2116 4,404,223 ☐ Pesticidal formulations
- 2117 4,404,222 ☐ Phenylethanolamine derivatives and acid addition salts thereof for enhancing the growth rate of meat-producing animals and improving the efficiency of feed utilization thereby
- 2118 4,404,212 ☐ Prostacyclin treatment of thrombosis
- 2119 4,404,198 ☐ Phenyl Salicylate as a topical anti-inflammatory
- 2120 4,402,979 ☐ Ophthalmic formulations of 5-fluoro-2-methyl-1-(p-methylthiobenzylidene)-3-indenylacetic acid
- 2121 4,402,976 ☐ Method for treating glaucoma with systemic nadolol compositions
- 2122 4,402,967 ☐ Method for lowering intraocular pressure
- 2123 4,402,951 ☐ Insecticidal composition
- 2124 4,400,392 ☐ Novel acaricide compositions
- 2125 4,400,389 ☐ Pesticidal symmetrical bis-sulfenylated-bis carbamate compounds
- 2126 4,400,378 ☐ Pharmaceutical composition for the treatment of glaucoma
- 2127 4,400,373 ☐ Method for treating gingival and periodontal tissues
- 2128 4,399,152 ☐ Substituted benzoyl ureas as insecticides
- 2129 4,397,837 ☐ Process and composition for the remineralization and prevention of demineralization of animal teeth including humans
- 2130 4,396,625 ☐ Treatment of glaucoma or ocular hypertension and ophthalmic composition
- 2131 4,395,410 ☐ Quaternary ammonium antiarrhythmic drugs
- 2132 4,395,398 ☐ Dental hemostatic composition
- 2133 4,393,063 ☐ Treatment for gastric lesions
- 2134 4,390,542 ☐ Method for inhibiting contraction of ophthalmic wounds or incisions
- 2135 4,390,532 ☐ Topical combinations of an .alpha.-estradiol with a methyl xanthine
- 2136 4,388,321 ☐ Method for inhibiting growth of food poisoning organisms
- 2137 4,388,297 ☐ Stable toxicant compositions of chlorpyrifos
- 2138 4,386,098 ☐ 6-Hydroxy-2-benzothiazolesulfonamide for the topical treatment of elevated intraocular pressure
- 2139 4,382,953 ☐ Ophthalmic solution for intraocular pressure reduction
- 2140 4,382,077 ☐ Pesticide fogging compositions and solvent therefor
- 2141 4,381,314 ☐ Contact lens disinfecting and preserving solution
- 2142 4,379,168 ☐ Pesticides containing D-limonene
- 2143 4,379,167 ☐ 1-Aryloxy-4-amino-2-butanols and the pharmaceutical use thereof

- 2144 4,379,144 ☐ Process for producing a flowable fungicide formulation
- 2145 4,375,461 ☐ Sulfonated vinyl aromatic homopolymers and copolymers as dental plaque barriers
- 2146 4,374,135 ☐ Compositions containing anorexigenic compounds and methods for regulating the feed intake of homothermic animals
- 2147 4,374,125 ☐ Hair moisturizing compositions
- 2148 4,372,968 ☐ Granules of sodium ascorbate and the production thereof
- 2149 4,371,522 ☐ Keratoconjunctivitis sicca therapy
- 2150 4,370,331 ☐ L-Glaucine containing composition for cough relief

- 2151 4,370,324 ☐ Method and composition for treating and preventing irritation of the eyes
- 2152 4,364,929 ☐ Germicidal colloidal lubricating gels and method of producing the same
- 2153 4,364,927 ☐ Sulfonated naphthalene formaldehyde condensation polymers as dental plaque barriers
- 2154 4,364,924 ☐ Alkali metal salts of poly(vinylbenzoic acid) as dental plaque barrier agents
- 2155 4,363,794 ☐ Oral composition for caries prophylaxis
- 2156 4,362,741 ☐ Therapeutic composition for preventing the aggregation of platelets
- 2157 4,362,713 ☐ Salts of maleic acid copolymers as dental plaque barrier agents
- 2158 4,362,712 ☐ Carboxylated naphthalene formaldehyde condensation polymers as dental plaque barriers
- 2159 4,361,548 ☐ Contact lens disinfecting and preserving solution (polymeric)
- 2160 4,361,547 ☐ Sulfonated aromatic formaldehyde condensation polymers as dental plaque barriers
- 2161 4,360,515 ☐ Sulfonated alkoxynaphthalenes as dental plaque barriers
- 2162 4,360,514 ☐ Sulfonated alkyl naphthalenes as dental plaque barriers
- 2163 4,360,513 ☐ Sulfonated poly(arylene ether sulfone) polymers as dental plaque barriers
- 2164 4,360,512 ☐ Nonabrasive gel formulations of sulfonated poly(arylene ether sulfone) polymer dental plaque barriers
- 2165 4,358,443 ☐ Method and composition for controlling the growth of microorganisms
- 2166 4,357,350 ☐ Novel acaricide compositions
- 2167 4,357,348 ☐ Insecticidal and/or acaricidal composition exhibiting low toxicity to mammals and fish
- 2168 4,355,020 ☐ Thixotropic aluminum hydroxide chloride and medical and other applications thereof
- 2169 4,351,834 ☐ Pesticide
- 2170 4,351,826 ☐ Process for preventing or reversing cataract formation using acrylamides
- 2171 4,350,831 ☐ Miticidal and mite ovicidal, compounds
- 2172 4,347,238 ☐ Autoclavable emulsion containing silver sulphadiazine
- 2173 4,343,794 ☐ Method of reducing intraocular pressure with salts of vanadic acid
- 2174 4,343,790 ☐ Controlled release acrylic polymer coated granular pesticidal compositions with attendant reduced dermal toxicity
- 2175 4,343,787 ☐ Shaped ophthalmic inserts for treating dry eye syndrome
- 2176 4,342,783 ☐ Anti-glaucoma agent
- 2177 4,341,796 ☐ Control of acarids with biphenylmethyl perhaloalkylvinylcyclopropanecarboxylates
- 2178 4,341,765 ☐ Drug for enhancing liver growth and method of preparing same
- 2179 4,337,254 ☐ Pharmaceutical compositions
- 2180 4,336,269 ☐ Para-nitrophenylalkylamines

- 2181 4,335,137 ☐ Haloethenylthienylethanones for systemic nematode control
- 2182 4,335,120 ☐ Administration of biologically active vitamin D.sub.3 and vitamin D.sub.2 materials
- 2183 4,331,685 ☐ Control of plant virus diseases
- 2184 4,330,528 ☐ Drug for stimulating the rate of proliferation of liver cells and method for producing same
- 2185 4,325,969 ☐ Cyanovinyl pyrethroids and pesticidal use thereof
- 2186 4,324,784 ☐ Process for preventing growth of marine organisms on a substance using hydrogen peroxide
- 2187 4,322,425 ☐ Compositions for treating glaucoma
- 2188 4,320,112 ☐ Composition for pest repellent receptacle
- 2189 4,318,924 ☐ Combating bacteria with N-cycloalkyl-N'-substituted-N'-acyl-ureas
- 2190 4,317,813 ☐ Disinfection
- 2191 4,316,887 ☐ Composition for topical application and method for preparing the same
- 2192 4,315,943 ☐ Cyclopropyl-carboxylates used as nematocides
- 2193 4,315,024 ☐ Compositions and method for treating red eye
- 2194 4,313,940 ☐ Granular pesticidal compositions of decreased dermal toxicity and methods for preparing the same
- 2195 4,309,432 ☐ Compositions for treating glaucoma containing a carbostyryl
- 2196 4,308,261 ☐ Substituted oxadiazoles and their use as wire worm and flea beetle insecticides
- 2197 4,308,260 ☐ Substituted oxadiazoles and their use as grub insecticides
- 2198 4,307,098 ☐ Pesticidal compositions and processes for treating plants
- 2199 4,305,934 ☐ Pyrethroid pesticidal compositions
- 2200 4,304,590 ☐ Methods and compositions for the control of harmful organisms containing aliphatic primary diamines
- 2201 4,302,472 ☐ Substituted N-(.beta.-alkoxy-ethyl)-N-(4-phenoxy-benzyl)-dichloro-acetamides and process for their preparation
- 2202 4,302,450 ☐ Polyether ionophores as antiobesity and hypotriglyceridemic agents
- 2203 4,301,156 ☐ Insecticidal synergistic mixtures of O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate and 4-chloro-.alpha.-(1-methylethyl)benzeneacetic acid:cyano (6-phenoxy-2-pyridinyl)methyl ester
- 2204 4,301,155 ☐ Insecticidal synergistic mixtures of O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate and 2,2,3,3-tetramethylcyclopropanecarboxylic acid:cyano(3-phenoxyphenyl)methyl ester
- 2205 4,301,154 ☐ Insecticidal synergistic mixtures of O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate and 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropane carboxylic acid:cyano(6-phenoxy-2-pyridinyl)methyl ester
- 2206 4,299,845 ☐ Dermatological compositions and methods of use therefor
- 2207 4,299,843 ☐ Stabilized cyandhydrin ester
- 2208 4,299,816 ☐ Acaricidal preparation for diagnosis and control of ectoparasites of bees
- 2209 4,296,116 ☐ Fungicidal agents, processes for their preparation and their use for combating fungi
- 2210 4,296,091 ☐ Novel synergistic insecticides

- 2211 4,293,562 ☐ Methods of obtaining anorexic effects using a combination of amphetamines and cimetidine
- 2212 4,292,322 ☐ Method for killing insects with electro-mechanical ultrasonic nebulizer
- 2213 4,292,316 ☐ Antiglaucoma agents
- 2214 4,289,787 ☐ Quaternary ammonium antiarrhythmic drugs
- 2215 4,288,433 ☐ Cosmetic compositions having a slimming action
- 2216 4,288,430 ☐ Disinfectant chlorinated cyanurate containing compositions and method of use
- 2217 4,287,192 ☐ Antiglaucoma agents
- 2218 4,287,191 ☐ Novel salicylanilides and microbiocidal compositions and uses thereof
- 2219 4,287,175 ☐ Contact lens wetting agents
- 2220 4,285,971 ☐ Novel halogenated phenol esters, antimicrobial compositions containing them and their use
- 2221 4,283,382 ☐ Fluorescent labels comprising rare earth chelates
- 2222 4,280,996 ☐ Fat emulsion for intravenous injection
- 2223 4,279,914 ☐ Thrombocyte aggregation inhibiting composition and methods
- 2224 4,277,501 ☐ Para-nitrophenylalkylamines and pharmaceutical compositions
- 2225 4,277,464 ☐ Preventing tooth demineralization using aspartame
- 2226 4,276,291 ☐ Tertiary amino-substituted thiazines
- 2227 4,276,287 ☐ Periodontal powder
- 2228 4,275,074 ☐ Catecholamine treatment of ocular hypertension
- 2229 4,275,060 ☐ Method and composition for combatting pest
- 2230 4,273,764 ☐ Stabilization of 2,2-dimethyl-4,5-benzospiro[2,4]hepta-4,6-diene-1-carboxylic acid, .alpha. -
- 2231 4,272,551 ☐ N-Sulfenylated formanilides useful as fungicides and bactericides
- 2232 4,272,549 ☐ Therapeutic method for the treatment of chronic uraemic patients undergoing periodical haemodialysis and liquid composition for dialysis for use in such a method
- 2233 4,272,542 ☐ Use of di-sodium and di-potassium salts of dicarboxylic amino acids and tri- or di-sodium or potassium phosphate tartrate or citrate to improve the taste of in vivo hydrolysable esters of .alpha. -amino penicillins and cephalosporins
- 2234 4,272,527 ☐ Medicinal preparation containing the extract of peat wax resin
- 2235 4,271,187 ☐ Substituted phenyl alanine antihypertensive agents
- 2236 4,271,181 ☐ Synergistic insecticidal combinations comprising endosulfan and 2-dihalovinyl-3,3-dimethylcyclopropanecarboxylates
- 2237 4,271,180 ☐ Synergistic mixture of three pyrethroid series insecticidal compounds
- 2238 4,271,149 ☐ Germicidal iodine compositions with enhanced iodine stability
- 2239 4,271,144 ☐ Dextran composition for controlling corneal hydration
- 2240 4,271,143 ☐ Sustained release ophthalmic drug dosage
- 2241 4,269,856 ☐ Mite and mite ovicidal compositions
- 2242 4,268,521 ☐ Synergistic insecticidal combinations comprising methomyl and 2-dihalovinyl-3,3-dimethylcyclopropanecarboxylates
- 2243 4,265,887 ☐ Composition and method for treatment of hemorrhoids
- 2244 4,263,326 ☐ Antimicrobial compositions containing an octylphenone
- 2245 4,263,297 ☐ 3-Lower alkoxy-6-trichloromethylpyridazines and their use as fungicides

- 2246 [4,263,287](#) ☐ [Fenvalerate-phosmet insecticidal composition](#)
- 2247 [4,262,017](#) ☐ [Preparation of a vitamin E dry powder](#)
- 2248 [4,260,597](#) ☐ [Thermally reversible dental astringent gels](#)
- 2249 [4,259,347](#) ☐ [Control of phytopathogens using dinitroaniline compounds](#)
- 2250 [4,259,313](#) ☐ [Fluorescent labels](#)

- 2251 [4,256,743](#) ☐ [Inhibition of bone resorption with H.sub.1 -blocking antihistamines](#)
- 2252 [4,255,439](#) ☐ [Means and method for aiding individuals to stop smoking](#)
- 2253 [4,255,438](#) ☐ [Method for reduction of cardiac mortality rate using pyrazolidine-3,5-diones](#)
- 2254 [4,255,415](#) ☐ [Polyvinyl alcohol ophthalmic gel](#)
- 2255 [4,252,788](#) ☐ [Dental composition for preventing and inhibiting dental caries](#)
- 2256 [4,251,536](#) ☐ [Rodenticides comprising 6-aminonicotinamide or 6-aminonicotinoxyhydroxamic acid](#)
- 2257 [4,251,512](#) ☐ [Synergistic fungicidal compositions containing 1,2,4-triazole derivatives](#)
- 2258 [4,251,507](#) ☐ [Process and composition for reducing dental plaque](#)
- 2259 [4,248,874](#) ☐ [Benzopyrano compounds as antiglaucoma agents](#)
- 2260 [4,247,557](#) ☐ [Benzopyranopyridines as antiglaucoma agents](#)
- 2261 [4,243,681](#) ☐ [Alkylthiophenoxypropanolamines and pharmaceutical compositions and uses thereof](#)
- 2262 [4,243,680](#) ☐ [Method of reducing infestation of citrus rust mites on citrus trees](#)
- 2263 [4,243,676](#) ☐ [Process for preparing overbased naphthenic micronutrient compositions](#)
- 2264 [4,242,349](#) ☐ [Orexigenic use of pyrrolo\[2,1-b\]\[3\]benzazepines](#)
- 2265 [4,241,083](#) ☐ [Germicidal composition for agriculture and horticulture](#)
- 2266 [4,239,774](#) ☐ [Pesticidal compositions containing 1,3,5-triazapenta-1,4-diene and organo-tin oxide compounds](#)
- 2267 [4,239,763](#) ☐ [.alpha.-Blocking agents in the treatment of obesity](#)
- 2268 [4,237,169](#) ☐ [Inhibition of prolactin release by an aminobenzylcycloalkanol](#)
- 2269 [4,237,125](#) ☐ [1.alpha.-Hydroxy-24-dehydrovitamin .sub.3 pharmaceutical compositions and uses thereof](#)
- 2270 [4,237,121](#) ☐ [Substituted oxadiazoles and their use as corn root worm insecticides](#)
- 2271 [4,235,902](#) ☐ [Pesticidal carbamate esters of 5-oximino-1,3-oxazolidin-4-ones](#)
- 2272 [4,234,594](#) ☐ [Pyrazolyl amino imidazolines as antihypertensive agents](#)
- 2273 [4,234,582](#) ☐ [Trialkyl isocyanates used as pesticides](#)
- 2274 [4,234,573](#) ☐ [1-Trimethylsilylphenyl-3-mono- and -di-halobenzoyl-ureas, insecticidal compositions containing them and their use in controlling insect pests](#)
- 2275 [4,233,288](#) ☐ [Gum emulsified liquid package for delivering and preserving liquid content in the mouth](#)
- 2276 [4,230,726](#) ☐ [Control of parasitic mites with alkyl amines](#)
- 2277 [4,230,724](#) ☐ [Method of treating vascularization of the eye with Flurbiprofen](#)
- 2278 [4,230,723](#) ☐ [Combating plant bacteria with acylhalogenomethyl thiocyanates](#)
- 2279 [4,230,701](#) ☐ [Administration of biologically active vitamin D.sub.3 and vitamin D.sub.2 materials](#)
- 2280 [4,230,690](#) ☐ [High-viscosity eye lotions](#)
- 2281 [4,229,433](#) ☐ [Method for controlling viral diseases in plants](#)
- 2282 [4,229,430](#) ☐ [Oral composition for improving oral health](#)
- 2283 [4,228,186](#) ☐ [Method for the control of manure-breeding insects](#)

- 2284 4,228,159 ☐ Stabilization of vitamin A in presence of trace minerals
- 2285 4,226,869 ☐ Method of stimulating the immune response with halogenated 10-(.omega.-dialkylaminopolymethyleneamino)-2-methoxypyrido[3,2-b]quinol ines
- 2286 4,226,851 ☐ Stable dental composition containing hydrogen peroxide
- 2287 4,226,773 ☐ Pyrazolyl amino imidazolines as diuretic agents
- 2288 4,225,599 ☐ Use of 1-lower alkoxy-4-trichloromethylphthalazines as an insecticide
- 2289 4,225,596 ☐ Method for treating calcium imbalance and improving calcium absorption in mammals
- 2290 4,224,319 ☐ Antiseptic composition for topical application to the skin
- 2291 4,223,018 ☐ Bath composition
- 2292 4,221,801 ☐ Composition for the treatment of soil or seed against phytophagous fungi
- 2293 4,221,792 ☐ Composition active against Pyricularia oryzae
- 2294 4,221,779 ☐ Pharmaceutical composition for treating tropical diseases
- 2295 4,220,653 ☐ Administration of cimetidine to reduce appetite and facilitate weight loss in persons suffering from excessive weight
- 2296 4,220,640 ☐ Stabilization of resmethrin
- 2297 4,219,545 ☐ Treatment of infectious keratoconjunctivitis in animals
- 2298 4,218,479 ☐ Novel benzylalcohols and pharmaceutical compositions and use thereof
- 2299 4,218,443 ☐ Polyether ionophores as antiobesity and hypotriglyceridemic agents
- 2300 4,217,353 ☐ Method for inducing anorexia

- 2301 4,217,351 ☐ Benzopyrano quinuclidines useful as antiglaucoma agents
- 2302 4,216,213 ☐ Acaricidal and insecticidal compositions
- 2303 4,215,144 ☐ Method of treating and controlling gingivitis
- 2304 4,214,006 ☐ Mouthwash and method for preventing and removing dental plaque
- 2305 4,214,002 ☐ Preservation of aqueous systems with 2-chloro-3-oxobutyramide derivatives
- 2306 4,212,886 ☐ Stabilized benactyzine hydrochloride
- 2307 4,211,778 ☐ Use of carbothiolates as insecticides
- 2308 4,211,776 ☐ N-Substituted 2-methoxybenzenesulphonamides, process for preparing them and medicaments containing them
- 2309 4,211,768 ☐ Dietetic foodstuff and its production
- 2310 4,211,767 ☐ Method of controlling the secretion of sebum in humans
- 2311 4,208,430 ☐ Pharmaceutical compositions and method of inhibiting phenylethanolamine N-methyltransferase
- 2312 4,208,421 ☐ Therapeutic compositions for the treatment of connective tissues diseases
- 2313 4,208,404 ☐ Glutaraldehyde sterilizing compositions
- 2314 4,208,348 ☐ Quaternary ammonium salt catalyzed preparation of sulfonamides
- 2315 4,207,334 ☐ Acylformamidine insecticidal and miticidal compounds
- 2316 4,206,234 ☐ Triphenylbut-1-ene derivatives and pharmaceutical compositions and uses thereof
- 2317 4,206,216 ☐ Antihypertensive N-heterocyclicalanines
- 2318 4,206,214 ☐ Antithrombotic pharmaceutical compositions containing dipyridamole and sulfinpyrazone

- 2319 4,205,064 ☐ Bile acid sequestering composition containing poly[{alkyl-(3-ammoniopropyl)imino}-trimethylenedihalides]
- 2320 4,205,061 ☐ Oral antimicrobial compositions
- 2321 4,203,998 ☐ Fungicidal use of chloro-substituted phenoxy ethers
- 2322 4,203,997 ☐ Directly-pressable ascorbic acid-containing granulates
- 2323 4,203,995 ☐ 1-Phenyl-2-azolyl-4,4-dimethyl-1-penten-3-ols and the fungicidal use thereof
- 2324 4,203,994 ☐ Fungicidal 3-phenyl-5-(substituted methyl)isoxazoles
- 2325 4,201,706 ☐ Treatment of corneal edema
- 2326 4,200,626 ☐ Haloplatinate dental composition for preventing and inhibiting dental caries
- 2327 4,199,587 ☐ Method of treating hypertension with polyprenyl alcohol ester
- 2328 4,199,567 ☐ Method for imparting freeze stability to chlorhexidine-containing medicaments
- 2329 4,197,301 ☐ Topical ophthalmic use of Prazosin
- 2330 4,195,085 ☐ Compositions and methods for treating glaucoma by the topical administration of t-butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy-2-phopanol hydrogen maleate
- 2331 4,190,673 ☐ Colchicine ophthalmic composition and method of use
- 2332 4,189,491 ☐ Tetrahydrocannabinol in a method of treating glaucoma
- 2333 4,186,211 ☐ Higher alkanol compositions and the use thereof in treatment of prostate disorders
- 2334 4,186,207 ☐ Stable aqueous or aqueous-alcoholic solutions of fat-soluble perfume oils or drugs containing N-(hydroxyalkyl)amide-ethoxylates
- 2335 4,185,113 ☐ Stabilized metal salts of ethylene bis dithiocarbamic acid
- 2336 4,183,913 ☐ Ectoparasitocidal compositions and use
- 2337 4,177,292 ☐ Novel 5H-benzocyclohepten-7-amines
- 2338 4,176,195 ☐ Pesticidal .alpha.-cyanobenzyl ester enantiomer pair
- 2339 4,175,139 ☐ Hypertension treating agent containing polyprenyl alcohol
- 2340 4,174,406 ☐ Terpenylaminoalkanol fish toxicants
- 2341 4,173,652 ☐ Pharmaceutical hydroxamic acid compositions and uses thereof
- 2342 4,173,651 ☐ Method for killing insects and/or fungi with electro-mechanical ultrasonic nebulizer and composition for said method
- 2343 4,171,377 ☐ Ophthalmic solution of tranexamic acid
- 2344 4,170,654 ☐ Antihypertensive compositions containing N-heterocyclicalanines and .alpha. -
- 2345 4,167,562 ☐ Method and composition for treating arteriosclerosis
- 2346 4,164,569 ☐ Stabilized soft gelatin capsule composition of 1 .alpha.-hydroxy-vitamin D